

OWNER: RAMJET AVIATION
ADDRESS: 1100 LEE WAGENER BLVD.
FT. LAUDERDALE FL 33315
PHONE: 954-359-0208
FAX:

OPERATOR: RAMJET AVIATION
ADDRESS: 1100 LEE WAGENER BLVD.
FT. LAUDERDALE FL 33315
PHONE: 954-359-0208
FAX:

OPERATOR: RELIABLE JET MAINTENANCE LLC
ADDRESS: 3900 AIRPORT RD
BOCA RATON FL 33431
PHONE: 561-417-3834
FAX: 561-353-0232

ANALYST: ERIC SIMPSON 877-411-CAMP (2267) (OFFICE) 800-787-9749 (EFAX-CARDS)
EMAIL: ESIMPSON@CAMPSYSTEMS.COM 631-588-3200 (OFFICE) 631-980-4222 (FAX)
WWW.CAMPSYSTEMS.COM

AIRCRAFT PROJECTED : 12 MOS. to 14-JUN-2011
SERIAL/REGNO: 126/N200RT **MODEL:** FALCON 50 **MANUFACTURER:** DASSAULT AVIATION

DATES	LAST ACTUALS		PROJECTED
CERTIFICATION DATE: 23-NOV-1982	9857.2 A/C HRS	as of 16-APR-2010	10113
	6601 AFL	as of 16-APR-2010	8777
	3050.1 APH	as of 10-MAR-2010	3291

APU **SERIAL/PART:** P-230/3800016-3-1 **MODEL:** GTCP36-100(A) **MANUFACTURER:** HONEYWELL

INSTALLED ON 09-NOV-1983	LAST ACTUALS		PROJECTED
0 APU HRS	3050.1 APU HRS	as of 10-MAR-2010	3291
0 APUS	0 APUS	as of 09-NOV-1983	0

ENGINE NO. 1 **SERIAL/PART:** P76487/3074570-1 **MODEL:** TFE731-3D-1C **MANUFACTURER:** HONEYWELL

INSTALLED ON 28-JUN-2001		LAST ACTUALS		PROJECTED
8187.8 ENG. HRS	7259.9 A/C HRS	10741.9 ENG. HRS	as of 16-APR-2010	10998
5382 ENC		6894 ENC	as of 16-APR-2010	7097

ENGINE NO. 2 **SERIAL/PART:** P76519/3074570-1 **MODEL:** TFE731-3D-1C **MANUFACTURER:** HONEYWELL

INSTALLED ON 06-MAY-2003		LAST ACTUALS		PROJECTED
7999.2 ENG. HRS	8249.1 A/C HRS	9607.3 ENG. HRS	as of 16-APR-2010	9863
5305 ENC		6350 ENC	as of 16-APR-2010	6579

ENGINE NO. 3 **SERIAL/PART:** P76489/3074570-1 **MODEL:** TFE731-3D-1C **MANUFACTURER:** HONEYWELL

INSTALLED ON 16-APR-2010		LAST ACTUALS		PROJECTED
10811.1 ENG. HRS	9857.2 A/C HRS	10811.1 ENG. HRS	as of 16-APR-2010	11067
6841 ENC		6841 ENC	as of 16-APR-2010	7070



INSUFFICIENT ITEMS Operator Review And Action Required

Aircraft Model : FALCON 50
Serial #: 126 Reg. #: N200RT

These tasks have insufficient information for calculating next due. Please provide the missing information (marked by ?) so that they can be setup properly. It is important to note that any task that has insufficient information, will not come due correctly unless the necessary information is provided by you.

TASK NO	TASK DESCRIPTION	EFFECTIVE DATE	UNIT	INTERVAL	COMPLIANCE	NEXT DUE	DISPOSITION
231803	CAPACITY CHECK NO. 1 EMERGENCY COMMUNICATION BATTERY BOX		MOS	12	?		
	REF: ENTER MISSING C/W DATE _____		HRS/MSC AFL				
342048	CAPACITY TEST STANDBY HORIZON BATTERY		MOS	12	?		
	REF: See Workcard ENTER MISSING C/W DATE _____		HRS/MSC AFL				

AUTHORIZED BY _____ CERT.# _____ DATE _____

?-Insufficient Information (s) Suppressed Requirement *-Estimated Due (New Requirement) (EBT)-Estimated Base Time

28-APR-2010

© CAMP SYSTEMS



NEW REQUIREMENT ITEMS Operator Review And Action Required

Aircraft Model : FALCON 50
Serial #: 126 Reg. #: N200RT

These tasks or requirements have been added newly to your aircraft status. Please review them and approve or modify as appropriate. Please pay particular attention to the Base and Next Due Times for these tasks. It is important to note that any task that has insufficient information (marked by ?), will never come due unless the necessary information is provided by you.

TASK NO	TASK DESCRIPTION	EFFECTIVE DATE	UNIT	INTERVAL	BASE TIME		NEXT DUE	DISPOSITION	
					Current	Change To			
AD 2010-07-02	HONEYWELL PRIMUS II RNZ-850()/-851() INTEGRATED NAVIGATION UNITS	03-MAY-2010	DUE NEXT	MOS	30	03-MAY-2010	_____	03-NOV-2012	MANDATORY
				HRS/MSC			_____		
	REF: AD			AFL			_____		
	NEW REQUIREMENT ADDED ON 31-MAR-2010. REVIEW BASE TIMES TO ENSURE CORRECT DUE TIMES.								

AUTHORIZED BY _____ CERT.# _____ DATE _____

?-Insufficient Information (s) Suppressed Requirement *-Estimated Due (New Requirement) (EBT)-Estimated Base Time

28-APR-2010

© CAMP SYSTEMS



AIRFRAME Maintenance Due

Aircraft Model - FALCON 50
Serial #: 126 Reg. #: N200RT

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
256006	INSPECT/CHECK NO. 1 LIFE RAFT								
25.070	P/N: R0101A104 S/N: TQ04079 REF: GENERIC NO REF	MOS HRS/MSC AFL	12		01-DEC-2009	13-JUN-2010		46 d	13-JUN-2010
256016	INSPECT/CHECK NO. 2 LIFE RAFT								
25.080	P/N: R0101A104 S/N: TQ04086 REF: GENERIC NO REF	MOS HRS/MSC AFL	12		01-DEC-2009	13-JUN-2010		46 d	13-JUN-2010
256026	INSPECT/CHECK NO. 3 LIFE RAFT								
25.090	P/N: R0101A104 S/N: TQ04095 REF: GENERIC NO REF	MOS HRS/MSC AFL	12		01-DEC-2009	13-JUN-2010		46 d	13-JUN-2010
+ 052501	BASIC INSPECTION								
05.010	REF: See Workcard	DAYS HRS/MSC AFL	60 200	+5	16-APR-2010 9857.20 6601	15-JUN-2010 10057.20	20-JUN-2010	48 d 200	(+5) 15-JUN-2010
052506	SERVICING OPERATION								
05.010	REF: AMM 05-050	DAYS HRS/MSC AFL	60 200	+5	16-APR-2010 9857.20 6601	15-JUN-2010 10057.20	20-JUN-2010	48 d 200	(+5) 15-JUN-2010
761210	NO. 1 ENGINE - DOWNLOAD DIGITAL ELECTRONIC ENGINE CONTROL								
	REF:	MOS HRS/MSC ENC	40		29-JAN-2010 10740.60 6892	(10780.60) 9895.90		38.7	11-AUG-2010
761210	NO. 2 ENGINE - DOWNLOAD DIGITAL ELECTRONIC ENGINE CONTROL								
	REF:	MOS HRS/MSC ENC	40		29-JAN-2010 9606 6348	(9646) 9895.90		38.7	11-AUG-2010
761210	NO. 3 ENGINE - DOWNLOAD DIGITAL ELECTRONIC ENGINE CONTROL								
	REF:	MOS HRS/MSC ENC	40		29-JAN-2010 10809.80 6839	(10849.80) 9895.90		38.7	11-AUG-2010
+ 262256	WEIGHT CHECK PORTABLE EXTINGUISHER								
26.250	P/N: 898052 S/N: W-574058 REF: AMM 26-208	MOS HRS/MSC AFL	18		31-MAR-2009 9852.90 6597	30-SEP-2010		155 d	30-SEP-2010

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
* - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
262802	WEIGHT CHECK HALON CKPT EXTINGUISHER P/N: 898052 S/N: W-574072 REF:	MOS HRS/MSC AFL	18		31-MAR-2009 9852.90 6597	30-SEP-2010		155 d	30-SEP-2010
+ 351104 35.080	OPERATIONAL TEST PILOT OXYGEN MASK P/N: MA1012-00 S/N: 2699 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	12-OCT-2010	22-OCT-2010	167 d (+10)	12-OCT-2010
+ 351129 35.080	OPERATIONAL TEST COPILOT OXYGEN MASK P/N: MA1012-00 S/N: 10695 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	12-OCT-2010	22-OCT-2010	167 d (+10)	12-OCT-2010
+ 491110 49.040	APU - INSPECT COMBUSTOR UNIT P/N: 3830677-9 S/N: 61013-75059R REF: See Workcard	MOS HRS/MSC APUS	300	+10%	02-APR-2008 2893	3193	3223	142.9 (+30)	13-OCT-2010
493020 49.055	APU - REMOVE AND REPLACE FUEL FILTER ELEMENT REF: See Workcard	MOS HRS/MSC APUS	300	+10%	02-APR-2008 2893	3193	3223	142.9 (+30)	13-OCT-2010
493120 49.080	APU - CLEAN FUEL NOZZLE P/N: 3830061-5 S/N: 10S04926 REF: See Workcard	MOS HRS/MSC APUS	300	+10%	02-APR-2008 2893	3193	3223	142.9 (+30)	13-OCT-2010
+ 493140 49.090	APU - CLEAN/INSPECT COMBUSTOR DRAIN/ORIFICE FITTING VALVE P/N: 968214-1 S/N: SN-UNKNOWN REF: See Workcard	MOS HRS/MSC APUS	300	+10%	02-APR-2008 2893	3193	3223	142.9 (+30)	13-OCT-2010
+ 494030 49.105	APU - CLEAN/INSPECT IGNITER PLUG P/N: 3888366-1 S/N: SN-UNKNOWN REF: See Workcard	MOS HRS/MSC APUS	300	+10%	02-APR-2008 2893	3193	3223	142.9 (+30)	13-OCT-2010
+ 050100	A INSPECTION REF:	MOS HRS/MSC AFL	6 300		16-APR-2010 9857.20 6601	16-OCT-2010 10157.20		171 d 300	16-OCT-2010

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
+ 050200	2A INSPECTION	MOS HRS/MSC AFL	12 600		29-JAN-2010 9855.90 6599	16-OCT-2010 10157.20		171 d 300	16-OCT-2010
+ 050250	A+ INSPECTION	MOS HRS/MSC AFL	6		16-APR-2010 9857.20 6601	16-OCT-2010		171 d	16-OCT-2010
+ 050300	2A+ INSPECTION	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	16-OCT-2010		171 d	16-OCT-2010
231802	VOLTAGE CHECK NO. 1 EMERGENCY COMMUNICATION BATTERY BOX	MOS HRS/MSC AFL	6		16-APR-2010 9857.20 6601	16-OCT-2010		171 d	16-OCT-2010
+ 342040	VOLTAGE TEST STANDBY HORIZON BATTERY	MOS HRS/MSC AFL	6		16-APR-2010 9857.20 6601	16-OCT-2010		171 d	16-OCT-2010
34.380	P/N: PN S/N: 3363 REF: See Workcard								
381814	CLEAN WATER SYS-DETAILED	MOS HRS/MSC AFL	6		16-APR-2010 9857.20 6601	16-OCT-2010		171 d	16-OCT-2010
REF:									
+ 262271	WEIGHT CHECK BAGGAGE COMPARTMENT RIGHT FIRE EXTINGUISHER	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	27-OCT-2010		182 d	27-OCT-2010
26.180	P/N: 30702102-1 S/N: 36966D6 REF: See Workcard								
+ 262296	INSULATION TEST BAGGAGE COMPARTMENT RIGHT FIRE EXTINGUISHER	MOS HRS/MSC AFL	12	+1m	29-JAN-2010 9855.90 6599	27-OCT-2010	26-NOV-2010	182 d (+30)	27-OCT-2010
26.180	P/N: 30702102-1 S/N: 36966D6 REF: AMM 26-270								
+ 262321	WEIGHT CHECK BAGGAGE COMPARTMENT LEFT FIRE EXTINGUISHER	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	27-OCT-2010		182 d	27-OCT-2010
26.210	P/N: 30702102-1 S/N: 13413D2 REF: AMM 26-350								

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE	
+ 262336	INSULATION TEST BAGGAGE COMPARTMENT LEFT FIRE EXTINGUISHER PERCUSSION CARTRIDGE CIRCUIT P/N: 30702102-1 S/N: 13413D2 REF: AMM 26-330	MOS HRS/MSC AFL	12 C/C	+1m		29-JAN-2010 9855.90 6599	27-OCT-2010 26-NOV-2010	182 d (+30)	27-OCT-2010	
262120	REPLACE MIDDLE FIRE (14W1) EXTINGUISHER GREEN HEAD CARTRIDGE (LIFE LIMIT) REF: GENERIC NO REF	MOS HRS/MSC AFL	120			01-JAN-2001	01-JAN-2011	248 d	01-JAN-2011	
351141	THIRD CREW MEMBER OXYGEN MASK P/N: 289-601-228 S/N: JAN2005 REF: GENERIC NO REF	MOS HRS/MSC AFL	72	TSN:1		08-FEB-2005 8782.70 5795	08-JAN-2011	OVERHAUL 255 d	08-JAN-2011	
352161	TOILET OXYGEN MASK P/N: 289-601-228 S/N: JAN2005 REF: GENERIC NO REF	MOS HRS/MSC AFL	72	+3%	TSN:1	08-FEB-2005 8782.70 5795	08-JAN-2011 14-MAR-2011	REPLACE 255 d (+65)	08-JAN-2011	
249001	CAPACITY TEST NO. 1 BATTERY (CONCORD BATTERY ONLY) P/N: RG-390E/LS S/N: 40257488 REF: See Workcard	MOS HRS/MSC AFL	12 600	+3% +3%		29-JAN-2010 9855.90 6599	29-JAN-2011 10455.90	08-FEB-2011 10473.9	276 d (+10) 598.7 (+18)	29-JAN-2011
249003	CAPACITY TEST NO. 2 BATTERY (CONCORD BATTERY ONLY) P/N: RG-390E/LS S/N: 40257424 REF: See Workcard	MOS HRS/MSC AFL	12 600	+3% +3%		29-JAN-2010 9855.90 6599	29-JAN-2011 10455.90	08-FEB-2011 10473.9	276 d (+10) 598.7 (+18)	29-JAN-2011
252104	INSPECT/REPLACE MEDAIR FIRST AID KIT P/N: S6-01-0005-306 S/N: SN-UNKNOWN REF:	MOS HRS/MSC AFL	12			29-JAN-2010 9855.90 6599	29-JAN-2011	276 d	29-JAN-2011	
+ 262131	WEIGHT CHECK REAR FIRE (14W2) EXTINGUISHER P/N: 404080 S/N: 4618EL REF: AMM 26-204	MOS HRS/MSC AFL	12			29-JAN-2010	29-JAN-2011	276 d	29-JAN-2011	
+ 262217	INSULATION TEST REAR FIRE (14W2) EXTINGUISHER PERCUSSION CARTRIDGE CIRCUIT P/N: 404080 S/N: 4618EL REF: AMM 26-080	MOS HRS/MSC AFL	12 C/C	+1m		29-JAN-2010 9855.90 6599	29-JAN-2011 28-FEB-2011	276 d (+30)	29-JAN-2011	

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
301121	LEAK TEST LEFT OUTBOARD SLAT TELESCOPIC COUPLING AND SWIVELING TORQUE MEASUREMENT								
30.020	P/N: 5040-200 S/N: 021 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	29-JAN-2011	08-FEB-2011	276 d (+10)	29-JAN-2011
301136	LEAK TEST LEFT INBOARD SLAT TELESCOPIC COUPLING AND SWIVELING TORQUE MEASUREMENT								
30.030	P/N: 5041-200 S/N: 025 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	29-JAN-2011	08-FEB-2011	276 d (+10)	29-JAN-2011
301151	LEAK TEST RIGHT OUTBOARD SLAT TELESCOPIC COUPLING AND SWIVELING TORQUE MEASUREMENT								
30.020	P/N: 5040-300 S/N: 331 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	29-JAN-2011	08-FEB-2011	276 d (+10)	29-JAN-2011
301166	LEAK TEST RIGHT INBOARD SLAT TELESCOPIC COUPLING AND SWIVELING TORQUE MEASUREMENT								
30.030	P/N: 5041-300 S/N: 491 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	29-JAN-2010 9855.90 6599	29-JAN-2011	08-FEB-2011	276 d (+10)	29-JAN-2011
346208	TEST NO. 1 IRS EMERGENCY POWER SUPPLY BITE/LEVEL								
	P/N: 100-0202-01 S/N: 1251 REF:	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	29-JAN-2011		276 d	29-JAN-2011
346218	CHECK NO. 2 IRS EMERGENCY POWER SUPPLY BITE/LEVEL								
	P/N: 100-0202-01 S/N: 1253 REF:	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	29-JAN-2011		276 d	29-JAN-2011
353026	INSPECT PORTABLE OXYGEN BOTTLE								
35.170	P/N: 176965-M-B-3 S/N: AE-62237 REF: AMM 35-302	MOS HRS/MSC AFL	12		29-JAN-2010 9855.90 6599	29-JAN-2011		276 d	29-JAN-2011
+ 057110	NO. 1 ENGINE - 150/250 HOUR INSPECTION								
	REF: EMM 72-00-00	MOS HRS/MSC ENC	150	+100	31-JUL-2008 10689.60	(10839.60) 9954.90	10939.6	97.7 (+100)	07-FEB-2011
+ 057110	NO. 2 ENGINE - 150/250 HOUR INSPECTION								
	REF: EMM 72-00-00	MOS HRS/MSC ENC	150	+100	31-JUL-2008 9555 6300	(9705) 9954.90	9805	97.7 (+100)	07-FEB-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
+ 057110	NO. 3 ENGINE - 150/250 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC 150 ENC	+100	31-JUL-2008 10758.80 6791	(10908.80) 9954.90	11008.8	97.7 (+100)	07-FEB-2011
+ 243136 24.085	CHECK NO. 3 STARTER/GENERATOR BRUSHES P/N: 8060-300-1 S/N: 380 REF: See Workcard	MOS HRS/MSC 150 AFL	+10	01-AUG-2008 9804.90 6551	9954.90	9964.9	97.7 (+10)	07-FEB-2011
+ 057120	NO. 1 ENGINE - 300/400 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC 300 ENC	+100	13-MAR-2008 10554.30	(10854.30) 9969.60	10954.3	112.4 (+100)	23-MAR-2011
+ 057120	NO. 2 ENGINE - 300/400 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC 300 ENC	+100	13-MAR-2008 9419.70 6195	(9719.70) 9969.60	9819.7	112.4 (+100)	23-MAR-2011
+ 057120	NO. 3 ENGINE - 300/400 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC 300 ENC	+100	13-MAR-2008 10623.50 6686	(10923.50) 9969.60	11023.5	112.4 (+100)	23-MAR-2011
256126 25.190	INSPECT/CHECK PILOT LIFE JACKET P/N: 3505-101-23 S/N: Q0801406 REF: GENERIC NO REF	MOS 24 HRS/MSC AFL	+3%	31-MAR-2009	31-MAR-2011	21-APR-2011	337 d (+21)	31-MAR-2011
050220	4A INSPECTION REF: GENERIC NO REF	MOS 24 HRS/MSC 1200 AFL	+1m +30	29-JAN-2010 9855.90 6599	16-APR-2011 10757.20	16-MAY-2011 10787.2	353 d (+30) 900 (+30)	16-APR-2011
256152 25.210	OPERATIONAL TEST EMERGENCY LOCATOR TRANSMITTER P/N: 453-5000-999 S/N: 06097 REF: See Workcard	MOS 12 HRS/MSC AFL	+1m	16-APR-2010 9857.20 6601	16-APR-2011	16-MAY-2011	353 d (+30)	16-APR-2011
+ 262111 26.060	WEIGHT CHECK MIDDLE FIRE (14W1) EXTINGUISHER P/N: 404080 S/N: 22036EL REF: AMM 26-204	MOS 12 HRS/MSC AFL		16-APR-2010 9857.20 6601	16-APR-2011		353 d	16-APR-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
+ 262151 26.080	WEIGHT CHECK FRONT FIRE (14W3) EXTINGUISHER P/N: 404080 S/N: 22005EL REF: AMM 26-204	MOS HRS/MSC AFL	12		16-APR-2010 9857.20 6601	16-APR-2011		353 d	16-APR-2011
+ 262176 26.090	WEIGHT CHECK APU FIRE EXTINGUISHER P/N: 30111102 S/N: 37877A1 REF: See Workcard	MOS HRS/MSC AFL	12		16-APR-2010 9857.20 6601	16-APR-2011		353 d	16-APR-2011
+ 262185 26.090	INSULATION TEST APU FIRE EXTINGUISHER PERCUSSION CARTRIDGE CIRCUIT P/N: 30111102 S/N: 37877A1 REF: AMM 26-200	MOS HRS/MSC AFL	12	+1m	16-APR-2010 9857.20 6601	16-APR-2011	16-MAY-2011	353 d (+30)	16-APR-2011
+ 262216 26.060	INSULATION TEST MIDDLE FIRE (14W1) EXTINGUISHER PERCUSSION CARTRIDGE CIRCUIT P/N: 404080 S/N: 22036EL REF: AMM 26-020	MOS HRS/MSC AFL	12	+1m	16-APR-2010 9857.20 6601	16-APR-2011	16-MAY-2011	353 d (+30)	16-APR-2011
+ 262218 26.080	INSULATION TEST FRONT FIRE (14W3) EXTINGUISHER PERCUSSION CARTRIDGE CIRCUIT P/N: 404080 S/N: 22005EL REF: AMM 26-140	MOS HRS/MSC AFL	12	+1m	16-APR-2010 9857.20 6601	16-APR-2011	16-MAY-2011	353 d (+30)	16-APR-2011
+ 332111 33.100	FUNCTIONAL TEST LEFT EMERGENCY LIGHTING (114L1) UNIT P/N: 60-2502-5 S/N: 1381 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10)	16-APR-2011
332121 33.110	FUNCTIONAL TEST RIGHT EMERGENCY LIGHTING (114L2) UNIT P/N: 60-2502-5 S/N: 757 REF: AMM 33-501	MOS HRS/MSC AFL	12	+3%	16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10)	16-APR-2011
332131 33.120	FUNCTIONAL TEST FRONT EMERGENCY LIGHTING (113L) UNIT P/N: 60-2502-5 S/N: 1606 REF: AMM 33-501	MOS HRS/MSC AFL	12	+3%	16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10)	16-APR-2011
335103 33.100	SERVICE LEFT EMERGENCY LIGHTING (114L1) UNIT P/N: 60-2502-5 S/N: 1381 REF: See Workcard	MOS HRS/MSC AFL	12	+3%	16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10)	16-APR-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
* - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
335113	SERVICE RIGHT EMERGENCY LIGHTING (114L2) UNIT								
33.110	P/N: 60-2502-5 S/N: 757 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
335133	SERVICE FRONT EMERGENCY LIGHTING (113L) UNIT								
33.120	P/N: 60-2502-5 S/N: 1606 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
342257	FUNCTIONAL TEST PILOT AIR DATA COMPUTER								
34.510	P/N: 622-8329-649 S/N: 631 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
342294	FUNCTIONAL TEST COPILOT AIR DATA COMPUTER								
34.520	P/N: 622-8329-646 S/N: 354 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
342496	LEAK MEASUREMENT PILOT AIR DATA COMPUTER								
34.510	P/N: 622-8329-649 S/N: 631 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
342497	LEAK MEASUREMENT COPILOT AIR DATA COMPUTER								
34.520	P/N: 622-8329-646 S/N: 354 REF: See Workcard	MOS HRS/MSC AFL	12	+3%		16-APR-2010 9857.20 6601	16-APR-2011	26-APR-2011	353 d (+10) 16-APR-2011
351101	PILOT OXYGEN MASK							OVERHAUL	
35.080	P/N: MA1012-00 S/N: 2699 REF: GENERIC NO REF	MOS HRS/MSC AFL	72	+3%	TSO:0	01-MAY-2005	01-MAY-2011	05-JUL-2011	368 d (+65) 01-MAY-2011
+ 221054	FUNCTIONAL TEST AUTOPILOT YAW SERVO MOUNT CAPSTAN								
22.130	P/N: 792-6785-001 S/N: 4858 REF: GENERIC NO REF	MOS HRS/MSC AFL	10000	+3%		23-NOV-1982 0 0	10000	10300	142.8 (+300) 24-JUN-2011
+ 278291	FUNCTIONAL TEST PITCH GUST VALVE (MANDATORY REF 5-40-00)							MANDATORY 5-40	
27.960	P/N: 104086-13 S/N: 3286 REF: GENERIC NO REF	MOS HRS/MSC AFL	10000			23-NOV-1982 0 0	10000	142.8	24-JUN-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE
+ 282006 28.550	CHECK RIGHT FEEDER TANK MANIFOLD RIGHT LOW PRESSURE INTERCONNECTION VALVE FITTINGS P/N: L88A19-209 S/N: 20293 REF: GENERIC NO REF	MOS HRS/MSC AFL	10000 +3%	23-NOV-1982 0 0	10000	10300	142.8 (+300)	24-JUN-2011
+ 282107 28.550	CHECK RIGHT FEEDER TANK MANIFOLD RIGHT THERMAL EXPANSION VALVE FOR SEIZING P/N: L88A19-209 S/N: 20293 REF: GENERIC NO REF	MOS HRS/MSC AFL	10000 +3%	23-NOV-1982 0 0	10000	10300	142.8 (+300)	24-JUN-2011
+ 304106	CHECK/REPLACE PILOT WINDSHIELD WIPER MOTOR BRUSHES P/N: XW23827G1 S/N: 7676 REF: See Workcard	MOS HRS/MSC AFL	10000	23-NOV-1982 0 0	10000		142.8	24-JUN-2011
+ 304116	CHECK/REPLACE COPILOT WINDSHIELD WIPER MOTOR BRUSHES P/N: XW23827G1 S/N: 7677 REF: See Workcard	MOS HRS/MSC AFL	10000	23-NOV-1982 0 0	10000		142.8	24-JUN-2011
+ 057130	NO. 3 ENGINE - 600/800 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC ENC	600 +200	07-JUN-2007 10366.30 6456	(10966.30) 10012.40	11166.3	155.2 (+200)	01-AUG-2011
790120 79.020	NO. 3 ENGINE - CHANGE OIL REF: EMM 72-00-00	MOS HRS/MSC ENC	600	07-JUN-2007 10366.30 6456	(10966.30) 10012.40		155.2	01-AUG-2011
+ 057130	NO. 1 ENGINE - 600/800 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC ENC	600 +200	31-MAY-2007 10297.60 6509	(10897.60) 10012.90	11097.6	155.7 (+200)	02-AUG-2011
+ 057130	NO. 2 ENGINE - 600/800 HOUR INSPECTION REF: EMM 72-00-00	MOS HRS/MSC ENC	600 +200	01-JUN-2007 9163	(9763) 10012.90	9963	155.7 (+200)	02-AUG-2011
790120 79.020	NO. 1 ENGINE - CHANGE OIL REF: EMM 72-00-00	MOS HRS/MSC ENC	600	31-MAY-2007 10297.60 6509	(10897.60) 10012.90		155.7	02-AUG-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)

TASK NO	TASK DESCRIPTION	UNIT	INTERVAL	TIME SINCE	COMPLIANCE	NEXT DUE (ENH) AFH	MAX LIMIT	DISPOSITION TIME REMAINING	EST. DUE		
790120	NO. 2 ENGINE - CHANGE OIL										
79.020	REF: EMM 72-00-00	MOS HRS/MSC 600 ENC				01-JUN-2007 9163		(9763) 10012.90	155.7	02-AUG-2011	
282171	REPLACE NO. 3 LOW PRESSURE PUMP MOTOR BRUSHES										
28.620	P/N: 2061H02 S/N: 887 REF: GENERIC NO REF	MOS HRS/MSC 1200 AFL	+3%			03-MAY-2005 8851.30 5834		10051.30	10087.3	194.1 (+36)	27-NOV-2011

(xEXT) - Extension incorporated in the next due (s) - Suppressed Requirement + - FAA manual flag is set (EBT) - Estimated Base Time (EFF) - Effective C/W
 * - Estimated Due (applies to New Requirement)