



Status Report

HAWKER 900XP

S/N HA-0161 N61HQ

OWNER: NEW KPC HOLDCO, LLC
ADDRESS: 6400 N. ANDREWS AVENUE, SUITE 490
FORT LAUDERDALE FL 33309
OFFICE: 561-756-5438
FAX:

OPERATOR: WORLDWIDE SPORTS ENTERPRISE, LLC
ADDRESS: C/O RAMJET AVIATION, INC
FT. LAUDERDALE FL 33315
OFFICE: 954-359-0260
FAX:

OPERATOR: WORLDWIDE SPORTS ENTERPRISE, LLC
ADDRESS: 6400 NORTH ANDREWS AVENUE
FT. LAUDERDALE FL 33309
OFFICE: 561-756-5438
FAX:

ANALYST: GLEN WATSON
EMAIL: GWATSON@CAMPSYSTEMS.COM

1-866-581-2267 (OFFICE)
316-462-2442 (FAX)
WWW.CAMPSYSTEMS.COM

800-787-9749 (EFAX-CARDS)
631-980-4222 (EFAX-CARDS)

PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT SERIAL/REGNO: HA-0161/N61HQ MODEL: HAWKER 900XP MANUFACTURER: TEXTRON AVIATION INC.

CERTIFICATION DATE: 16-MAR-2010

LAST ACTUALS:
3860.6 A/C HRS as of 03-JAN-2024
1466 AFL as of 03-JAN-2024
3698 APH as of 20-DEC-2023

APU SERIAL/PART: P-1179/3800304-1 MODEL: GTCP36-150(W) MANUFACTURER: HONEYWELL

INSTALLED ON: 05-MAY-2010
0 APU HRS 0 A/C HRS
0 APUS

LAST ACTUALS:
3716 APU HRS as of 20-DEC-2023
0 APUS as of 12-DEC-2022

ENGINE NO. 1 SERIAL/PART: P122372/3060090-1 MODEL: TFE731-50R-1H MANUFACTURER: HONEYWELL

INSTALLED ON: 19-DEC-2017
2853.82 ENG. HRS 2886.88 A/C HRS
1031 ENC

LAST ACTUALS:
3847.5 ENG. HRS as of 03-JAN-2024
1452 ENC as of 03-JAN-2024

ENGINE NO. 2 SERIAL/PART: P122371/3060090-1 MODEL: TFE731-50R-1H MANUFACTURER: HONEYWELL

INSTALLED ON: 19-DEC-2017
2853.82 ENG. HRS 2886.88 A/C HRS
1031 ENC

LAST ACTUALS:
3847.5 ENG. HRS as of 03-JAN-2024
1452 ENC as of 03-JAN-2024



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 00 - INFORMATION</b>									
A010-161102	APU - REVIEW SERVICE INFORMATION LETTER APU-56 (D199709000077) REVISION 2							Service	ATA:00
	MOS/MSC	10-Mar-17	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
	PROC. REF: RCF A010-161102								
A010-180112	APU - REVIEW HONEYWELL GTCP 36-150(F) APU-49 SIL REV 10							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	APUS								
	PROC. REF: RCF APU-SIL-49								
ADS-B OUT STATUS	AUTOMATIC DEPENDENT SURVEILLANCE-BROADCAST (ADS-B) OUT COMPLIANT							Component	ATA:00
PN:CONFIRMATION FROM FLIGHT AWARE DATA	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
BCXP-151102	REVIEW HAWKER 900XP MAINTENANCE MANUAL ADDENDA REV 8 SEPT, 2015-RCF							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-151106	REVIEW HAWKER 750/800XP/850XP/900XP AFMS REV 30 DATED SEPTEMBER 1, 2015- RCF							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-160322	REVIEW HAWKER 750/800XP/850XP/900XP AFMS REV 31 DATED MARCH 1, 2016 -CAMP CHANGE FORM							Service	ATA:00
	MOS/MSC	23-Jun-16	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
BCXP-160901	REVIEW HAWKER 750/800XP/850XP/900XP AFMS REVISION 32 DATED SEP.16 REVISION SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC	13-Mar-17	-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-170227	REVIEW REVISION CHANGE SUMMARY FORM FOR CONCORDE BATTERY REV B DATED FEBRUARY 27, 2017							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-170711	REVIEW HAWKER 750/800XP/850XP/900XP AFMS AUDIT SUMMARY CHANGE FORM							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-190624	REVIEW AUDIT SUMMARY CHANGE FORM - TASK CODE CHANGE							Service	ATA:00
	MOS/MSC		-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
BCXP-201207	REVIEW AUDIT SUMMARY CHANGE FORM - ADDITION OF PART NUMBER TASKS FOR FDR ULB BATTERY AND CVR ULB BATTERY							Service	ATA:00
	MOS/MSC	29-Dec-20	-					AUDIT SUMMARY CHANGE FORM	
	HRS								
	AFL								
	PROC. REF: RCF BCXP								
E004-170718	NO. 1 ENGINE - REVIEW HONEYWELL TFE731-20/-40/-60 LMM,TR 70-4							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
	PROC. REF: RCF E004								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E004-170718	NO. 2 ENGINE - REVIEW	HONEYWELL	TFE731-20/-40/-60 LMM,TR 70-4					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-170913	NO. 1 ENGINE - REVIEW	HONEYWELL	TFE731-20/-40/-60 LMM, 12 TR 72-235					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-170913	NO. 2 ENGINE - REVIEW	HONEYWELL	TFE731-20/-40/-60 LMM, 12 TR 72-235					Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-180118	NO. 1 ENGINE - REVIEW	TFE731-20/-40/-50/-60 LMM REV 13						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-180118	NO. 2 ENGINE - REVIEW	TFE731-20/-40/-50/-60 LMM REV 13						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-180802	NO. 1 ENGINE - REVIEW	TFE731-20/-40/-50/-60 LMM TR 5-17						Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004-180802			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E004-180802	NO. 2 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 5-17							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004-180802			
E004-191206	NO. 1 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 79-8							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-191206	NO. 2 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 79-8							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-191209	NO. 1 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 5-18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-191209	NO. 2 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 5-18							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-201001	NO. 1 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 72-245							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
E004-201001	NO. 2 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 72-245							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-201102	NO. 1 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 79-9							Service ATA:00
	MOS/MSC	29-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-201102	NO. 2 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 79-9							Service ATA:00
	MOS/MSC	29-Dec-20	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-201221	NO. 1 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 72-244							Service ATA:00
	MOS/MSC	21-Jan-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-201221	NO. 2 ENGINE - REVIEW TFE731-20/-40/-50/-60 LMM TR 72-244							Service ATA:00
	MOS/MSC	21-Jan-21	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			
E004-210506	NO. 1 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 79-11							Service ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS
	HRS							
	ENC							
					PROC. REF: RCF E004			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 00 - INFORMATION</b>									
E004-210506	NO. 2 ENGINE - REVIEW TFE731-20/40/50/60 LMM TR 79-11							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
				PROC. REF: RCF E004					
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050001	INSPECTION PRE-FLIGHT							Service	ATA:05
	MOS/MSC	22-Feb-21	A/R						
	HRS	3396.83							
WC#: 05.T01	AFL	1239							
				PROC. REF: AFMS 5-20-01, AFMS 05-00-00					
050005	INSPECTION POST FLIGHT							Service	ATA:05
	MOS/MSC	20-Jun-22	A/R						
	HRS	3511.6							
WC#: 05.T02	AFL	1288							
				PROC. REF: AFMS 05-00-00, AFMS 5-20-02					
050110	INSPECTION B1-B12 COMPLETE							Package	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)		4205	4245	344.4 (+40)		
	AFL	1243							
				PROC. REF: AFMS 5-21-00				PKG:91	
050141 <sup>S</sup>	INSPECT AREA F1-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.203	AFL	1243							
				PROC. REF: AFMS 5-00-00				PKG:9,91	
050171 <sup>S</sup>	INSPECT AREA F3 ABOVE FLOOR-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.206	AFL	1243							
				PROC. REF: AFMS 5-00-00				PKG:12,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050181 <sup>S</sup>	INSPECT AREA F4-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.207	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:13,91	
050191 <sup>S</sup>	INSPECT AREA T1-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.208	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:14,91	
050201 <sup>S</sup>	INSPECT AREA W1-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.209	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:15,91	
050211 <sup>S</sup>	INSPECT AREA W2-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.210	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:16,91	
050221 <sup>S</sup>	INSPECT AREA M1/M2-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.211	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:17,91	
050231 <sup>S</sup>	INSPECT AREA G-800 HOURS							Service	ATA:05
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 05.212	AFL	1243							
	PROC. REF: AFMS 5-00-00							PKG:18,91	
050240	INSPECTION C1-C12 COMPLETE							Package	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)		4565.25	4615.25	704.7 (+50)		
	AFL	1073							
	PROC. REF: AFMS 5-22-00							PKG:92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050271 <sup>S</sup>	INSPECT AREA F1-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.303	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:21,92	
050281 <sup>S</sup>	INSPECT AREA F2-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.304	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:22,92	
050291 <sup>S</sup>	INSPECT AREA F3 UNDERFLOOR-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.305	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:23,92	
050301 <sup>S</sup>	INSPECT AREA F3- ABOVE FLOOR-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.306	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:24,92	
050311 <sup>S</sup>	INSPECT AREA F4-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.307	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:25,92	
050321 <sup>S</sup>	INSPECT AREA T1-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.308	AFL	1073							
								PKG:26,92	
050331 <sup>S</sup>	INSPECT AREA W1-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.309	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:27,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050341 <sup>S</sup>	INSPECT AREA W2-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.310	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:28,92	
050351 <sup>S</sup>	INSPECT AREA M1/M2-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.311	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:29,92	
050361 <sup>S</sup>	INSPECT AREA G-1600 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 05.312	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:30,92	
050370	INSPECTION D1-D12 COMPLETE							Package	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)		6165.25	6315.25	2304.7 (+150)		
	AFL	1073							
				PROC. REF: AFMS 5-23-00				PKG:93	
050411 <sup>S</sup>	INSPECT AREA F2-3200 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 05.404	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:34,93	
050431 <sup>S</sup>	INSPECT AREA F3 ABOVE FLOOR-3200 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 05.406	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:36,93	
050441 <sup>S</sup>	INSPECT AREA F4-3200 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 05.407	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:37,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050491 <sup>S</sup>	INSPECT AREA G-3200 HOURS							Service	ATA:05
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 05.412	AFL	1073							
				PROC. REF: AFMS 5-00-00				PKG:42,93	
050500	INSPECTION E1-E12 COMPLETE							Package	ATA:05
	MOS	23-Jun-23	12 (+1m/-1m)		23-Jun-24	23-Jul-24	152 d (+30)		
	HRS	3746.1							
	AFL	1412							
				PROC. REF: AFMS 5-24-00				PKG:94	
050571 <sup>S</sup>	INSPECT AREA F4-12 MONTHS							Service	ATA:05
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 05.506	AFL	1412							
				PROC. REF: AFMS 5-00-00				PKG:49,94	
050630	INSPECTION F1-F12 COMPLETE							Package	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)		20-Jun-24	20-Aug-24	149 d (+61)		
	HRS	3511.6							
	AFL	1288							
				PROC. REF: AFMS 5-25-00				PKG:95	
050661 <sup>S</sup>	INSPECT AREA F1-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.603	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:57,95	
050671 <sup>S</sup>	INSPECT AREA F2-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.604	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:58,95	
050691 <sup>S</sup>	INSPECT AREA F3-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.606	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:60,95	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050701 <sup>S</sup>	INSPECT AREA F4-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.607	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:61,95	
050721 <sup>S</sup>	INSPECT AREA W1-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.609	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:63,95	
050731 <sup>S</sup>	INSPECT AREA W2-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.610	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:64,95	
050751 <sup>S</sup>	INSPECT AREA G-24 MONTHS							Service	ATA:05
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.612	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:66,95	
050760	INSPECTION G COMPLETE							Package	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)		20-Jun-26	20-Aug-26	879 d (+61)		
	HRS	3511.6							
	AFL	1288							
				PROC. REF: AFMS 5-26-00				PKG:96	
050761 <sup>S</sup>	INSPECT AREA F1-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.703	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:96	
050762 <sup>S</sup>	INSPECT AREA F2-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.704	AFL	1288							
				PROC. REF: AFMS 5-00-00				PKG:96	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
050763 <sup>S</sup>	INSPECT AREA F3-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.705	AFL	1288							
	PROC. REF: AFMS 5-00-00							PKG:96	
050764 <sup>S</sup>	INSPECT AREA F4-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.707	AFL	1288							
	PROC. REF: AFMS 5-00-00							PKG:96	
050765 <sup>S</sup>	INSPECT AREA T1-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.708	AFL	1288							
	PROC. REF: AFMS 5-00-00							PKG:96	
050766 <sup>S</sup>	INSPECT AREA W1/W2-48 MONTHS							Service	ATA:05
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 05.709	AFL	1288							
	PROC. REF: AFMS 5-00-00							PKG:96	
050771	INSPECTION 400 HOUR DETAILED WALK-AROUND							Service	ATA:05
	MOS	20-Jun-22							
	HRS	3511.6	400 (+40/-10)		3911.6	3951.6	51 (+40)		
WC#: 05.100	AFL	1288							
	PROC. REF: AFMS 5-20-07								
055005	ACCOMPLISH INSPECTIONS AFTER AN OVERWEIGHT OR HEAVY LANDING							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.710	AFL	0							
	PROC. REF: AFMS 5-50-01								
055010	ACCOMPLISH INSPECTIONS AFTER FLIGHT IN HEAVY TURBULENCE							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.711	AFL	0							
	PROC. REF: AFMS 5-50-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
055015	<b>ACCOMPLISH INSPECTIONS AFTER A LIGHTNING STRIKE</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.712	AFL	0							
	PROC. REF: AFMS 5-50-03								
055035	<b>ACCOMPLISH INSPECTIONS AFTER A COLD SOAK BELOW -40 DEGREE C</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.713	AFL	0							
	PROC. REF: AFMS 5-50-06, AMM 27-33-00								
055040	<b>ACCOMPLISH INSPECTIONS AFTER MISUSE OF REVERSE THRUST</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.714	AFL	0							
	PROC. REF: AFMS 5-50-04								
055045	<b>ACCOMPLISH INSPECTIONS AFTER LANDING GEAR VIBRATION</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.715	AFL	0							
	PROC. REF: AFMS 5-50-05								
055050	<b>ACCOMPLISH INSPECTIONS AFTER LANDING OR ABORTED TAKE-OFF IN DEEP WATER PUDDLES, SLUSH OR SNOW</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.716	AFL	0							
	PROC. REF: AFMS 5-50-07								
055060	<b>ACCOMPLISH INSPECTIONS AFTER AN EMERGENCY STOP</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.717	AFL	0							
	PROC. REF: AFMS 5-50-08, AMM 32-40-114								
055065	<b>ACCOMPLISH INSPECTIONS AFTER ABNORMAL APU CONDITIONS</b>							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.718	AFL	0							
	PROC. REF: AFMS 5-50-09								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
055070	ACCOMPLISH INSPECTIONS AFTER FLAP OVERSPEED							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.719	AFL	0							
PROC. REF: AFMS 5-50-10, AMM 27-50-02, AMM 27-50-02									
055075	ACCOMPLISH INSPECTIONS AFTER EXPOSURE TO VOLCANIC ASH							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
WC#: 05.720	AFL	0							
PROC. REF: AFMS 5-50-11									
055080	ACCOMPLISH INSPECTIONS FOR HYDRAULIC CONTAMINATION OF THE CABIN VENTILATION SYSTEM							Service	ATA:05
	MOS/MSC	16-Mar-10	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AFMS 5-50-12									
057110	NO. 1 ENGINE - 150 TO 250 HOUR INSPECTION							Package	ATA:05
	MOS	18-Mar-23							
	HRS	3691.6	250		(3941.6) 3954.7		94.1		
	ENC	1379							
PROC. REF: GENERIC NO REF									
057110	NO. 2 ENGINE - 150 TO 250 HOUR INSPECTION							Package	ATA:05
	MOS	18-Mar-23							
	HRS	3691.6	250		(3941.6) 3954.7		94.1		
	ENC	1379							
PROC. REF: GENERIC NO REF									
057120	NO. 1 ENGINE - 500 TO 650 HOUR INSPECTION							Package	ATA:05
	MOS	14-May-20							
	HRS	3324.5	650		(3974.5) 3987.6		127		
	ENC	1210							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
057120	NO. 2 ENGINE - 500 TO 650 HOUR INSPECTION							
	MOS	14-May-20						Package ATA:05
	HRS	3324.5	650		(3974.5) 3987.6		127	
	ENC	1210						
					PROC. REF: GENERIC NO REF			PKG:2
057125	NO. 1 ENGINE - 500 TO 850 HOUR INSPECTION							
	MOS	20-Jun-22						Package ATA:05
	HRS	3498.5	850		(4348.5) 4361.6		501	
	ENC	1274						
					PROC. REF: GENERIC NO REF			PKG:3
057125	NO. 2 ENGINE - 500 TO 850 HOUR INSPECTION							
	MOS	20-Jun-22						Package ATA:05
	HRS	3498.5	850		(4348.5) 4361.6		501	
	ENC	1274						
					PROC. REF: GENERIC NO REF			PKG:3
057130	NO. 1 ENGINE - 1000 TO 1300 HOUR INSPECTION							
	MOS	04-Dec-17						Package ATA:05
	HRS	2853.82	1300		(4153.82) 4166.92		306.3	
	ENC	1031						
					PROC. REF: GENERIC NO REF			PKG:4
057130	NO. 2 ENGINE - 1000 TO 1300 HOUR INSPECTION							
	MOS	28-Nov-17						Package ATA:05
	HRS	2853.82	1300		(4153.82) 4166.92		306.3	
	ENC	1031						
					PROC. REF: GENERIC NO REF			PKG:4
057135	NO. 1 ENGINE - 1500 TO 1650 HOUR INSPECTION							
	MOS	04-Dec-17						Package ATA:05
	HRS	2853.82	1650		(4503.82) 4516.92		656.3	
	ENC	1031						
					PROC. REF: GENERIC NO REF			PKG:5

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
057135	NO. 2 ENGINE - 1500 TO 1650 HOUR INSPECTION							Package ATA:05
	MOS	28-Nov-17						
	HRS	2853.82	1650		(4503.82) 4516.92		656.3	
	ENC	1031						
PROC. REF: GENERIC NO REF								PKG:5
<b>ATA 08 - LEVELING AND WEIGHING</b>								
080001 <sup>U S</sup>	PERFORM WEIGHT AND BALANCE OF AIRCRAFT							Service ATA:08
	MOS	19-Aug-22	36					
	HRS	3555.1						
	AFL	1314						
<b>ATA 12 - SERVICING</b>								
120001	LUBRICATE AREA G-200 HOURS							Service ATA:12
	MOS	02-Mar-23						
	HRS	3695.3	200 (+40/-10)		3895.3	3935.3	34.7 (+40)	
WC#: 12.001	AFL	1390						
PROC. REF: AFMS 5-20-11								
120003	LUBRICATE AREA F1-400 HOURS							Service ATA:12
	MOS	20-Jun-22						
	HRS	3511.6	400 (+40/-10)		3911.6	3951.6	51 (+40)	
WC#: 12.003	AFL	1288						
PROC. REF: AFMS 5-20-11								
120004	LUBRICATE AREA T1-400 HOURS							Service ATA:12
	MOS	20-Jun-22						
	HRS	3511.6	400 (+40/-10)		3911.6	3951.6	51 (+40)	
WC#: 12.004	AFL	1288						
PROC. REF: AFMS 5-20-11								
120007	LUBRICATE AREA W1/W2-400 HOURS							Service ATA:12
	MOS	20-Jun-22						
	HRS	3511.6	400 (+40/-10)		3911.6	3951.6	51 (+40)	
WC#: 12.007	AFL	1288						
PROC. REF: AFMS 5-20-11, AMM 28-10-44								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
120012 <sup>S</sup>	LUBRICATE AREA F3 (ABOVE FLOOR)-800 HOURS							Service	ATA:12
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 12.012	AFL	1243							
				PROC. REF: AFMS 5-20-11				PKG:12,91	
120013 <sup>S</sup>	LUBRICATE AREA F4-800 HOURS							Service	ATA:12
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 12.009	AFL	1243							
				PROC. REF: AFMS 5-20-11				PKG:13,91	
120015 <sup>S</sup>	LUBRICATE AREA W1-800 HOURS							Service	ATA:12
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 12.015	AFL	1243							
				PROC. REF: AFMS 5-20-11				PKG:15,91	
120016 <sup>S</sup>	LUBRICATE AREA W2-800 HOURS							Service	ATA:12
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 12.016	AFL	1243							
				PROC. REF: AFMS 5-20-11				PKG:16,91	
120018 <sup>S</sup>	LUBRICATE AREA G-800 HOURS							Service	ATA:12
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 12.018	AFL	1243							
				PROC. REF: AFMS 5-20-11				PKG:18,91	
120019 <sup>S</sup>	LUBRICATE AREA F1-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.013	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:21,92	
120020 <sup>S</sup>	LUBRICATE AREA F2-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.020	AFL	1073							
				PROC. REF: AFMS 5-20-11, AMM 32-66-00				PKG:22,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
120021 <sup>S</sup>	LUBRICATE AREA F3 (UNDERFLOOR)-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.021	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:23,92	
120022 <sup>S</sup>	LUBRICATE AREA F3-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.022	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:24,92	
120023 <sup>S</sup>	LUBRICATE AREA F4-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.023	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:25,92	
120024 <sup>S</sup>	LUBRICATE AREA T1-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.024	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:26,92	
120025 <sup>S</sup>	LUBRICATE AREA W1-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.025	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:27,92	
120026 <sup>S</sup>	LUBRICATE AREA W2-1600 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 12.026	AFL	1073							
				PROC. REF: AFMS 5-20-11				PKG:28,92	
120030 <sup>S</sup>	LUBRICATE AREA F2-3200 HOURS							Service	ATA:12
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 12.030	AFL	1073							
				PROC. REF: AFMS 5-20-11, AMM 32-66-00				PKG:34,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 12 - SERVICING</b>									
120049 <sup>S</sup>	LUBRICATE AREA F1-24 MONTHS							Service	ATA:12
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 12.049	AFL	1288							
				PROC. REF: AFMS 5-20-11				PKG:57,95	
120050 <sup>S</sup>	LUBRICATE AREA F2-24 MONTHS							Service	ATA:12
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 12.050	AFL	1288							
				PROC. REF: AFMS 5-20-11				PKG:58,95	
<b>ATA 20 - STANDARD PRACTICES - AIRFRAME</b>									
200001 <sup>S</sup>	BONDING CHECK CONTROL SURFACES							Service	ATA:20
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 20.010	AFL	1243							
								PKG:7,91	
200002 <sup>S</sup>	FUNCTIONAL TEST REFUEL POINT EARTHING STUDS (3 OFF)							Service	ATA:20
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 20.020	AFL	1243							
								PKG:7,91	
200003 <sup>S</sup>	CHECK RADIO RACKING, ELECTRICAL-BONDING							Service	ATA:20
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 20.030	AFL	1288							
				PROC. REF: AMM 24-01-00				PKG:96	
<b>ATA 21 - AIR CONDITIONING</b>									
210002 <sup>S</sup>	CHECK/TEST RAM AIR VALVE/DUMP VALVE/VENT VALVE							Service	ATA:21
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 21.075	AFL	1243							
								PKG:7,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210003 <sup>S</sup>	BENCH CHECK ENVIRONMENTAL CONTROL SYSTEM							Service	ATA:21
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 21.110	AFL	1243							
				PROC. REF: AMM 21-10-78				PKG:7,91	
210004 <sup>S</sup>	CHECK MANUAL CABIN ALTITUDE CONTROL VALVE							Service	ATA:21
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 21.270	AFL	1243						PKG:10,91	
210005 <sup>S</sup>	CHECK COOLING TURBINE EXHAUST DUCT DRAIN							Service	ATA:21
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 21.260	AFL	1243						PKG:13,91	
210006	INSPECT WATER SEPARATOR FOR SATISFACTORY CONDITION							Service	ATA:21
	MOS	20-Jun-22							
	HRS	3511.6	400 (+10%)		3911.6	3951.6	51 (+40)		
WC#: 21.221	AFL	1288							
				PROC. REF: AMM 21-10-95, AMM 21-10-95					
210007	INSPECT WATER SEPARATOR WATER DRAIN, WATER DRAIN PIPELINE, HP LINE TO WATER INJECTOR NOZZLE AND WATER INJECTOR NOZZLE ARE FREE FROM BLOCKAGES AND OBSTRUCTIONS							Service	ATA:21
	MOS	20-Jun-22							
	HRS	3511.6	400 (+10%)		3911.6	3951.6	51 (+40)		
WC#: 21.280	AFL	1288							
				PROC. REF: AMM 21-10-95					
210008 <sup>S</sup>	VISUALLY INSPECT CABIN PRESSURE OUTFLOW/SAFETY VALVE CONTROLLER							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.118	AFL	1073						PKG:22,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210009 <sup>S</sup>	CHECK PRESSURIZATION CONTROL VENTURI SCREEN							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.275	AFL	1073							
					PROC. REF: AMM 21-30-65			PKG:24,92	
210010 <sup>S</sup>	CLEAN PRESSURE REGULATOR FILTER SCREENS							Service	ATA:21
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 21.155	AFL	1288							
					PROC. REF: AMM 21-30-55			PKG:96	
210011 <sup>S</sup>	CLEAN/FUNCTIONAL TEST OUTFLOW/SAFETY VALVES							Service	ATA:21
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 21.120	AFL	1288							
					PROC. REF: AMM 21-30-25, AMM 21-30-25			PKG:96	
210012 <sup>S</sup>	INSPECT AIR CONDITIONING DUCTS							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.250	AFL	1073							
					PROC. REF: AMM 21-10-15			PKG:25,92	
210013 <sup>S</sup>	INSPECT RAM AIR DUCT							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.255	AFL	1073							
								PKG:25,92	
210014 <sup>S</sup>	INSPECT CABIN AIR FILTERS (PRESSURIZATION SYSTEM)							Service	ATA:21
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 21.310	AFL	1288							
								PKG:96	
210015 <sup>S</sup>	INSPECT SILENCER DUCT/SOUNDPROOFING							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 21.015	AFL	1073							
					PROC. REF: AMM 21-10-15			PKG:37,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210016 <sup>S</sup>	BENCH CHECK SYSTEM OVERHEAT TEMPERATURE SWITCH							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 21.195	AFL	1073							
				PROC. REF: AMM 21-60-85				PKG:37,93	
210018 <sup>S</sup>	FUNCTIONAL TEST ALTITUDE SWITCH, CABIN DEPRESSURIZATION WARNING							Service	ATA:21
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 21.135	AFL	1288							
				PROC. REF: AMM 21-30-70				PKG:96	
210019 <sup>S</sup>	INSPECT CABIN SUPPLY NON-RETURN VALVE							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 21.065	AFL	1073							
				PROC. REF: AMM 21-10-107				PKG:37,93	
210020 <sup>S</sup>	FUNCTIONAL TEST ELECTRICALLY ACTUATED AUXILIARY HEATING VALVE							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.180	AFL	1073							
				PROC. REF: AMM 21-60-105				PKG:19,92	
210021 <sup>S</sup>	INSPECT/CHECK APU SUPPLY, AUXILIARY SUPPLY, RAM AIR SUPPLY AND MAIN ENGINE SUPPLY CHECK/NON-RETURN VALVES							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 21.030	AFL	1073							
				PROC. REF: AMM 21-10-165				PKG:37,93	
210022	CHECK TORQUE AIR CONDITIONING DUCTS							Service	ATA:21
	MOS/MSC	20-Jun-22	O/C						
	HRS	3511.6							
WC#: 21.010	AFL	1288							
				PROC. REF: AMM 21-10-87, AMM 21-10-15, AMM 21-10-95					
210024 <sup>S</sup>	CLEAN/REPLACE LOW LIMIT TEMPERATURE CONTROL VALVE FILTER							Service	ATA:21
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 21.290	AFL	1243							
				PROC. REF: AMM 21-60-61				PKG:13,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
210025 <sup>S</sup>	INSPECT PATS APU GTCP36-150W BLEED AIR SYSTEM							Service	ATA:21
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 21.035	AFL	1073							
								PKG:25,92	
210026	REPLACE DIGITAL PRESSURIZATION CABIN AIR FILTER ELEMENT							Service	ATA:21
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 21.322	AFL	0							
210027	CLEAN ELECTROPNEUMATIC OUTFLOW VALVE							Service	ATA:21
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 21.323	AFL	0							
								PROC. REF: AMM 21-31-10	
210028	TEST ELECTROPNEUMATIC OUTFLOW VALVE (EOV) PRESSURE LIMITER							Service	ATA:21
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 21.324	AFL	0							
								PROC. REF: AMM 21-31-00	
210029	INSPECTION/CHECK ELECTROPNEUMATIC OUTFLOW VALVES							Service	ATA:21
	MOS/MSC	16-Mar-10	N/R						
	HRS	0							
WC#: 21.325	AFL	0							
								PROC. REF: AMM 21-31-10	
211013	LEFT SWITCHES BLEED AIR OVER TEMPERATURE TEST							Service	ATA:21
	MOS	31-Dec-19	60		31-Dec-24		343 d		
	HRS	3327.28							
WC#: 21.265	AFL	1211							
211014	RIGHT SWITCHES BLEED AIR OVER TEMPERATURE TEST							Service	ATA:21
	MOS	31-Dec-19	60		31-Dec-24		343 d		
	HRS	3327.28							
WC#: 21.265	AFL	1211							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
211019	APU SHUTOFF VALVE							Component	ATA:21
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 21.020	AFL	0			TSN 0				
PROC. REF: AMM 21-10-195									
211031	APU BLEED AIR NON-RETURN VALVE							Component	ATA:21
PN:109812-9	MOS/MSC	26-May-09	O/C		TSN 0				
SN:4921	HRS				TSN 0				
WC#: 21.025	AFL				TSN 0				
PROC. REF: GENERIC NO REF									
211088	NO. 1 AIR DISTRIBUTION ACTUATOR							Component	ATA:21
PN:1092TH100-47	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5207D	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
211089	NO. 2 AIR DISTRIBUTION ACTUATOR							Component	ATA:21
PN:1092TH100-47	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5579D	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
211090	NO. 3 AIR DISTRIBUTION ACTUATOR							Component	ATA:21
PN:1092TH100-47	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5513D	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
211091	NO. 4 AIR DISTRIBUTION ACTUATOR							Component	ATA:21
PN:1092TH100-47	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5614D	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
211092	NO. 5 AIR DISTRIBUTION ACTUATOR							Component	ATA:21
PN:1092TH100-47	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:4954D	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212001	LEFT MAIN AIR VALVE							Component	ATA:21
PN:321292-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3160	HRS	0	TSN 0						
WC#: 21.040	AFL	0	TSN 0						
PROC. REF: AMM 21-10-25									
212002	RIGHT MAIN AIR VALVE							Component	ATA:21
PN:HTE250072-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:12092069	HRS	0	TSN 0						
WC#: 21.045	AFL	0	TSN 0						
PROC. REF: AMM 21-10-24									
212008	PRESSURE REGULATOR VALVE							Component	ATA:21
PN:3215086-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:951	HRS	0	TSN 0						
WC#: 21.295	AFL	0	TSN 0						
PROC. REF: AMM 21-10-76									
212026	NO. 1 ENGINE BLEED AIR NON-RETURN VALVE							Component	ATA:21
PN:HTE4168	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7091602	HRS	0	TSN 0						
WC#: 21.050	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
212027	NO. 2 ENGINE BLEED AIR NON-RETURN VALVE							Component	ATA:21
PN:HTE4168	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7091604	HRS	0	TSN 0						
WC#: 21.050	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
212050	AUXILIARY HEATING BLEED AIR NON-RETURN VALVE							Component	ATA:21
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.055	AFL	0	TSN 0						
PROC. REF: GENERIC NO REF									
212062	LEFT (HP/LP) MIXING VALVE							Component	ATA:21
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
WC#: 21.060	AFL	0	TSN 0						
PROC. REF: AMM 21-10-35									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>212063</b>		<b>RIGHT (HP/LP) MIXING VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-10-35									
<b>212074</b>		<b>MAIN SUPPLY NON-RETURN VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:PN	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	12000	TSN 0	12000		8139.4		
WC#: 21.245	AFL	0		TSN 0					
PROC. REF: AMM 21-10-107									
<b>212082</b>		<b>BLEED AIR CHECK VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:HTE4405	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40080401	HRS	0		TSN 0					
WC#: 21.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>212086</b>		<b>RAM AIR NON-RETURN VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:321262-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:1821	HRS	0		TSN 0					
WC#: 21.075	AFL	0		TSN 0					
PROC. REF: AMM 21-10-165									
<b>212098</b>		<b>RAM AIR SUPPLY NON-RETURN VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:123190-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7952	HRS	0		TSN 0					
WC#: 21.080	AFL	0		TSN 0					
PROC. REF: AMM 21-10-165									
<b>212103</b>		<b>TEMPERATURE DUCT SWITCH</b>						<b>Component</b>	<b>ATA:21</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>212122</b>		<b>UPPER CHECK VALVE</b>						<b>Component</b>	<b>ATA:21</b>
PN:130156-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:89-A1243	HRS	0		TSN 0					
WC#: 21.095	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212123	LOWER CHECK VALVE							Component	ATA:21
PN:130156-2	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:89-A1246	HRS	0			TSN 0				
WC#: 21.095	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
212146	CABIN RECIRCULATING FAN							Component	ATA:21
PN:0901-2	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:999	HRS	0			TSN 0				
WC#: 21.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
213001	NO. 1 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE							Component	ATA:21
PN:B01A2-14128A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HAY0698	HRS	0			TSN 0				
WC#: 21.105	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
213002	NO. 2 ENGINE HIGH PRESSURE BLEED AIR SHUTOFF VALVE							Component	ATA:21
PN:B01A2-14128A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HAY0643	HRS	0			TSN 0				
WC#: 21.105	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
213019	OUTFLOW/SAFETY VALVE CONTROLLER							Component	ATA:21
PN:130530-5	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:99-C0419	HRS	0			TSN 0				
WC#: 21.115	AFL	0			TSN 0				
PROC. REF: AMM 21-30-16									
213031	LEFT OUTFLOW VALVE							Component	ATA:21
PN:103278-18	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:109-G0428	HRS	0			TSN 0				
WC#: 21.120	AFL	0			TSN 0				
PROC. REF: AMM 21-30-25, AMM 21-31-10									
213032	RIGHT OUTFLOW VALVE							Component	ATA:21
PN:103278-13	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:89-A1079	HRS	0			TSN 0				
WC#: 21.120	AFL	0			TSN 0				
PROC. REF: AMM 21-30-25, AMM 21-31-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 21 - AIR CONDITIONING</b>								
<b>213035 2" BUTTERFLY VALVE Component ATA:21</b>								
PN:AWE113-13A	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:HAY0338	HRS	0		TSN 0				
WC#: 21.320	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>213067 CABIN ALTITUDE CONTROL VALVE Component ATA:21</b>								
PN:131004-2	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:1286655	HRS	0		TSN 0				
WC#: 21.125	AFL	0		TSN 0				
PROC. REF: AMM 21-30-95								
<b>213073 MECHANICAL DUMP VALVE Component ATA:21</b>								
PN:HTE940008	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:54080789	HRS	0		TSN 0				
WC#: 21.130	AFL	0		TSN 0				
PROC. REF: AMM 21-30-136								
<b>213097 ALTIMETER PRESSURE SWITCH Component ATA:21</b>								
PN:140-380024-7	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:J056815	HRS	0		TSN 0				
WC#: 21.135	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>213098 ALTIMETER PRESSURE SWITCH Component ATA:21</b>								
PN:140-380024-11	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:K050136	HRS	0		TSN 0				
WC#: 21.300	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>213109 VENTURI Component ATA:21</b>								
PN:131052-1	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:99-4525	HRS	0		TSN 0				
WC#: 21.140	AFL	0		TSN 0				
PROC. REF: AMM 21-30-105								
<b>213115 FAN OPERATED VENTURI Component ATA:21</b>								
PN:132322-3-1	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:109-A0965	HRS	0		TSN 0				
WC#: 21.145	AFL	0		TSN 0				
PROC. REF: AMM 21-30-65								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>213121</b>		<b>LEFT PNEUMATIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:107312-4-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:119-13448	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: AMM 21-30-35									
<b>213122</b>		<b>RIGHT PNEUMATIC VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:107312-4-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:119-13449	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
PROC. REF: AMM 21-30-35									
<b>213133</b>		<b>LEFT ABSOLUTE PRESSURE CONTROL</b>					<b>Component</b>		<b>ATA:21</b>
PN:102466-13	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:88-G0020	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
PROC. REF: AMM 21-30-55									
<b>213134</b>		<b>RIGHT ABSOLUTE PRESSURE CONTROL</b>					<b>Component</b>		<b>ATA:21</b>
PN:102466-13	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:88-G0034	HRS	0		TSN 0					
WC#: 21.155	AFL	0		TSN 0					
PROC. REF: AMM 21-30-55									
<b>213157</b>		<b>JET PUMP</b>					<b>Component</b>		<b>ATA:21</b>
PN:131150-1-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:89-3615	HRS	0		TSN 0					
WC#: 21.160	AFL	0		TSN 0					
PROC. REF: AMM 21-30-45									
<b>213169</b>		<b>CABIN DIFFERENTIAL PRESSURE INDICATOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.165	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>213181</b>		<b>GROUND PRESSURE CONNECTOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.170	AFL	0		TSN 0					
PROC. REF: AMM 21-30-85									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>216001</b>		<b>CABIN TEMPERATURE CONTROL VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:104968	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1915	HRS	0			TSN 0				
WC#: 21.175	AFL	0			TSN 0				
PROC. REF: AMM 21-60-57									
<b>216025</b>		<b>AUXILIARY HEATING VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:104568	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:13821	HRS	0			TSN 0				
WC#: 21.180	AFL	0			TSN 0				
PROC. REF: AMM 21-60-105									
<b>216055</b>		<b>CABIN TEMPERATURE (CONTROLLER) SENSOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:607148-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:607148-11116	HRS	0			TSN 0				
WC#: 21.185	AFL	0			TSN 0				
PROC. REF: MMA 21-60-05									
<b>216073</b>		<b>CABIN TEMPERATURE CONTROLLER</b>					<b>Component</b>		<b>ATA:21</b>
PN:617452-4	MOS/MSC	27-May-11	O/C		TSN 0				
SN:038C-1214	HRS	469.5			TSN 0				
WC#: 21.190	AFL	183			TSN 0				
PROC. REF: AMM 21-60-67									
<b>216097</b>		<b>TEMPERATURE DUCT SELECTOR</b>					<b>Component</b>		<b>ATA:21</b>
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 21.195	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>216115</b>		<b>COLD AIR UNIT PACK</b>					<b>Component</b>		<b>ATA:21</b>
PN:2214070-5	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:909	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>216121</b>		<b>MODULATING VALVE</b>					<b>Component</b>		<b>ATA:21</b>
PN:978836-5-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1288	HRS	0			TSN 0				
WC#: 21.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>216127</b>		<b>CONTROL SENSOR</b>						<b>Component</b>	<b>ATA:21</b>
PN:1150642-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:115064211583	HRS	0		TSN 0					
WC#: 21.215	AFL	0		TSN 0					
PROC. REF: AMM 21-60-60									
<b>216135</b>		<b>TOTAL TEMPERATURE SENSOR</b>						<b>Component</b>	<b>ATA:21</b>
PN:102ER1EC	MOS/MSC	20-Sep-12	O/C	TSN 0					
SN:B7607	HRS	1134.92		TSN 0					
WC#: 21.305	AFL	414		TSN 0					
PROC. REF: AMM NO REF 1									
<b>217001</b>		<b>WATER SEPARATOR</b>						<b>Component</b>	<b>ATA:21</b>
PN:25VF1351-131	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:1924	HRS	0		TSN 0					
WC#: 21.220	AFL	0		TSN 0					
PROC. REF: AMM 21-10-95									
<b>217014</b>		<b>CABIN TRIPLE INDICATOR</b>						<b>Component</b>	<b>ATA:21</b>
PN:51010-1113	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:508787A	HRS	0		TSN 0					
WC#: 21.225	AFL	0		TSN 0					
PROC. REF: AMM 21-30-90									
<b>217023</b>		<b>PRESSURE SWITCH</b>						<b>Component</b>	<b>ATA:21</b>
PN:HTE690090	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:6091267	HRS	0		TSN 0					
WC#: 21.235	AFL	0		TSN 0					
PROC. REF: AMM 21-10-39									
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221001</b>		<b>AFCS CONTROL PANEL</b>						<b>Component</b>	<b>ATA:22</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>221007</b>		<b>NO. 1 FLIGHT GUIDANCE COMPUTER</b>						<b>Component</b>	<b>ATA:22</b>
PN:822-1108-023	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J1YN	HRS	0		TSN 0					
WC#: 22.015	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221008</b>		<b>NO. 2 FLIGHT GUIDANCE COMPUTER</b>					<b>Component ATA:22</b>		
PN:822-1108-023	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J1YP	HRS	0		TSN 0					
WC#: 22.015	AFL	0		TSN 0					
<b>221010</b>		<b>NO. 1 AUTO PILOT MODE SELECT PANEL</b>					<b>Component ATA:22</b>		
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
<b>221011</b>		<b>NO. 2 AUTO PILOT MODE SELECT PANEL</b>					<b>Component ATA:22</b>		
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 22.040	AFL	0		TSN 0					
<b>221037</b>		<b>AUTOPILOT ELEVATOR SERVO</b>					<b>Component ATA:22</b>		
PN:822-1168-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3LKBV	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-30, AMM 22-10-30									
<b>221039</b>		<b>ELEVATOR SERVO MOUNT</b>					<b>Component ATA:22</b>		
PN:622-5735-004	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:39D4X	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
PROC. REF: AMM 22-10-30									
<b>221043</b>		<b>AUTOPILOT RUDDER SERVO</b>					<b>Component ATA:22</b>		
PN:822-1168-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3LKNX	HRS	0		TSN 0					
WC#: 22.020	AFL	0		TSN 0					
PROC. REF: AMM 22-10-20, AMM 22-10-20									
<b>221045</b>		<b>RUDDER SERVO MOUNT</b>					<b>Component ATA:22</b>		
PN:622-5735-004	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:39CVK	HRS	0		TSN 0					
WC#: 22.050	AFL	0		TSN 0					
PROC. REF: AMM 22-10-20									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
221049	AUTOPILOT AILERON SERVO							Component	ATA:22
PN:822-1168-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3LK2V	HRS	0			TSN 0				
WC#: 22.020	AFL	0			TSN 0				
PROC. REF: AMM 22-10-10, AMM 22-10-10									
221052	AILERON SERVO MOUNT							Component	ATA:22
PN:622-5735-004	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:39DPR	HRS	0			TSN 0				
WC#: 22.050	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>ATA 23 - COMMUNICATIONS</b>									
231001	NO. 1 HF COMMUNICATIONS CONTROLLER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.015	AFL	0			TSN 0				
PROC. REF: AMM 23-10-22									
231002	NO. 2 HF COMMUNICATIONS CONTROLLER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.015	AFL	0			TSN 0				
231004	NO. 1 HF CONTROLLER ADAPTER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
231006	NO. 2 HF CONTROLLER ADAPTER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
231011	NO. 1 HF COMMUNICATIONS POWER AMPLIFIER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
231012	NO. 2 HF COMMUNICATIONS POWER AMPLIFIER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
231015	COLLINS HG 9041 HF ANTENNA							Component	ATA:23
PN:622-8114-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:10091	HRS	0			TSN 0				
WC#: 23.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
231016	COLLINS HF 9031A RECEIVER/TRANSMITTER							Component	ATA:23
PN:822-0101-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:4672	HRS	0			TSN 0				
WC#: 23.135	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
231017 <sup>U</sup>	NO. 2 HF RECEIVER							Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
231019 <sup>U</sup>	NO. 2 HF COUPLER							Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
231025	NO. 1 HF RECEIVER EXCITER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.030	AFL	0			TSN 0				
PROC. REF: AMM 23-10-06									
231026	NO. 2 HF RECEIVER EXCITER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 23.030	AFL	0			TSN 0				
PROC. REF: AMM 23-10-06									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
231027		NO. 1 HF BRIDGING AMPLIFIER						Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231028		NO. 2 HF BRIDGING AMPLIFIER						Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231029		DUAL HF CAPACITOR						Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231041		VHF COMMUNICATION (CTL-23D) CONTROL						Component	ATA:23
PN:822-2177-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3R24H	HRS	0		TSN 0					
WC#: 23.136	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
231043		NO. 1 VHF COMMUNICATIONS TRANSCEIVER						Component	ATA:23
PN:822-1468-102	MOS/MSC	13-Apr-12	O/C						
SN:3PMLD	HRS	933.58							
WC#: 23.045	AFL	337							
PROC. REF: AMM 23-10-22									
231049		NO. 2 VHF COMMUNICATIONS TRANSCEIVER						Component	ATA:23
PN:822-1468-102	MOS/MSC	29-Jul-20	O/C	TSO 0					
SN:39B6G	HRS	3359.38		TSO 0					
WC#: 23.045	AFL	1223		TSO 0					
PROC. REF: AMM 23-10-22									
231050		ATC UPPER ANTENNA						Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
231052 <sup>U</sup>	COMMUNICATION MANAGEMENT UNIT							Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
231053 <sup>U</sup>	VHF NO.3 TRANSCEIVER							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
231055	NO. 1 VHF AERIAL							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
231056	NO. 2 VHF AERIAL							Component	ATA:23
PN:16-41-1T	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7339	HRS	0		TSN 0					
WC#: 23.055	AFL	0		TSN 0					
PROC. REF: AMM 23-10-35									
231058	AUDIO TONE GENERATOR							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.060	AFL	0		TSN 0					
PROC. REF: MMA 23-16-40									
231061	NO. 1 RADIO MANAGEMENT UNIT							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.065	AFL	0		TSN 0					
231062	NO. 2 RADIO MANAGEMENT UNIT							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.065	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
231064		CLEARANCE DELIVERY CONTROL						Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
234051 <sup>U</sup>		AIRCELL TRANSCEIVER						Component	ATA:23
PN:P12023	MOS/MSC	05-May-10	O/C						
SN:1202311724	HRS	4.7							
	AFL	4							
234052 <sup>U</sup>		AIRCELL ANTENNA						Component	ATA:23
PN:015-11203-001	MOS/MSC	05-May-10	O/C						
SN:449-2751	HRS	4.7							
	AFL	4							
234054 <sup>U</sup>		COCKPIT AIRCELL HANDSET						Component	ATA:23
PN:P12857-002	MOS/MSC	05-May-10	O/C						
SN:1285700852	HRS	4.7							
	AFL	4							
234055 <sup>U</sup>		COCKPIT AIRCELL HANDSET CRADLE						Component	ATA:23
PN:P12861-002	MOS/MSC	05-May-10	O/C						
SN:1286100818	HRS	4.7							
	AFL	4							
234056 <sup>U</sup>		CABIN AIRCELL HANDSET						Component	ATA:23
PN:P12857-002	MOS/MSC	05-May-10	O/C						
SN:1285700921	HRS	4.7							
	AFL	4							
234057 <sup>U</sup>		CABIN AIRCELL HANDSET CRADLE						Component	ATA:23
PN:P12861-002	MOS/MSC	05-May-10	O/C						
SN:1286100782	HRS	4.7							
	AFL	4							
235001		NO. 1 AUDIO CONTROLLER						Component	ATA:23
PN:MODEL803-006	MOS/MSC	05-May-10	O/C						
SN:1599	HRS	4.7							
WC#: 23.095	AFL	4							
PROC. REF: MMA 23-50-20									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
235002	NO. 2 AUDIO CONTROLLER							Component	ATA:23
PN:MODEL803-006	MOS/MSC	05-May-10	O/C						
SN:1675	HRS	4.7							
WC#: 23.095	AFL	4							
PROC. REF: MMA 23-50-20									
235017	NO. 1 HANDHELD AUDIO MICROPHONE							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
235019	NO. 2 HANDHELD AUDIO MICROPHONE							Component	ATA:23
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
237001	COCKPIT VOICE RECORDER							Component	ATA:23
PN:1603-02-12	MOS/MSC	20-Jul-18	O/C	TSN 100					
SN:2479	HRS	3000.32		TSN 3000.32					
WC#: 23.105	AFL	1088		TSN 1088					
PROC. REF: AMM 23-70-36, AMM 23-70-37									
237004	COCKPIT VOICE RECORDER NO.1 MICROPHONE							Component	ATA:23
PN:16301-01	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2981	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
237005	COCKPIT VOICE RECORDER NO.2 MICROPHONE							Component	ATA:23
PN:16301-01	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2982	HRS	0		TSN 0					
WC#: 23.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
237014	COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON							Component	ATA:23
PN:PN	MOS/MSC	14-May-20	O/C						
SN:AT116984	HRS	3357.57							
WC#: 23.105	AFL	1222							
PROC. REF: AMM 23-70-36, AMM 23-70-37, AMM 25-60-110									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 23 - COMMUNICATIONS</b>								
<b>237015 TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON Service ATA:23</b>								
	MOS	31-Mar-22	24		31-Mar-24		68 d	
	HRS							
WC#: 23.105	AFL							
PROC. REF: AMM 25-60-110, AMM 23-70-36, AMM 23-70-37								
<b>237016 CLEAN/TEST COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON Service ATA:23</b>								
	MOS	20-Jun-22	24		20-Jun-24		149 d	
	HRS	3511.6						
WC#: 23.105	AFL	1288						
PROC. REF: AMM 23-70-36, AMM 23-70-37, AMM 23-70-36, AMM 23-70-37								
<b>237017 REPLACE COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY Service ATA:23</b>								
	MOS/MSC	14-May-20	DUE		01-Aug-25 (M)		556 d	
	HRS	3357.57						
WC#: 23.105	AFL	1222						
<b>237019 LEFT COCKPIT VOICE RECORDER CONTROL Component ATA:23</b>								
PN:1634-01	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:1428	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				
PROC. REF: AMM 23-70-36, AMM 23-70-37								
<b>237020 RIGHT COCKPIT VOICE RECORDER CONTROL Component ATA:23</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 23.125	AFL	0		TSN 0				
<b>237021 VOICE RECORDER INERTIA SWITCH Component ATA:23</b>								
PN:3LO453/2.0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:91614	HRS	0		TSN 0				
WC#: 23.115	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>237022 COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON BATTERY Component ATA:23</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
238015	SELCAL DECODER UNIT							Component	ATA:23
PN:1200008-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:6263	HRS	0		TSN 0					
WC#: 23.120	AFL	0		TSN 0					
PROC. REF: AMM 23-20-11									
<b>ATA 24 - ELECTRICAL POWER</b>									
240001	INSPECT/CHECK NO. 1 ENGINE STARTER/GENERATOR							Service	ATA:24
PN:23080-064	MOS	10-Oct-23							
SN:P1983	HRS	3810.8	300 (+100)		4110.8	4210.8	250.2 (+100)		
WC#: 24.045	AFL	1442							
PROC. REF: AMM 24-30-21									
240001	INSPECT/CHECK NO. 2 ENGINE STARTER/GENERATOR							Service	ATA:24
PN:23080-064	MOS	10-Oct-23							
SN:Y10255	HRS	3810.8	300 (+100)		4110.8	4210.8	250.2 (+100)		
WC#: 24.045	AFL	1442							
PROC. REF: AMM 24-30-21									
240002 <sup>S</sup>	OPERATE NO.1 AND NO.2 MAIN STATIC INVERTERS							Service	ATA:24
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 24.010	AFL	1243							
PKG:7,91									
240003 <sup>S</sup>	FUNCTION TEST FREQUENCY WILD A.C. SYSTEM							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 24.030	AFL	1073							
PROC. REF: AMM 24-22-02									
240004 <sup>S</sup>	CHECK BUSBAR CONTACTOR CONTROL							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 24.145	AFL	1073							
PKG:19,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240006 <sup>S</sup>	CHECK D.C. BUSBAR PROTECTION/VOLTAGE SENSING UNIT							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 24.070	AFL	1073							
					PROC. REF: AMM 24-30-142			PKG:36,93	
240007 <sup>S</sup>	BENCH CHECK GROUND POWER OVERVOLTAGE SENSOR (IF FITTED).							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 24.110	AFL	1073							
					PROC. REF: AMM 24-30-146			PKG:37,93	
240009 <sup>S</sup>	FUNCTIONAL TEST D.C. GENERATING SYSTEM							Service	ATA:24
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 24.065	AFL	1243							
					PROC. REF: AMM 24-30-01			PKG:7,91	
240010 <sup>S</sup>	INSPECT PE, PS1 AND PS2 BUSBAR FEEDER CABLES BELOW PANEL DA							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 24.160	AFL	1073							
					PROC. REF: AMM 24-01-00			PKG:24,92	
240011 <sup>S</sup>	FUNCTIONAL TEST OF THE BUSBAR PE, PS1 AND PS2 FEEDER FUSES							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 24.150	AFL	1073							
					PROC. REF: AMM 24-01-00			PKG:25,92	
240012 <sup>U S</sup>	INSPECT BUSBAR PE, PS1 AND PS2 FEEDER SYSTEM CONNECTIONS							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 24.165	AFL	1073							
								PKG:25,92	
240013 <sup>S</sup>	FUNCTION TEST ALL CIRCUIT BREAKERS							Service	ATA:24
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 24.005	AFL	1073							
								PKG:31,93	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



## Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>240014<sup>S</sup> FUNCTION TEST MAIN GENERATOR CONTROL UNIT (GCU) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.040	AFL	1073						
				PROC. REF: AMM 24-30-07				PKG:31,93
<b>240015<sup>S</sup> FUNCTION TEST APU GENERATOR CONTROL UNIT (GCU) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.040	AFL	1073						
				PROC. REF: AMM 24-36-03				PKG:31,93
<b>240016<sup>S</sup> INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.235	AFL	1073						
				PROC. REF: AMM 24-01-00				PKG:33,93
<b>240017<sup>S</sup> INSPECT/CHECK EARTH STATIONS *16, *17, *18, AND *19 Service ATA:24</b>								
	MOS	20-Jun-22	48 (+2m/-2m)					
	HRS	3511.6						
WC#: 24.155	AFL	1288						
				PROC. REF: AMM 24-01-00				PKG:96
<b>240018<sup>S</sup> INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE REAR PRESSURE-BULKHEAD) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.235	AFL	1073						
				PROC. REF: AMM 24-01-00				PKG:37,93
<b>240024 INSPECT/CHECK APU STARTER/GENERATOR Service ATA:24</b>								
PN:23080-064	MOS	20-Jun-22						
SN:P1468	HRS	3511.6						
WC#: 24.085	AFL	1288						
	APH	3340	500		3840		142	
				PROC. REF: AMM 24-30-21				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>240025<sup>S</sup> INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FUSELAGE KEEL AT THE FRONT SPAR) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.245	AFL	1073						
PROC. REF: AMM 24-01-00								PKG:35,93
<b>240026<sup>S</sup> INSPECT ELECTRICAL CABLE PRESSURE BUNGS (IN THE FORWARD PRESSURE BULKHEAD) Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.240	AFL	1073						
PROC. REF: AMM 24-01-00								PKG:34,93
<b>240027<sup>S</sup> CHECK MAIN BATTERIES Service ATA:24</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 24.250	AFL	1073						
PROC. REF: AMM NO REF 1								PKG:37,93
<b>240028 VISUAL INSPECTION PANEL GG AND TERMINAL BLOCK M Service ATA:24</b>								
	MOS/MSC	06-Jun-18	N/A					
	HRS	2965.25						
WC#: 24.095	AFL	1073						
PROC. REF: AMM 24-01-00								
<b>240029<sup>S</sup> VISUAL INSPECTION FOR DISCOLORATION AND SIGNS OF DISTRESS, INSPECT DA-PANEL FOR PROPER MOUNTING OF COMPONENTS Service ATA:24</b>								
	MOS	23-Jun-23	12 (+1m/-1m)					
	HRS	3746.1						
WC#: 24.260	AFL	1412						
PROC. REF: AMM 24-01-00								PKG:48,94
<b>240030 FUNCTION TEST CABIN INVERTER (115 VAC) SYSTEM (IF INSTALLED) Service ATA:24</b>								
	MOS	07-Apr-23						
	HRS	3710.7	200 (+10%/-10%)		3910.7	3930.7	50.1 (+20)	
WC#: 24.255	AFL	1397						
PROC. REF: MMA 24-20-10, MMA 24-20-15								
<b>240031 INSPECT NO. 1 ENGINE AC GENERATOR QAD PAD FOR DEFORMATION, CRACKS OR OTHER DAMAGE Service ATA:24</b>								
PN:BA02801-1	MOS	07-Apr-23						
SN:3389	HRS	3710.7	200 (+200)		3910.7	4110.7	50.1 (+200)	
	AFL	1397						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
240031	INSPECT NO. 2 ENGINE AC GENERATOR QAD PAD FOR DEFORMATION, CRACKS OR OTHER DAMAGE							Service	ATA:24
PN:BA02801-1	MOS	07-Apr-23							
SN:1502	HRS	3710.7	200 (+200)		3910.7	4110.7	50.1 (+200)		
	AFL	1397							
242001	NO. 1 (MAIN) INVERTER							Component	ATA:24
PN:140-380010-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:0813371E	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: AMM 24-21-102									
242002	NO. 2 (MAIN) INVERTER							Component	ATA:24
PN:140-380010-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:0813375E	HRS	0		TSN 0					
WC#: 24.015	AFL	0		TSN 0					
PROC. REF: AMM 24-21-102									
242013	NO. 3 (STANDBY) INVERTER							Component	ATA:24
PN:SPS-1607A	MOS/MSC	16-Oct-17	O/C	TSO 4					
SN:905	HRS	2853.82		TSO 0					
WC#: 24.015	AFL	1031		TSO 0					
242031	NO. 1 INVERTER CONTACTOR							Component	ATA:24
PN:PN	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	5000	TSN 0	5000		1139.4		
WC#: 24.020	AFL	0		TSN 0					
242032	NO. 2 INVERTER CONTACTOR							Component	ATA:24
PN:PN	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	5000	TSN 0	5000		1139.4		
WC#: 24.020	AFL	0		TSN 0					
242073	NO. 1 ENGINE AC GENERATOR							Component	ATA:24
PN:BA02801-1	MOS	06-Jun-18	96	TSO 0	06-Jun-26		865 d	OVERHAUL	
SN:3389	HRS	2965.25	3000	TSO 0	5965.25		2104.7		
WC#: 24.025	AFL	1073		TSO 0					
PROC. REF: AMM 24-22-21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
242074	NO. 2 ENGINE AC GENERATOR							Component	ATA:24
PN:BA02801-1	MOS	06-Jun-18	96	TSO 0	06-Jun-26		865 d	OVERHAUL	
SN:1502	HRS	2965.25	3000	TSO 0	5965.25		2104.7		
WC#: 24.025	AFL	1073		TSO 0					
PROC. REF: AMM 24-22-21									
242097	LEFT AC GENERATOR CONTROL UNIT							Component	ATA:24
PN:CB02701	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3540	HRS	0		TSN 0					
WC#: 24.035	AFL	0		TSN 0					
PROC. REF: AMM 24-30-07									
242098	RIGHT AC GENERATOR CONTROL UNIT							Component	ATA:24
PN:CB02701	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3544	HRS	0		TSN 0					
WC#: 24.035	AFL	0		TSN 0					
PROC. REF: AMM 24-30-07									
243001	NO. 1 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-064	MOS	06-Jun-18		TSO 0				OVERHAUL	
SN:P1983	HRS	2965.25	1000	TSO 0	3965.25		104.7		
WC#: 24.045	AFL	1073		TSO 0					
PROC. REF: AMM 24-30-21									
243002	NO. 2 ENGINE STARTER/GENERATOR							Component	ATA:24
PN:23080-064	MOS	06-Jun-18		TSO 0				OVERHAUL	
SN:Y10255	HRS	2965.25	1000	TSO 0	3965.25		104.7		
WC#: 24.045	AFL	1073		TSO 0					
PROC. REF: AMM 24-30-21									
243037	NO. 1 DC GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006H	MOS/MSC	16-Aug-19	O/C	TSN 123					
SN:P2232	HRS	3266.75		TSN 3266.75					
WC#: 24.050	AFL	1189		TSN 1189					
PROC. REF: AMM 24-30-07									
243038	NO. 2 DC GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006H	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:P2180	HRS	0		TSN 0					
WC#: 24.050	AFL	0		TSN 0					
PROC. REF: AMM 24-30-07									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
243049	H (UPPER) CONTACTOR							Component	ATA:24
PN:140-380022-0001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-43777	HRS	0		TSN 0					
WC#: 24.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243050	H (LOWER) CONTACTOR							Component	ATA:24
PN:140-380022-0001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-51669	HRS	0		TSN 0					
WC#: 24.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243061	G (UPPER) CONTACTOR							Component	ATA:24
PN:140-380021-0001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-38286	HRS	0		TSN 0					
WC#: 24.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243062	G (LOWER) CONTACTOR							Component	ATA:24
PN:140-380017-0001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-22392	HRS	0		TSN 0					
WC#: 24.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243079	DC VOLTAGE SENSING UNIT							Component	ATA:24
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243091	GROUND SUPPLY START (E) CONTACTOR							Component	ATA:24
PN:PN	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	6000	TSN 0	6000		2139.4		
WC#: 24.075	AFL	0		TSN 0					
PROC. REF: AMM 49-11-00, AMM 24-30-21									
243103	APU STARTER/GENERATOR CONTROL UNIT							Component	ATA:24
PN:51539-006H	MOS/MSC	20-Aug-19	O/C	TSO 0					
SN:P1309	HRS	3270.72		TSO 0					
WC#: 24.080	AFL	1190		TSO 0					
PROC. REF: AMM 49-11-00, AMM 24-30-21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>243115</b>		<b>APU STARTER/GENERATOR</b>					<b>Component</b>		<b>ATA:24</b>
PN:23080-064	MOS	06-Jun-18		TSO 0				OVERHAUL	
SN:P1468	HRS	2965.25		TSO 0					
WC#: 24.085	AFL	1073		TSO 0					
	APH	2853	1000	TSO 0	3853		155		
PROC. REF: AMM 24-30-21, AMM 49-11-00									
<b>243137</b>		<b>NO. 1 BATTERY</b>					<b>Component</b>		<b>ATA:24</b>
PN:9750W0640	MOS/MSC	14-Jan-22	O/C	TSO 0					
SN:162670005	HRS	3481.7		TSO 0					
WC#: 24.090	AFL	1272		TSO 0					
PROC. REF: AMM 24-30-151									
<b>243138</b>		<b>NO. 2 BATTERY</b>					<b>Component</b>		<b>ATA:24</b>
PN:9750W0640	MOS/MSC	14-Jan-22	O/C	TSO 0					
SN:162670006	HRS	3481.7		TSO 0					
WC#: 24.090	AFL	1272		TSO 0					
PROC. REF: AMM 24-30-151									
<b>243139</b>		<b>NO. 3 BATTERY</b>					<b>Component</b>		<b>ATA:24</b>
PN:100-0540-04	MOS	14-Jan-22	48	TSO 0	14-Jan-26		722 d		
SN:1126493	HRS	3481.7		TSO 0					
WC#: 24.210	AFL	1272		TSO 0					
PROC. REF: AMM 24-30-151, AMM 24-30-155									
<b>243140</b>		<b>NO. 4 BATTERY</b>					<b>Component</b>		<b>ATA:24</b>
PN:100-0540-04	MOS	20-Jun-22	48	TSO 0	20-Jun-26		879 d		
SN:0601813	HRS	3511.6							
WC#: 24.220	AFL	1288							
PROC. REF: AMM 24-30-07, AMM 24-30-155									
<b>243141</b>		<b>NO. 5 BATTERY</b>					<b>Component</b>		<b>ATA:24</b>
PN:100-0540-04	MOS	09-Apr-21	48	TSN 11, TSR 0	09-May-24		107 d		
SN:0811114	HRS	3404.28		TSR 0					
WC#: 24.230	AFL	1242		TSR 0					
PROC. REF: AFMS 24-30-155									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
243142		NO. 6 BATTERY						Component	ATA:24
PN:100-0540-04	MOS	09-Apr-21	48	TSN 11, TSR 0	09-May-24		107 d		
SN:0915026	HRS	3404.28		TSR 0					
	AFL	1242		TSR 0					
PROC. REF: AFMS 24-30-155									
243143		NO. 7 BATTERY						Component	ATA:24
PN:100-0540-04	MOS	09-Apr-21	48	TSN 11, TSR 0	09-May-24		107 d		
SN:0811484	HRS	3404.28		TSR 0					
	AFL	1242		TSR 0					
PROC. REF: AFMS 24-30-155									
243154		CAPACITY CHECK NO. 1 BATTERY						Service	ATA:24
PN:9750W0640	MOS	14-Aug-23	6 (+15d/-15d)		14-Feb-24	29-Feb-24	22 d (+15)	STC ICA	
SN:162670005	HRS	3759.8	1500 (+100/-100)		5259.8	5359.8	1399.2 (+100)		
WC#: 24.090	AFL	1418							
PROC. REF: GENERIC NO REF									
243155		CAPACITY CHECK NO. 2 BATTERY						Service	ATA:24
PN:9750W0640	MOS	14-Aug-23	6 (+15d/-15d)		14-Feb-24	29-Feb-24	22 d (+15)	STC ICA	
SN:162670006	HRS	3759.8	1500 (+100/-100)		5259.8	5359.8	1399.2 (+100)		
WC#: 24.090	AFL	1418							
PROC. REF: AMM 24-30-151									
243156		ENERGY LEVEL TEST NO. 3 BATTERY						Service	ATA:24
PN:100-0540-04	MOS	23-Jun-23	12 (+30d/-30d)		23-Jun-24	23-Jul-24	152 d (+30)		
SN:1126493	HRS	3746.1							
WC#: 24.210	AFL	1412							
PROC. REF: AMM 24-30-155									
243157		ENERGY LEVEL TEST NO.4 BATTERY						Service	ATA:24
PN:100-0540-04	MOS	23-Jun-23	12 (+30d/-30d)		23-Jun-24	23-Jul-24	152 d (+30)		
SN:0601813	HRS	3746.1							
WC#: 24.220	AFL	1412							
PROC. REF: AMM 24-30-155									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 24 - ELECTRICAL POWER</b>								
<b>243158 ENERGY LEVEL TEST NO. 5 BATTERY Service ATA:24</b>								
PN:100-0540-04	MOS	23-Jun-23	12 (+30d/-30d)		23-Jun-24	23-Jul-24	152 d (+30)	
SN:0811114	HRS	3746.1						
WC#: 24.230	AFL	1412						
PROC. REF: AMM 24-30-155								
<b>243159 ENERGY LEVEL TEST NO. 6 BATTERY Service ATA:24</b>								
PN:100-0540-04	MOS/MSC	09-Apr-21	O/C					
SN:0915026	HRS	3404.28						
	AFL	1242						
PROC. REF: AMM 24-30-155								
<b>243160 ENERGY LEVEL TEST NO. 7 BATTERY Service ATA:24</b>								
PN:100-0540-04	MOS/MSC	09-Apr-21	O/C					
SN:0811484	HRS	3404.28						
	AFL	1242						
PROC. REF: GENERIC NO REF								
<b>243238 OVERVOLTAGE SENSOR Component ATA:24</b>								
PN:E311TS	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:CR-26114	HRS	0		TSN 0				
WC#: 24.110	AFL	0		TSN 0				
PROC. REF: AMM 24-30-146								
<b>243246 THERMAL SWITCH Component ATA:24</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.115	AFL	0		TSN 0				
PROC. REF: AMM NO REF 1								
<b>243247 S CONTACTOR Component ATA:24</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>243253 FORWARD U CONTACTOR Component ATA:24</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 24.120	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
243259		J CONTACTOR					Component	ATA:24	
PN:A770RSSA	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-18593	HRS	0		TSN 0					
WC#: 24.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243265		K CONTACTOR					Component	ATA:24	
PN:A770RSSA	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-18606	HRS	0		TSN 0					
WC#: 24.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243271		AFT U CONTACTOR					Component	ATA:24	
PN:A848MAS	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CR-22580	HRS	0		TSN 0					
WC#: 24.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243277		L CONTACTOR					Component	ATA:24	
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
243283		M CONTACTOR					Component	ATA:24	
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 24.135	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245001		BUS TIE (T) CONTACTOR					Component	ATA:24	
PN:PN	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:UNKNOWN	HRS	0	5000	TSN 0	5000		1139.4		
WC#: 24.140	AFL	0		TSN 0					
PROC. REF: AMM NO REF 1									
245043		TEMPERATURE SENSOR					Component	ATA:24	
PN:548408-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:548408-02610	HRS	0		TSN 0					
WC#: 24.170	AFL	0		TSN 0					
PROC. REF: AMM NO REF 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
250003 <sup>S</sup>	CHECK 3RD CREW MEMBERS SEAT							Service	ATA:25
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 25.115	AFL	1243						PKG:12,91	
250005	INSPECT EMERGENCY PACKS (IF FITTED)							Service	ATA:25
	MOS/MSC	13-Apr-12	N/R						
	HRS								
WC#: 25.125	AFL								
250006 <sup>S</sup>	CHECK FIRST AID KITS							Service	ATA:25
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 25.130	AFL	1412						PKG:48,94	
250007 <sup>S</sup>	OPERATIONAL CHECK CREW SEATS							Service	ATA:25
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 25.145	AFL	1243						PKG:10,91	
250008 <sup>S</sup>	DETAILED CHECK CREW SEATS							Service	ATA:25
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 25.150	AFL	1073						PKG:34,93	
					PROC. REF: AMM 25-10-14				
251001	NO. 1 CREW SEAT							Component	ATA:25
PN:3A026-0013-00-2	MOS/MSC	05-May-10	O/C						
SN:44658	HRS	4.7							
WC#: 25.010	AFL	4						PKG:34,93	
					PROC. REF: AMM 25-10-14				
251002	NO. 2 CREW SEAT							Component	ATA:25
PN:3A026-0014-00	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:58659	HRS	0		TSN 0					
WC#: 25.010	AFL	0		TSN 0				PKG:34,93	
					PROC. REF: AMM 25-10-14				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
251020	THROTTLE BOX							Component	ATA:25
PN:149-340057-6001	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1308	HRS	0			TSN 0				
WC#: 25.020	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
251031 <sup>U</sup>	R/H VIDEO MONITOR-							Component	ATA:25
PN:2710-1-1501	MOS/MSC	05-May-10	O/C						
SN:205150155	HRS	4.7							
	AFL	4							
251033 <sup>U</sup>	L/H VIDEO MONITOR-							Component	ATA:25
PN:2710-1-1501	MOS/MSC	05-May-10	O/C						
SN:208070109	HRS	4.7							
	AFL	4							
251034 <sup>U</sup>	AIRPLAY AUDIO AMP							Component	ATA:25
PN:3600-1-1	MOS/MSC	05-May-10	O/C						
SN:3MK8P	HRS	4.7							
	AFL	4							
251036 <sup>U</sup>	RF-IR REMOTE RECEIVER							Component	ATA:25
PN:2033-1-1	MOS/MSC	05-May-10	O/C						
SN:20723006	HRS	4.7							
	AFL	4							
251038	FLIGHT DECK CONTROLLER							Component	ATA:25
PN:922000-2	MOS/MSC	05-May-10	O/C		TSN 0				
SN:H01007595	HRS	4.7			TSN 0				
WC#: 25.135	AFL	4			TSN 0				
PROC. REF: GENERIC NO REF									
251040 <sup>U</sup>	OVERHEAD DISPLAY PANEL							Component	ATA:25
PN:90-1049-30P4	MOS/MSC	05-May-10	O/C						
SN:0015	HRS	4.7							
	AFL	4							
251051 <sup>U</sup>	LEFT HAND WOFFER SPEAKER							Component	ATA:25
PN:DT-AWSP-4MRH	MOS/MSC	05-May-10	O/C						
SN:095178014	HRS	4.7							
	AFL	4							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
<b>251053<sup>U</sup></b>		<b>RIGHT HAND WOFFER SPEAKER</b>						<b>Component</b>	<b>ATA:25</b>
PN:DT-AWSP-4MRH	MOS/MSC	05-May-10	O/C						
SN:095178001	HRS	4.7							
	AFL	4							
<hr/>									
<b>251057</b>		<b>NO. 1 DIGITAL AUDIO AMPLIFIER</b>						<b>Component</b>	<b>ATA:25</b>
PN:MODEL700-007	MOS/MSC	05-May-10	O/C						
SN:4164	HRS	4.7							
WC#: 25.050	AFL	4							
PROC. REF: AMM 23-50-10									
<hr/>									
<b>251058</b>		<b>NO. 2 DIGITAL AUDIO AMPLIFIER</b>						<b>Component</b>	<b>ATA:25</b>
PN:MODEL700-007	MOS/MSC	05-May-10	O/C						
SN:4165	HRS	4.7							
WC#: 25.050	AFL	4							
PROC. REF: AMM 23-50-10									
<hr/>									
<b>251061</b>		<b>MICROWAVE OVEN</b>						<b>Component</b>	<b>ATA:25</b>
PN:400-1744-01	MOS/MSC	16-Oct-17	O/C						
SN:04-11-36123	HRS	2853.82							
WC#: 25.055	AFL	1031							
<hr/>									
<b>251070<sup>U</sup></b>		<b>NO. 1 LEFT LCD SCREEN</b>						<b>Component</b>	<b>ATA:25</b>
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M7BT	HRS	4.7							
	AFL	4							
<hr/>									
<b>251071<sup>U</sup></b>		<b>NO. 2 LEFT LCD SCREEN</b>						<b>Component</b>	<b>ATA:25</b>
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M7BR	HRS	4.7							
	AFL	4							
<hr/>									
<b>251072<sup>U</sup></b>		<b>NO. 3 LEFT LCD SCREEN</b>						<b>Component</b>	<b>ATA:25</b>
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M7BV	HRS	4.7							
	AFL	4							
<hr/>									
<b>251073<sup>U</sup></b>		<b>NO. 4 LEFT LCD SCREEN</b>						<b>Component</b>	<b>ATA:25</b>
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M60P	HRS	4.7							
	AFL	4							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
251074 <sup>U</sup>		NO. 1 RIGHT LCD SCREEN						Component	ATA:25
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M7BN	HRS	4.7							
	AFL	4							
251075 <sup>U</sup>		NO. 2 RIGHT LCD SCREEN						Component	ATA:25
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M60X	HRS	4.7							
	AFL	4							
251076 <sup>U</sup>		NO. 3 RIGHT LCD SCREEN						Component	ATA:25
PN:2516-1-1	MOS/MSC	05-May-10	O/C						
SN:3M7BP	HRS	4.7							
	AFL	4							
251080 <sup>U</sup>		NO. 1 LEFT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y64Y	HRS	4.7							
	AFL	4							
251081 <sup>U</sup>		NO. 2 LEFT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y64X	HRS	4.7							
	AFL	4							
251082 <sup>U</sup>		NO. 3 LEFT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y66L	HRS	4.7							
	AFL	4							
251083 <sup>U</sup>		NO. 4 LEFT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y67H	HRS	4.7							
	AFL	4							
251084 <sup>U</sup>		NO. 1 RIGHT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y63Y	HRS	4.7							
	AFL	4							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
251085 <sup>U</sup>		NO. 2 RIGHT H/P JACK						Component	ATA:25
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y65B	HRS	4.7							
	AFL	4							
251090 <sup>U</sup>		NO. 1 RIGHT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:092192033	HRS	4.7							
	AFL	4							
251091 <sup>U</sup>		NO. 2 RIGHT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:091756010	HRS	4.7							
	AFL	4							
251092 <sup>U</sup>		NO. 3 RIGHT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:092192032	HRS	4.7							
	AFL	4							
251093 <sup>U</sup>		NO. 1 LEFT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:092191031	HRS	4.7							
	AFL	4							
251094 <sup>U</sup>		NO. 2 LEFT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:092192013	HRS	4.7							
	AFL	4							
251095 <sup>U</sup>		NO. 3 LEFT SPEAKER						Component	ATA:25
PN:DT-A8RH	MOS/MSC	05-May-10	O/C						
SN:092191032	HRS	4.7							
	AFL	4							
251096 <sup>U</sup>		NO. 1 LEFT PAGING SPEAKER						Component	ATA:25
PN:DT-PA2NRH-8	MOS/MSC	05-May-10	O/C						
SN:095176014	HRS	4.7							
	AFL	4							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
251097 <sup>U</sup>		NO. 2 LEFT PAGING SPEAKER						Component	ATA:25
PN:DT-PA2NRH-8	MOS/MSC	05-May-10	O/C						
SN:095176006	HRS	4.7							
	AFL	4							
251098 <sup>U</sup>		NO. 1 RIGHT PAGING SPEAKER						Component	ATA:25
PN:DT-PA2NRH-8	MOS/MSC	05-May-10	O/C						
SN:095176021	HRS	4.7							
	AFL	4							
251099 <sup>U</sup>		NO. 2 RIGHT PAGING SPEAKER						Component	ATA:25
PN:DT-PA2NRH-8	MOS/MSC	05-May-10	O/C						
SN:095176022	HRS	4.7							
	AFL	4							
253090 <sup>U</sup>		INSPECT TIA MICROWAVE OVEN - CHECK WAVEGUIDE MOISTURE COVER						Service	ATA:25
	MOS	20-Dec-23	6		20-Jun-24		149 d		
	HRS	3848	1500		5348		1487.4		
	AFL	1462							
PROC. REF: MMA 25-30-31									
253316 <sup>U</sup>		R/H AUDIO VIDEO MODULE						Component	ATA:25
PN:2022-1-1	MOS/MSC	05-May-10	O/C						
SN:3MHYW	HRS	4.7							
	AFL	4							
256001		EMERGENCY LOCATOR TRANSMITTER (ELT)						Component	ATA:25
PN:453-5060	MOS/MSC	20-Oct-14	O/C	TSN 55					
SN:08905	HRS	2016.2		TSN 2016.2					
WC#: 25.025	AFL	729		TSN 729					
PROC. REF: AMM 25-61-20									
256004		RENEW ELT REGISTRATION						Service	ATA:25
	MOS	26-Jan-22	24		26-Jan-24		3 d		
	HRS								
	AFL								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
256005	INSPECT EMERGENCY LOCATOR TRANSMITTER (ELT)							Service	ATA:25
PN:453-5060	MOS	23-Jun-23	12		23-Jun-24		152 d		
SN:08905	HRS	3746.1							
WC#: 25.025	AFL	1412							
256006	ELT REMOTE (CONTROL UNIT) SWITCH							Component	ATA:25
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
256007	REPLACE EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Service	ATA:25
PN:452-0133	MOS/MSC	04-Apr-19	DUE		31-May-24 (M)		129 d		
SN:380475-014	HRS	3175.17							
WC#: 25.025	AFL	1157							
PROC. REF: AMM NO REF 1									
256009	EMERGENCY LOCATOR TRANSMITTER ANTENNA							Component	ATA:25
PN:110-340	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2806663	HRS	0		TSN 0					
WC#: 25.015	AFL	0		TSN 0					
PROC. REF: AMM 25-61-20									
256010	FUNCTIONAL TEST EMERGENCY LOCATOR TRANSMITTER (ELT)							Service	ATA:25
PN:453-5060	MOS	23-Jun-23	12		23-Jun-24		152 d		
SN:08905	HRS	3746.1							
WC#: 25.025	AFL	1412							
PROC. REF: AMM 25-61-20									
256011	REPLACE ELT REMOTE (CONTROL UNIT) SWITCH BATTERY							Service	ATA:25
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
WC#: 25.030	AFL								
256013	INSPECT LIFE VESTS							Service	ATA:25
	MOS/MSC	16-Mar-10	N/R						
	HRS	0							
WC#: 25.040	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
256080 <sup>U</sup>		PILOT LIFE VEST						Component	ATA:25
PN:63600-505	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:L4082962	HRS	3175.17		TSN 0					
	AFL	1157		TSN 0					
256080A <sup>U</sup>		RECERTIFY PILOT LIFE VEST						Service	ATA:25
PN:63600-505	MOS	04-Apr-19	120		04-Apr-29		1898 d		
SN:L4082962	HRS	3175.17							
	AFL	1157							
256081 <sup>U</sup>		COPILOT LIFE VEST						Component	ATA:25
PN:63600-505	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:L4082963	HRS	3175.17		TSN 0					
	AFL	1157		TSN 0					
256081A <sup>U</sup>		RECERTIFY COPILOT LIFE VEST						Service	ATA:25
PN:63600-505	MOS	04-Apr-19	120		04-Apr-29		1898 d		
SN:L4082963	HRS	3175.17							
	AFL	1157							
256082 <sup>U</sup>		CREW CABINET LIFE VEST						Component	ATA:25
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:L4428044	HRS	3175.17		TSN 0					
	AFL	1157		TSN 0					
256082A <sup>U</sup>		RECERTIFY CREW CABINET LIFE VEST						Service	ATA:25
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d		
SN:L4428044	HRS	3175.17							
	AFL	1157							
256083 <sup>U</sup>		NO. 1 LEFT CHAIR LIFE VEST						Component	ATA:25
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:L4428045	HRS	3175.17		TSN 0					
	AFL	1157		TSN 0					
256083A <sup>U</sup>		RECERTIFY NO. 1 LEFT CHAIR LIFE VEST						Service	ATA:25
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d		
SN:L4428045	HRS	3175.17							
	AFL	1157							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>256084<sup>U</sup> NO. 2 LEFT CHAIR LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428046	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256084A<sup>U</sup> RECERTIFY NO. 2 LEFT CHAIR LIFE VEST</b> Service ATA:25								
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d	
SN:L4428046	HRS	3175.17						
	AFL	1157						
<b>256085<sup>U</sup> NO. 1 RIGHT CHAIR LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428043	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256085A<sup>U</sup> RECERTIFY NO. 1 RIGHT CHAIR LIFE VEST</b> Service ATA:25								
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d	
SN:L4428043	HRS	3175.17						
	AFL	1157						
<b>256086<sup>U</sup> NO. 2 RIGHT CHAIR LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428040	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256086A<sup>U</sup> RECERTIFY NO. 2 RIGHT CHAIR LIFE VEST</b> Service ATA:25								
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d	
SN:L4428040	HRS	3175.17						
	AFL	1157						
<b>256087<sup>U</sup> NO. 3 RIGHT CHAIR LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428039	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256087A<sup>U</sup> RECERTIFY NO. 3 RIGHT CHAIR LIFE VEST</b> Service ATA:25								
	MOS	04-Apr-19	120		04-Apr-29		1898 d	
	HRS	3175.17						
	AFL	1157						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>256088<sup>U</sup> NO. 1 DIVAN LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428042	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256088A<sup>U</sup> RECERTIFY NO. 1 DIVAN LIFE VEST</b> Service ATA:25								
	MOS	04-Apr-19	120		04-Apr-29		1898 d	
	HRS	3175.17						
	AFL	1157						
<b>256089<sup>U</sup> NO. 2 DIVAN LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428041	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256089A<sup>U</sup> RECERTIFY NO. 2 DIVAN LIFE VEST</b> Service ATA:25								
	MOS	04-Apr-19	120		04-Apr-29		1898 d	
	HRS	3175.17						
	AFL	1157						
<b>256090<sup>U</sup> NO. 3 DIVAN LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428038	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256090A<sup>U</sup> RECERTIFY NO. 3 DIVAN LIFE VEST</b> Service ATA:25								
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d	
SN:L4428038	HRS	3175.17						
	AFL	1157						
<b>256091<sup>U</sup> LAVATORY LIFE VEST</b> Component ATA:25								
PN:63600-105	MOS/MSC	04-Apr-19	O/C	TSN 0				
SN:L4428047	HRS	3175.17		TSN 0				
	AFL	1157		TSN 0				
<b>256091A<sup>U</sup> RECERTIFY LAVATORY LIFE VEST</b> Service ATA:25								
PN:63600-105	MOS	04-Apr-19	120		04-Apr-29		1898 d	
SN:L4428047	HRS	3175.17						
	AFL	1157						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256097	DIGITAL INTERFACE UNIT							Component	ATA:25
PN:925000-100	MOS/MSC	01-Jul-16	O/C						
SN:D01002542	HRS	2454.03							
WC#: 25.140	AFL	889							
PROC. REF: MMA 23-33-41									
256301	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component	ATA:25
PN:452-0133	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:380475-014	HRS	3175.17		TSN 0					
	AFL	1157		TSN 0					
257209 <sup>U</sup>	LIFE RAFT							Component	ATA:25
PN:RAF1210-305T1	MOS/MSC	14-Jul-22	O/C	TSO 0					
SN:2307BBA/2279BBA	HRS			TSO 0					
	AFL			TSO 0					
257210 <sup>U</sup>	INSPECT LIFE RAFT							Service	ATA:25
	MOS	23-Jun-23	12		30-Jun-24		159 d		
	HRS	3746.1							
	AFL	1412							
257220 <sup>U</sup>	REGISTER LIFE RAFT ELT							Service	ATA:25
	MOS	14-Jun-22	24		30-Jun-24		159 d		
	HRS								
	AFL								
257230 <sup>U</sup>	LIFE RAFT CYLINDER HYDROSTATIC CHECK							Service	ATA:25
	MOS	14-Jun-22	60		30-Jun-27		1254 d		
	HRS								
	AFL								
257240 <sup>U</sup>	LIFE RAFT ELT							Component	ATA:25
PN:500-12Y	MOS/MSC	14-Jun-22	-						
SN:15594	HRS								
	AFL								
257245 <sup>U</sup>	LIFE RAFT ELT BATTERIES - REPLACE							Service	ATA:25
	MOS	14-Jun-22	60		30-Apr-27 (M)		1193 d		
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>257515<sup>U</sup> (CALL) (WATER) (FLUSH) LAVATORY SWITCH PANEL</b> Component ATA:25								
PN:2501-1-138	MOS/MSC	05-May-10	O/C					
SN:3MBCJ	HRS	4.7						
	AFL	4						
<b>257516<sup>U</sup> (FASTEN SEAT BELT) (LAVATORY LIGHTS) SWITCH PANEL</b> Component ATA:25								
PN:2501-1-142	MOS/MSC	05-May-10	O/C					
SN:3MBCF	HRS	4.7						
	AFL	4						
<b>257521<sup>U</sup> FWD BAGGAGE FRONT SWITCH PANEL</b> Component ATA:25								
PN:2501-1-140	MOS/MSC	05-May-10	O/C					
SN:3MBVN	HRS	4.7						
	AFL	4						
<b>257522<sup>U</sup> R/H AFT COAT CLOSET SWITCH PANEL</b> Component ATA:25								
PN:2501-1-136	MOS/MSC	12-Oct-10	O/C	TSN 0				
SN:3MBCJ	HRS	158.2		TSN 0				
	AFL	73		TSN 0				
<b>258001<sup>U</sup> NO. 1 LEFT CHAIR</b> Component ATA:25								
PN:303709-1NS2	MOS/MSC	05-May-10	O/C					
SN:46743	HRS	4.7						
	AFL	4						
<b>258002<sup>U</sup> NO. 2 LEFT CHAIR</b> Component ATA:25								
PN:303709-2NS2	MOS/MSC	05-May-10	O/C					
SN:46745	HRS	4.7						
	AFL	4						
<b>258003<sup>U</sup> NO. 1 RIGHT CHAIR</b> Component ATA:25								
PN:303709-2NS2	MOS/MSC	05-May-10	O/C					
SN:46744	HRS	4.7						
	AFL	4						
<b>258004<sup>U</sup> NO. 2 RIGHT CHAIR</b> Component ATA:25								
PN:303709-1BONS2	MOS/MSC	05-May-10	O/C					
SN:46746	HRS	4.7						
	AFL	4						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
258005 <sup>U</sup>	NO. 3 RIGHT CHAIR							Component	ATA:25
PN:303709-1D41N	MOS/MSC	05-May-10	O/C						
SN:46747	HRS	4.7							
	AFL	4							
258006 <sup>U</sup>	3 SEAT DIVAN							Component	ATA:25
PN:160080-15D2L5	MOS/MSC	05-May-10	O/C						
SN:46748	HRS	4.7							
	AFL	4							
258007 <sup>U</sup>	JUMPSEAT							Component	ATA:25
PN:7202-981-67	MOS/MSC	05-May-10	O/C						
SN:NSN	HRS	4.7							
	AFL	4							
259050 <sup>U</sup>	DVD PLAYER							Component	ATA:25
PN:866-0027-005	MOS/MSC	03-Aug-21	O/C	TSN 1					
SN:725-1300	HRS	3405		TSN 0					
	AFL	1243		TSN 0					
<b>ATA 26 - FIRE PROTECTION</b>									
251086 <sup>U</sup>	NO. 3 RIGHT H/P JACK							Component	ATA:26
PN:2517-1-1	MOS/MSC	05-May-10	O/C						
SN:2Y65C	HRS	4.7							
	AFL	4							
260001 <sup>S</sup>	CHECK AFT ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 26.020	AFL	1412							
								PKG:43,94	
260001 <sup>S</sup>	CHECK FORWARD ENGINE FIRE EXTINGUISHER							Service	ATA:26
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 26.010	AFL	1412							
								PKG:43,94	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
260002 <sup>S</sup>	FUNCTIONAL TEST REAR EQUIPMENT BAY OVERHEAT DETECTION SYSTEM							Service	ATA:26
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 26.035	AFL	1243							
				PROC. REF: AMM 26-10-00				PKG:7,91	
260003 <sup>S</sup>	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C354TS	MOS	23-Jun-23	12 (+1m/-1m)						
SN:F68185751	HRS								
WC#: 26.080	AFL							PKG:46,94	
260004 <sup>S</sup>	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER							Service	ATA:26
PN:C345TS	MOS	23-Jun-23	12 (+1m/-1m)						
SN:E-93925178	HRS								
WC#: 26.075	AFL							PKG:48,94	
260008	FUNCTIONAL TEST SMOKE DETECTION SYSTEM (IF FITTED)							Service	ATA:26
	MOS	10-Oct-23	6 (+10%)	Adj -3d	07-Apr-24	25-Apr-24	75 d (+18)		
	HRS	3810.8							
WC#: 26.115	AFL	1442							
				PROC. REF: MMA 26-11-00					
260010 <sup>S</sup>	CHECK/FUNCTIONAL TEST APU FIRE EXTINGUISHER							Service	ATA:26
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 26.085	AFL	1412						PKG:49,94	
				PROC. REF: AMM 49-61-20, CMM 26-20-02					
261030	APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH							Component	ATA:26
PN:17343-62-600	MOS/MSC	31-Dec-19	O/C						
SN:1235	HRS	3327.28							
WC#: 26.120	AFL	1211							
261031	APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH							Component	ATA:26
PN:17343-62-450	MOS/MSC	31-Dec-19	O/C						
SN:0906	HRS	3327.28							
WC#: 26.125	AFL	1211							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>261032</b>		<b>APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH</b>					<b>Component ATA:26</b>		
PN:17343-52-600	MOS/MSC	31-Dec-19	O/C						
SN:0905	HRS	3327.28							
WC#: 26.130	AFL	1211							
<b>261033</b>		<b>APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH</b>					<b>Component ATA:26</b>		
PN:17343-62-450	MOS/MSC	31-Dec-19	O/C						
SN:BM251	HRS	3327.28							
WC#: 26.135	AFL	1211							
<b>261034</b>		<b>TEST APU ENCLOSURE HOT SECTION LOWER THERMAL SWITCH</b>					<b>Service ATA:26</b>		
PN:17343-62-600	MOS	31-Dec-19	60		31-Dec-24		343 d		
SN:1235	HRS	3327.28							
WC#: 26.120	AFL	1211							
<b>261035</b>		<b>TEST APU ENCLOSURE FUEL CONTROL AREA THERMAL SWITCH</b>					<b>Service ATA:26</b>		
PN:17343-62-450	MOS	31-Dec-19	60		31-Dec-24		343 d		
SN:0906	HRS	3327.28							
WC#: 26.125	AFL	1211							
<b>261036</b>		<b>TEST APU ENCLOSURE HOT SECTION UPPER THERMAL SWITCH</b>					<b>Service ATA:26</b>		
PN:17343-52-600	MOS	31-Dec-19	60		31-Dec-24		343 d		
SN:0905	HRS	3327.28							
WC#: 26.130	AFL	1211							
<b>261037</b>		<b>TEST APU ENCLOSURE STARTER/GENERATOR AREA THERMAL SWITCH</b>					<b>Service ATA:26</b>		
PN:17343-62-450	MOS	31-Dec-19	60		31-Dec-24		343 d		
SN:BM251	HRS	3327.28							
WC#: 26.135	AFL	1211							
<b>261074</b>		<b>OVERHEAT DETECTION SWITCHES TEST</b>					<b>Service ATA:26</b>		
	MOS	31-Dec-19	60		31-Dec-24		343 d		
	HRS	3327.28							
WC#: 26.030	AFL	1211							
<b>261171</b>		<b>NO. 1 ENGINE ZONE 1 FIRE DETECTOR</b>					<b>Component ATA:26</b>		
PN:3001-112-900-400	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:92951	HRS	0		TSN 0					
WC#: 26.050	AFL	0		TSN 0					
PROC. REF: AMM 26-10-12									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
261172	NO. 2 ENGINE ZONE 1 FIRE DETECTOR							Component	ATA:26
PN:3001-112-900-400	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:93573	HRS	0			TSN 0				
WC#: 26.055	AFL	0			TSN 0				
PROC. REF: AMM 26-10-12									
261183	NO. 1 ENGINE ZONE 2 FIRE DETECTOR							Component	ATA:26
PN:3001-133-900-500-6	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:92260	HRS	0			TSN 0				
WC#: 26.050	AFL	0			TSN 0				
PROC. REF: AMM 26-10-12									
261184	NO. 2 ENGINE ZONE 2 FIRE DETECTOR							Component	ATA:26
PN:3001-133-900-500-6	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:93231	HRS	0			TSN 0				
WC#: 26.055	AFL	0			TSN 0				
PROC. REF: AMM 26-10-12									
261187	NO. 1 ENGINE FIRE DETECTOR HARNESS							Component	ATA:26
PN:715RA0003-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:09-150262-24005	HRS	0			TSN 0				
WC#: 26.161	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
261188	NO. 2 ENGINE FIRE DETECTOR HARNESS							Component	ATA:26
PN:715RA0003-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:09-150262-24001	HRS	0			TSN 0				
WC#: 26.162	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
262001	ENGINE FORWARD FIRE EXTINGUISHER							Component	ATA:26
PN:33200009-3	MOS/MSC	14-May-20	O/C		TSO 0				
SN:27402C1	HRS	3357.57			TSO 0				
WC#: 26.010	AFL	1222			TSO 0				
PROC. REF: AMM 26-20-12									
262002	ENGINE AFT FIRE EXTINGUISHER							Component	ATA:26
PN:33200009-3	MOS/MSC	06-Jun-18	O/C		TSO 0				
SN:23794C1	HRS	2965.25			TSO 0				
WC#: 26.020	AFL	1073			TSO 0				
PROC. REF: AMM 26-20-12									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>262025</b>		<b>HYDROSTATIC TEST ENGINE FORWARD FIRE EXTINGUISHER</b>						Service	ATA:26
PN:33200009-3	MOS	19-Nov-19	120		19-Nov-29		2127 d		
SN:27402C1	HRS								
WC#: 26.010	AFL								
<b>262026</b>		<b>HYDROSTATIC TEST ENGINE AFT FIRE EXTINGUISHER</b>						Service	ATA:26
PN:33200009-3	MOS	18-May-18	120		18-May-28		1577 d		
SN:23794C1	HRS								
WC#: 26.020	AFL								
<b>262027</b>		<b>FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE</b>						Component	ATA:26
PN:30900000M	MOS/MSC	31-Dec-19	O/C	TSN 0					
SN:0305WL	HRS	3327.28		TSN 0					
WC#: 26.015	AFL	1211		TSN 0					
PROC. REF: GENERIC NO REF									
<b>262028</b>		<b>AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE</b>						Component	ATA:26
PN:30900000M	MOS/MSC	31-Dec-19	O/C	TSN 0					
SN:0307WL	HRS	3327.28		TSN 0					
WC#: 26.025	AFL	1211		TSN 0					
PROC. REF: GENERIC NO REF									
<b>262029</b>		<b>FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE</b>						Component	ATA:26
PN:30900000M	MOS/MSC	31-Dec-19	O/C	TSN 0					
SN:0306WL	HRS	3327.28		TSN 0					
WC#: 26.015	AFL	1211		TSN 0					
PROC. REF: GENERIC NO REF									
<b>262030</b>		<b>AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE</b>						Component	ATA:26
PN:30900000M	MOS/MSC	31-Dec-19	O/C	TSN 0					
SN:0308WL	HRS	3327.28		TSN 0					
WC#: 26.025	AFL	1211		TSN 0					
PROC. REF: GENERIC NO REF									
<b>262037</b>		<b>REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE)</b>						Service	ATA:26
PN:30900000M	MOS	31-Dec-19	120		31-Dec-29		2169 d	LIFE LIMIT	
SN:0305WL	HRS								
WC#: 26.015	AFL								
PROC. REF: AMM 26-20-22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262038	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:30900000M	MOS	31-Dec-19	120		31-Dec-29		2169 d	LIFE LIMIT	
SN:0307WL	HRS								
WC#: 26.025	AFL								
PROC. REF: AMM 26-20-22									
262049	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:30900000M	MOS	31-Dec-19	120		31-Dec-29		2169 d	LIFE LIMIT	
SN:0306WL	HRS								
WC#: 26.015	AFL								
PROC. REF: AMM 26-20-22									
262050	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (SERVICE LIFE)							Service	ATA:26
PN:30900000M	MOS	31-Dec-19	120		31-Dec-29		2169 d	LIFE LIMIT	
SN:0308WL	HRS								
WC#: 26.025	AFL								
PROC. REF: AMM 26-20-22									
262061	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT)							Service	ATA:26
PN:30900000M	MOS	18-Dec-19	180		18-Dec-34		3982 d	LIFE LIMIT	
SN:0305WL	HRS								
WC#: 26.015	AFL								
PROC. REF: AMM 26-20-22									
262062	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD A CARTRIDGE (LIFE LIMIT)							Service	ATA:26
PN:30900000M	MOS	18-Dec-19	180		18-Dec-34		3982 d	LIFE LIMIT	
SN:0307WL	HRS								
WC#: 26.025	AFL								
PROC. REF: AMM 26-20-22									
262073	REPLACE FORWARD ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)							Service	ATA:26
PN:30900000M	MOS	18-Dec-19	180		18-Dec-34		3982 d	LIFE LIMIT	
SN:0306WL	HRS								
WC#: 26.015	AFL								
PROC. REF: AMM 26-20-22									
262074	REPLACE AFT ENGINE FIRE EXTINGUISHER HEAD B CARTRIDGE (LIFE LIMIT)							Service	ATA:26
PN:30900000M	MOS	18-Dec-19	180		18-Dec-34		3982 d	LIFE LIMIT	
SN:0308WL	HRS								
WC#: 26.025	AFL								
PROC. REF: AMM 26-20-22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262091		CABIN PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C345TS	MOS/MSC	04-Apr-19	O/C	TSN 0					
SN:E-93925178	HRS	3175.17		TSN 0					
WC#: 26.075	AFL	1157		TSN 0					
262101 <sup>U</sup>		MID-LIFE INSPECTION COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C354TS	MOS	20-Jun-22	72		20-Jun-28		1610 d		
SN:F68185751	HRS	3511.6							
	AFL	1288							
262102 <sup>U</sup>		MID-LIFE INSPECTION CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C345TS	MOS	04-Apr-19	72		04-Apr-25		437 d		
SN:E-93925178	HRS	3175.17							
	AFL	1157							
262103		HYDROSTATIC TEST CABIN PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C345TS	MOS	04-Apr-19	144		04-Apr-31		2628 d		
SN:E-93925178	HRS								
WC#: 26.075	AFL								
262109		COCKPIT PORTABLE FIRE EXTINGUISHER						Component	ATA:26
PN:C354TS	MOS/MSC	31-Dec-19	O/C	TSN 4					
SN:F68185751	HRS	3327.28		TSN 0					
WC#: 26.080	AFL	1211		TSN 0					
262121		HYDROSTATIC TEST COCKPIT PORTABLE FIRE EXTINGUISHER						Service	ATA:26
PN:C354TS	MOS	01-Aug-19	144	Adj -7	01-Jan-31		2535 d		
SN:F68185751	HRS								
WC#: 26.080	AFL								
262127		APU FIRE EXTINGUISHER						Component	ATA:26
PN:4190-01	MOS/MSC	20-Jun-22	O/C	TSO 0					
SN:1951	HRS	3511.6		TSO 0					
WC#: 26.085	AFL	1288		TSO 0					
					PROC. REF: AMM 49-61-20				
262137		LEAK CHECK APU FIRE EXTINGUISHER						Service	ATA:26
	MOS/MSC	23-Dec-18	O/C						
	HRS	3111.03							
WC#: 26.085	AFL	1133							
					PROC. REF: CMM 26-20-02				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>262139 HYDROSTATIC TEST APU FIRE EXTINGUISHER Service ATA:26</b>								
PN:4190-01	MOS	20-Jun-22	60		20-Jun-27		1244 d	
SN:1951	HRS							
WC#: 26.085	AFL							
<b>262143 APU FORWARD CARTRIDGE Component ATA:26</b>								
PN:PN-UNKNOWN	MOS/MSC	20-Jun-22	O/C	TSN 0				
SN:UNKNOWN	HRS	3511.6		TSN 0				
WC#: 26.060	AFL	1288		TSN 0				
PROC. REF: GENERIC NO REF								
<b>262145 REPLACE APU FORWARD CARTRIDGE (SERVICE LIFE) Service ATA:26</b>								
PN:PN-UNKNOWN	MOS	20-Jun-22	120		20-Jun-32		3071 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.060	AFL							
PROC. REF: CMM 26-20-02								
<b>262157 REPLACE APU FORWARD CARTRIDGE (LIFE LIMIT) Service ATA:26</b>								
PN:PN-UNKNOWN	MOS	08-Jan-18	180		08-Jan-33		3273 d	LIFE LIMIT
SN:UNKNOWN	HRS							
WC#: 26.060	AFL							
PROC. REF: CMM 26-20-02								
<b>262190 FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED Component ATA:26</b>								
PN:A1003(1)	MOS/MSC	07-Apr-23	O/C	TSN 2				
SN:LOT F1172	HRS	3710.7		TSN 0				
WC#: 26.100	AFL	1397		TSN 0				
PROC. REF: GENERIC NO REF								
<b>262195 AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED Component ATA:26</b>								
PN:A1003(1)	MOS/MSC	07-Apr-23	O/C	TSN 2				
SN:LOT F1172	HRS	3710.7		TSN 0				
WC#: 26.105	AFL	1397		TSN 0				
PROC. REF: GENERIC NO REF								
<b>262199 REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT) Service ATA:26</b>								
PN:A1003(1)	MOS	01-Feb-23	48		01-Feb-27		1105 d	LIFE LIMIT
SN:LOT F1172	HRS							
WC#: 26.100	AFL							
PROC. REF: AMM 26-20-41								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>262200 REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (LIFE LIMIT) Service ATA:26</b>								
PN:A1003(1)	MOS	01-Feb-23	48		01-Feb-27		1105 d	LIFE LIMIT
SN:LOT F1172	HRS							
WC#: 26.105	AFL							
PROC. REF: AMM 26-20-41								
<b>262201 REPLACE FORWARD EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE) Service ATA:26</b>								
PN:A1003(1)	MOS	07-Apr-23	36		07-Apr-26		805 d	LIFE LIMIT
SN:LOT F1172	HRS							
WC#: 26.100	AFL							
PROC. REF: AMM 26-20-41								
<b>262202 REPLACE AFT EXTINGUISHER GONE INDICATION FUSE CARTRIDGE, ENGINE AND EXTERNAL BAGGAGE UNIT IF FITTED (SERVICE LIFE) Service ATA:26</b>								
PN:A1003(1)	MOS	07-Apr-23	36		07-Apr-26		805 d	LIFE LIMIT
SN:LOT F1172	HRS							
WC#: 26.105	AFL							
PROC. REF: AMM 26-20-41								
<b>262301 SMOKE DETECTOR AMPLIFIER Component ATA:26</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 26.070	AFL	0		TSN 0				
PROC. REF: MMA 26-11-00, MMA 26-11-00								
<b>262307 FORWARD BAGGAGE COMPARTMENT SMOKE DETECTOR Component ATA:26</b>								
PN:473597-14	MOS/MSC	05-May-10	O/C	TSN 0				
SN:1886	HRS	4.7		TSN 0				
WC#: 26.110	AFL	4		TSN 0				
PROC. REF: MMA 26-11-00, MMA 26-11-00								
<b>262308 AFT BAGGAGE COMPARTMENT SMOKE DETECTOR Component ATA:26</b>								
PN:473597-14	MOS/MSC	05-May-10	O/C	TSN 0				
SN:1881	HRS	4.7		TSN 0				
WC#: 26.110	AFL	4		TSN 0				
PROC. REF: MMA 26-11-00, MMA 26-11-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
262309	VANITY SMOKE DETECTOR							Component	ATA:26
PN:473597-14	MOS/MSC	05-May-10	O/C	TSN 0					
SN:1887	HRS	4.7		TSN 0					
WC#: 26.110	AFL	4		TSN 0					
PROC. REF: MMA 26-11-00, MMA 26-11-00									
<b>ATA 27 - FLIGHT CONTROLS</b>									
270001	OPERATIONAL TEST AIRBRAKE SELECTOR LEVER BAULK							Service	ATA:27
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 27.265	AFL	0							
PROC. REF: AFMS 5-20-08, AMM 27-61-03									
270002 <sup>S</sup>	INSPECT LEFT WING FLAP VANE INNER							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.490	AFL	1073							
PKG:27,92									
270003 <sup>S</sup>	INSPECT LEFT WING FLAP SCREWJACKS SCREW THREADS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.495	AFL	1243							
PKG:15,91									
270004 <sup>S</sup>	FUNCTIONAL TEST STALL WARNING AND IDENTIFICATION SYSTEM							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.120	AFL	1243							
PROC. REF: AMM 27-33-00									
PKG:8,91									
270008 <sup>S</sup>	FUNCTIONAL TEST RUDDER BIAS STRUT HEATER MUFFS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.060	AFL	1243							
PROC. REF: AMM 27-20-00									
PKG:8,91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270011 <sup>S</sup>	INSPECT GUST LOCKS/AILERONS AND ELEVATORS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.415	AFL	1243							
								PKG:10,91	
270012 <sup>S</sup>	CHECK AND INSPECT RUDDER TRIM TAB AND ANTI SERVO TAB							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.450	AFL	1243							
					PROC. REF: AMM 27-20-00			PKG:14,91	
270013 <sup>S</sup>	CHECK AND INSPECT ELEVATORS AND TRIM TABS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.485	AFL	1243							
					PROC. REF: AMM 27-30-00			PKG:14,91	
270014 <sup>S</sup>	INSPECT RUDDER AND ELEVATORS PRIMARY SURFACES							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.420	AFL	1243							
								PKG:14,91	
270015 <sup>S</sup>	OPERATIONAL CHECK LEFT AILERON PRIMARY SURFACES							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.425	AFL	1243							
								PKG:15,91	
270016 <sup>S</sup>	CHECK AND INSPECT LEFT AILERON TRIM AND SERVO TABS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.435	AFL	1243							
					PROC. REF: AMM 27-10-00			PKG:15,91	
270017 <sup>S</sup>	CHECK LEFT FLAP SCREWJACK AND REDUCTION GEARBOX							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.500	AFL	1243							
					PROC. REF: AMM 27-50-141			PKG:15,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270018 <sup>S</sup>	INSPECT LEFT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.550	AFL	1243						PKG:15,91	
270019 <sup>S</sup>	CHECK FLAP CONTROL UNIT							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.525	AFL	1243						PKG:15,91	
					PROC. REF: AMM 27-50-121				
270020 <sup>S</sup>	OPERATE FLAP CONTROL UNIT							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.520	AFL	1243						PKG:15,91	
270021 <sup>S</sup>	INSPECT LEFT FLAP DRIVE SHAFTS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.510	AFL	1243						PKG:15,91	
270022 <sup>S</sup>	OPERATIONAL CHECK RIGHT AILERON PRIMARY SURFACES							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.425	AFL	1243						PKG:16,91	
270023 <sup>S</sup>	CHECK AND INSPECT RIGHT AILERON SERVO TABS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.435	AFL	1243						PKG:16,91	
					PROC. REF: AMM 27-10-00				
270024 <sup>S</sup>	CHECK RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.500	AFL	1243						PKG:16,91	
					PROC. REF: AMM 27-50-141				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270025 <sup>S</sup>	INSPECT RIGHT FLAP SYNCHRONIZATION SYSTEM CONTROL CABLES							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.550	AFL	1243						PKG:16,91	
270026 <sup>S</sup>	INSPECT RIGHT FLAP DRIVE SHAFTS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.510	AFL	1243						PKG:16,91	
270027 <sup>S</sup>	FUNCTIONAL TEST FLAP CONTROL SYSTEM							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.200	AFL	1243						PKG:18,91	
					PROC. REF: AMM 27-50-02				
270028 <sup>S</sup>	FUNCTIONAL TEST AIRBRAKE AND LIFT DUMP SYSTEM							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.260	AFL	1243						PKG:18,91	
					PROC. REF: AMM 27-61-02				
270030 <sup>S</sup>	CHECK ELEVATOR TRIM SERVO							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.095	AFL	1073						PKG:20,92	
270032 <sup>S</sup>	CHECK AILERON AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.440	AFL	1073						PKG:22,92	
					PROC. REF: AMM 27-00-00				
270033 <sup>S</sup>	INSPECT ELEVATOR CONTROL SYSTEM BALANCE/FEEL SPRING							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.100	AFL	1073						PKG:22,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270034 <sup>S</sup>	CHECK ELEVATOR PRIMARY CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.460	AFL	1073							
				PROC. REF: AMM 27-30-00				PKG:23,92	
270035 <sup>S</sup>	CHECK FLAP CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.540	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:23,92	
270036 <sup>S</sup>	CHECK ELEVATOR PRIMARY AND ELEVATOR TRIM CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.465	AFL	1073							
				PROC. REF: AMM 27-30-00				PKG:25,92	
270037 <sup>S</sup>	CHECK RUDDER PRIMARY AND RUDDER TRIM CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.455	AFL	1073							
				PROC. REF: AMM 27-20-00				PKG:25,92	
270038 <sup>S</sup>	CHECK ELEVATOR AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.475	AFL	1073							
				PROC. REF: AMM NO REF 1				PKG:25,92	
270039 <sup>S</sup>	CHECK RUDDER AUTOPILOT SERVO CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.445	AFL	1073							
				PROC. REF: AMM NO REF 1				PKG:25,92	
270040 <sup>S</sup>	CHECK ELEVATOR AUTOPILOT TRIM-SERVO CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.480	AFL	1073							
				PROC. REF: AMM 27-30-00				PKG:25,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270041 <sup>S</sup>	INSPECT ELEVATOR TRIM CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.470	AFL	1073							
				PROC. REF: AMM 27-30-00				PKG:26,92	
270042 <sup>S</sup>	CHECK LEFT AILERON PRIMARY AND TRIM CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.430	AFL	1073							
				PROC. REF: AMM 27-10-00				PKG:27,92	
270043 <sup>S</sup>	INSPECT LEFT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.565	AFL	1073							
								PKG:27,92	
270044 <sup>S</sup>	CHECK LEFT FLAP BEVEL DRIVE ASSEMBLY							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.535	AFL	1073							
								PKG:27,92	
270045 <sup>S</sup>	CHECK FLAP CONTROL UNIT BAULK RELEASE CABLE							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.515	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:27,92	
270046 <sup>S</sup>	CHECK FLAP/AIRBRAKE BAULK BOBBIN							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.575	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:27,92	
270047 <sup>S</sup>	CHECK FLAP SPRING DRUM PULLEY-LEVER							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.555	AFL	1073							
								PKG:27,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270048 <sup>S</sup>	CHECK LEFT FLAP SCREWJACK/REDUCTION GEARBOX							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.505	AFL	1073							
				PROC. REF: AMM NO REF 1				PKG:27,92	
270049 <sup>S</sup>	CHECK LEFT FLAP SYNCHRONIZING SYSTEM							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.530	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:27,92	
270050 <sup>S</sup>	CHECK LEFT AIRBRAKE CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.570	AFL	1073							
				PROC. REF: AMM 27-61-02				PKG:27,92	
270051 <sup>S</sup>	CHECK RIGHT AILERON PRIMARY AND TRIM CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.430	AFL	1073							
				PROC. REF: AMM 27-10-00				PKG:28,92	
270052 <sup>S</sup>	INSPECT RIGHT FLAP DRIVE SHAFT UNIVERSAL JOINT							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.565	AFL	1073							
								PKG:28,92	
270053 <sup>S</sup>	CHECK RIGHT FLAP BEVEL DRIVE ASSEMBLY							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.535	AFL	1073							
								PKG:28,92	
270054 <sup>S</sup>	CHECK RIGHT FLAP SCREWJACK/REDUCTION GEARBOX							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.505	AFL	1073							
				PROC. REF: AMM NO REF 1				PKG:28,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270055 <sup>S</sup>	CHECK RIGHT FLAP SYNCHRONIZING SYSTEM							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.530	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:28,92	
270056 <sup>S</sup>	CHECK RIGHT AIRBRAKE CONTROL CABLES							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.570	AFL	1073							
				PROC. REF: AMM 27-61-02				PKG:28,92	
270057 <sup>S</sup>	CHECK FLAP CONTROL FORWARD SPRING STRUT							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 27.560	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:34,93	
270058 <sup>S</sup>	CHECK FLAP CONTROL INPUT-CIRCUIT							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 27.210	AFL	1073							
				PROC. REF: AMM 27-50-02				PKG:34,93	
270059 <sup>S</sup>	INSPECT CONTROL CABLE PRESSURE SEALS AT REAR PRESSURE BULKHEAD							Service	ATA:27
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 27.545	AFL	1412							
								PKG:49,94	
270060 <sup>S</sup>	REPLACE FLAP AUXILIARY HYDRAULIC SYSTEM SUPPLY TO FLAP CONTROL UNIT FILTER							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 27.215	AFL	1073							
								PKG:40,93	
270061	CHECK FLIGHT CONTROL CABLES TENSION							Service	ATA:27
	MOS/MSC	15-Mar-11	O/C						
	HRS								
WC#: 27.010	AFL								
				PROC. REF: AMM 27-30-00, AMM 27-10-00, AMM 27-20-00, AMM 27-61-02					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270063	LUBRICATE/CLEAN SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	16-Mar-10	N/R						
	HRS	0							
WC#: 27.030	AFL	0							
270064 <sup>S</sup>	INSPECT RIGHT WING FLAP VANE INNER							Service	ATA:27
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 27.490	AFL	1073							
								PKG:28,92	
270065 <sup>S</sup>	INSPECT RIGHT WING FLAP SCREWJACKS SCREW THREADS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.495	AFL	1243							
								PKG:16,91	
270066 <sup>S</sup>	INSPECT LEFT AILERON CONTROL CABLE PRESSURE SEALS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.600	AFL	1243							
								PKG:15,91	
270067 <sup>S</sup>	INSPECT RIGHT AILERON CONTROL CABLE PRESSURE SEALS							Service	ATA:27
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 27.605	AFL	1243							
								PKG:16,91	
270068	LUBRICATE/CLEAN AILERON SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 27.610	AFL	0							
270069	LUBRICATE/CLEAN ELEVATOR SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 27.615	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
270070	LUBRICATE/CLEAN RUDDER SERVOMOTOR ASSEMBLY SVO-85B (P/N 622-5027-001)							Service	ATA:27
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 27.620	AFL	0							
270071 <sup>S</sup>	INSPECT RUDDER TRIM JACK							Service	ATA:27
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
	AFL	1288							
					PROC. REF: AMM 27-20-111			PKG:96	
270072 <sup>S</sup>	INSPECT ELEVATOR TRIM JACK							Service	ATA:27
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
	AFL	1288							
					PROC. REF: AMM 27-30-51			PKG:96	
270100	LEFT CONTROL COLUMN							Component	ATA:27
PN:25-8CF53-217A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:PPLS/DH/2641	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
					PROC. REF: AMM 27-10-11				
270102	RIGHT CONTROL COLUMN							Component	ATA:27
PN:25-8CF55-215A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:PPLS/DH/2632	HRS	0		TSN 0					
WC#: 27.015	AFL	0		TSN 0					
					PROC. REF: AMM 27-10-11				
271001	LEFTAILERON							Component	ATA:27
PN:25-8WG2001-3A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:DHB2199	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
					PROC. REF: AMM 27-10-31				
271002	RIGHTAILERON							Component	ATA:27
PN:25-8WG2001-4A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:DHB2188	HRS	0		TSN 0					
WC#: 27.020	AFL	0		TSN 0					
					PROC. REF: AMM 27-10-31				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>271025</b>		<b>AILERON TRIM SCREWJACK</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8CW49-43A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BPEB/DHB/28852	HRS	0		TSN 0					
WC#: 27.025	AFL	0		TSN 0					
PROC. REF: AMM 27-10-71									
<b>272001</b>		<b>RUDDER</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8TR105-11A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-287	HRS	0		TSN 0					
WC#: 27.045	AFL	0		TSN 0					
PROC. REF: AMM 27-20-23									
<b>272019</b>		<b>RUDDER TRIM JACK</b>					<b>Component</b>		<b>ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.050	AFL	0		TSN 0					
PROC. REF: AMM 27-20-111, AMM 27-20-111									
<b>272020</b>		<b>RUDDER GEARED TAB</b>					<b>Component</b>		<b>ATA:27</b>
PN:25TR209AF	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVP09H005	HRS	0		TSN 0					
WC#: 27.125	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>272021</b>		<b>RUDDER TRIM TAB</b>					<b>Component</b>		<b>ATA:27</b>
PN:25TR221AF	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVP09G011	HRS	0		TSN 0					
WC#: 27.285	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>272022</b>		<b>LEFT RUDDER PEDAL ASSEMBLY</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8CF549-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BPEB/DHB/28711	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
PROC. REF: AMM 27-20-35									
<b>272023</b>		<b>RIGHT RUDDER PEDAL ASSEMBLY</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8CF549-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BPEB/DHB/28720	HRS	0		TSN 0					
WC#: 27.065	AFL	0		TSN 0					
PROC. REF: AMM 27-20-35									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>272049</b>		<b>LEFT RUDDER BIAS STRUT</b>					<b>Component</b>		<b>ATA:27</b>
PN:259W03486-603	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HHB162	HRS	0			TSN 0				
WC#: 27.055	AFL	0			TSN 0				
PROC. REF: AMM 27-20-51									
<b>272050</b>		<b>RIGHT RUDDER BIAS STRUT</b>					<b>Component</b>		<b>ATA:27</b>
PN:259W03486-607	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HHB160	HRS	0			TSN 0				
WC#: 27.055	AFL	0			TSN 0				
PROC. REF: AMM 27-20-51									
<b>272066</b>		<b>LEFT RUDDER BIAS STRUT HEATER MUFF</b>					<b>Component</b>		<b>ATA:27</b>
PN:259W02862-5A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:2272	HRS	0			TSN 0				
WC#: 27.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>272067</b>		<b>RIGHT RUDDER BIAS STRUT HEATER MUFF</b>					<b>Component</b>		<b>ATA:27</b>
PN:259W02862-5A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:2274	HRS	0			TSN 0				
WC#: 27.061	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>272103</b>		<b>LEFT RUDDER BIAS PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:27</b>
PN:HTE690011	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:Q10090269	HRS	0			TSN 0				
WC#: 27.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>272105</b>		<b>RIGHT RUDDER BIAS PRESSURE SWITCH</b>					<b>Component</b>		<b>ATA:27</b>
PN:HTE690011	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:8091648	HRS	0			TSN 0				
WC#: 27.290	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>273001</b>		<b>LEFT ELEVATOR</b>					<b>Component</b>		<b>ATA:27</b>
PN:25-8TE1-1A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:SD-DH-1953	HRS	0			TSN 0				
WC#: 27.070	AFL	0			TSN 0				
PROC. REF: AMM 27-30-22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>273002</b>		<b>RIGHT ELEVATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8TE1-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1946	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: AMM 27-30-22									
<b>273021</b>		<b>ELEVATOR TRIM SERVOMOTOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:622-3260-001	MOS	04-Apr-19		TSO 0				OVERHAUL	
SN:347MH	HRS	3175.17	3500	TSO 0	6675.17		2814.6		
WC#: 27.085	AFL	1157		TSO 0					
PROC. REF: AMM 27-30-61									
<b>273022</b>		<b>ELEVATOR TRIM SERVOMOTOR MOUNT ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8CT219-139A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BPEB/DHB28863	HRS	0		TSN 0					
WC#: 27.701	AFL	0		TSN 0					
<b>273025</b>		<b>LEFT ELEVATOR TRIM JACK</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.080	AFL	0		TSN 0					
PROC. REF: AMM 27-30-51									
<b>273026</b>		<b>RIGHT ELEVATOR TRIM JACK</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.080	AFL	0		TSN 0					
PROC. REF: AMM 27-30-51									
<b>273040</b>		<b>LEFT ELEVATOR TRIM TAB</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8TE3-1A	MOS/MSC	20-Jun-22	O/C						
SN:UNKNOWN	HRS	3511.6							
WC#: 27.090	AFL	1288							
PROC. REF: GENERIC NO REF									
<b>273041</b>		<b>RIGHT ELEVATOR TRIM TAB</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8TE3-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVP09G008	HRS	0		TSN 0					
WC#: 27.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
273104	LEFT STICK SHAKER							Component	ATA:27
PN:B1443-2	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:9931	HRS	0			TSN 0				
WC#: 27.140	AFL	0			TSN 0				
PROC. REF: AMM 27-33-20									
273105	RIGHT STICK SHAKER							Component	ATA:27
PN:B1443-2	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:9927	HRS	0			TSN 0				
WC#: 27.140	AFL	0			TSN 0				
PROC. REF: AMM 27-33-20									
273110	FORWARD STALL WARNING DETECTOR							Component	ATA:27
PN:C87706-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1642	HRS	0			TSN 0				
WC#: 27.145	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
273111	AFT STALL WARNING DETECTOR							Component	ATA:27
PN:C87706-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1641	HRS	0			TSN 0				
WC#: 27.145	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
273115	NO. 1 STALL WARNING VANE							Component	ATA:27
PN:1703-12	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3167	HRS	0			TSN 0				
WC#: 27.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
273116	NO. 2 STALL WARNING VANE							Component	ATA:27
PN:1703-12	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3148	HRS	0			TSN 0				
WC#: 27.150	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
273121	THIRD CHANNEL STALL DETECTOR							Component	ATA:27
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 27.305	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>275001</b>		<b>LEFT FLAP</b>							<b>Component ATA:27</b>
PN:DOIW01432-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1921	HRS	0		TSN 0					
WC#: 27.155	AFL	0		TSN 0					
PROC. REF: AMM 27-50-151									
<b>275002</b>		<b>RIGHT FLAP</b>							<b>Component ATA:27</b>
PN:DOIW01432-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1932	HRS	0		TSN 0					
WC#: 27.155	AFL	0		TSN 0					
PROC. REF: AMM 27-50-151									
<b>275025</b>		<b>LEFT FLAP SCREWJACK AND REDUCTION GEARBOX</b>							<b>Component ATA:27</b>
PN:25-8CW159AC	MOS	20-Jun-22		TSO 0				OVERHAUL	
SN:MEC/DHB/668	HRS	3511.6		TSO 0					
WC#: 27.160	AFL	1288	4000	TSO 0	5288		3822		
PROC. REF: AMM 27-50-141									
<b>275026</b>		<b>RIGHT FLAP SCREWJACK AND REDUCTION GEARBOX</b>							<b>Component ATA:27</b>
PN:25-8CW161AC	MOS	20-Jun-22		TSO 0				OVERHAUL	
SN:MEC/DHB/718	HRS	3511.6		TSO 0					
WC#: 27.160	AFL	1288	4000	TSO 0	5288		3822		
PROC. REF: AMM 27-50-141									
<b>275049</b>		<b>LEFT OUTBOARD FLAP VANE</b>							<b>Component ATA:27</b>
PN:25-8WF13-65A	MOS/MSC	13-Dec-11	O/C						
SN:SD-DH-1099	HRS	807		TSO 0					
WC#: 27.165	AFL	307		TSO 0					
PROC. REF: GENERIC NO REF									
<b>275050</b>		<b>RIGHT OUTBOARD FLAP VANE</b>							<b>Component ATA:27</b>
PN:25-8WF13-66A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1902	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>275051</b>		<b>LEFT INBOARD FLAP VANE</b>							<b>Component ATA:27</b>
PN:25-7WF101A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1963	HRS	0		TSN 0					
WC#: 27.165	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>275052</b>		<b>RIGHT INBOARD FLAP VANE</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-7WF102A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-1988	HRS	0		TSN 0					
WC#: 27.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>275057</b>		<b>LEFT FLAP BEVEL SHAFT ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25CF2667AD	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BPEB/DHB/286/2	HRS	0		TSN 0					
WC#: 27.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>275058</b>		<b>RIGHT FLAP BEVEL SHAFT ASSEMBLY</b>						<b>Component</b>	<b>ATA:27</b>
PN:25CF2668AD	MOS/MSC	31-Mar-11	O/C	TSO 0					
SN:ME/DHB1173	HRS	373.93		TSO 0					
WC#: 27.175	AFL	147		TSO 0					
PROC. REF: GENERIC NO REF									
<b>275073</b>		<b>FLAP CONTROL UNIT</b>						<b>Component</b>	<b>ATA:27</b>
PN:614MK2	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:1557	HRS	0		TSN 0					
WC#: 27.180	AFL	0	6000	TSN 0	6000		4534		
PROC. REF: AMM 27-50-121									
<b>275074</b>		<b>FLAP DESIGN UNIT</b>						<b>Component</b>	<b>ATA:27</b>
PN:25-8NW111-601	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:83695	HRS	0		TSN 0					
WC#: 27.590	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>275085</b>		<b>FLAP SYNCHRONIZING SYSTEM RECEIVER</b>						<b>Component</b>	<b>ATA:27</b>
PN:617MK4	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:1803	HRS	0		TSN 0					
WC#: 27.185	AFL	0	4500	TSN 0	4500		3034		
PROC. REF: AMM 27-50-162									
<b>275091</b>		<b>FLAP POSITION INDICATOR</b>						<b>Component</b>	<b>ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.190	AFL	0		TSN 0					
PROC. REF: AMM NO REF 1									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275097	FLAP POSITION TRANSMITTER							Component	ATA:27
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.195	AFL	0		TSN 0					
PROC. REF: AMM 27-50-181									
275145	LEFT FLAP INBOARD FORWARD SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.220	AFL	0	5000	TSN 0	5000		3534		
275146	RIGHT FLAP INBOARD FORWARD SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.225	AFL	0	5000	TSN 0	5000		3534		
275147	LEFT FLAP INBOARD AFT SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.220	AFL	0	5000	TSN 0	5000		3534		
275148	RIGHT FLAP INBOARD AFT SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.225	AFL	0	5000	TSN 0	5000		3534		
275149	LEFT FLAP OUTBOARD FORWARD SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.230	AFL	0	5000	TSN 0	5000		3534		
275150	RIGHT FLAP OUTBOARD FORWARD SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.235	AFL	0	5000	TSN 0	5000		3534		
275151	LEFT FLAP OUTBOARD AFT SYNCHRO CABLE							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.230	AFL	0	5000	TSN 0	5000		3534		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
<b>275152</b>		<b>RIGHT FLAP OUTBOARD AFT SYNCHRO CABLE</b>							<b>Component ATA:27</b>
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.235	AFL	0	5000	TSN 0	5000		3534		
PROC. REF: AMM 27-61-21									
<b>276001</b>		<b>LEFT UPPER AIRBRAKE</b>							<b>Component ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: AMM 27-61-21									
<b>276002</b>		<b>RIGHT UPPER AIRBRAKE</b>							<b>Component ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
PROC. REF: AMM 27-61-21									
<b>276003</b>		<b>LEFT LOWER AIRBRAKE</b>							<b>Component ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.240	AFL	0		TSN 0					
PROC. REF: AMM 27-61-21									
<b>276004</b>		<b>RIGHT LOWER AIRBRAKE</b>							<b>Component ATA:27</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.245	AFL	0		TSN 0					
PROC. REF: AMM 27-61-21									
<b>276039</b>		<b>LEFT AIRBRAKE JACK</b>							<b>Component ATA:27</b>
PN:PN	MOS	06-Jun-18		TSO 0				OVERHAUL	
SN:APB980905	HRS	2965.25	3000	TSO 0	5965.25		2104.7		
WC#: 27.250	AFL	1073		TSN 1688, TSO 0					
PROC. REF: AMM 27-61-31									
<b>276040</b>		<b>RIGHT AIRBRAKE JACK</b>							<b>Component ATA:27</b>
PN:PN	MOS	06-Jun-18		TSO 0				OVERHAUL	
SN:APB091671	HRS	2965.25	3000	TSO 0	5965.25		2104.7		
WC#: 27.255	AFL	1073		TSN 8082, TSO 0					
PROC. REF: AMM 27-61-31									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
276051	LEFT AIRBRAKE JACK BODY							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.250	AFL	0	25000	TSN 0	25000		23534		
PROC. REF: AMM 27-61-31									
276052	RIGHT AIRBRAKE JACK BODY							Component	ATA:27
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.255	AFL	0	25000	TSN 0	25000		23534		
PROC. REF: AMM 27-61-31									
276063	LEFT AIRBRAKE JACK EYE END							Component	ATA:27
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.250	AFL	0		TSN 0					
PROC. REF: AMM 27-61-31									
276064	RIGHT AIRBRAKE JACK EYE END							Component	ATA:27
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 27.255	AFL	0		TSN 0					
PROC. REF: AMM 27-61-31									
276110	STICK PUSHER							Component	ATA:27
PN:104829001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CW0900013	HRS	0		TSN 0					
WC#: 27.585	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 28 - FUEL</b>									
280001 <sup>S</sup>	FLOW CHECK FUEL TRANSFER SYSTEM, WING TANKS							Service	ATA:28
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 28.075	AFL	1243							

PKG:7,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280002 <sup>S</sup>	CHECK FUEL VALVE CONTROL CABLES							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 28.010	AFL	1073							
				PROC. REF: AMM 28-20-83				PKG:23,92	
280003 <sup>S</sup>	FUNCTIONAL TEST LP VALVES							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 28.050	AFL	1073							
				PROC. REF: AMM 28-20-00				PKG:31,93	
280004 <sup>S</sup>	INSPECT/CLEAN OR REPLACE APU FUEL INLET FILTER ELEMENT (IF FITTED)							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 28.085	AFL	1073							
								PKG:37,93	
280005 <sup>S</sup>	VISUALLY INSPECT LEFT WING SUCTION PIPE STRAINERS							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 28.165	AFL	1073							
								PKG:27,92	
280006 <sup>S</sup>	VISUALLY INSPECT LEFT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 28.170	AFL	1073							
								PKG:27,92	
280007 <sup>S</sup>	VISUALLY INSPECT RIGHT WING SUCTION PIPE STRAINERS							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 28.165	AFL	1073							
								PKG:28,92	
280008 <sup>S</sup>	VISUALLY INSPECT RIGHT WING WATER TRANSFER SYSTEM PIPE SUCTION BLOCKS							Service	ATA:28
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 28.170	AFL	1073							
								PKG:28,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
280010	CHECK CABLE TENSION OF FUEL CONTROL VALVES							Service	ATA:28
	MOS/MSC	27-Oct-10	O/C						
	HRS	167.32							
WC#: 28.020	AFL	77							
					PROC. REF: AMM 28-20-83				
280014	CHECK LEFT BOOST PUMP BRUSH LENGTH							Service	ATA:28
PN:2C40-2	MOS/MSC	05-May-10	N/R						
SN:5BE61	HRS	0							
WC#: 28.080	AFL	0							
280015	CHECK RIGHT BOOST PUMP BRUSH LENGTH							Service	ATA:28
PN:2C40-2	MOS/MSC	05-May-10	N/R						
SN:2BE21	HRS	0							
WC#: 28.080	AFL	0							
280016 <sup>S</sup>	VISUAL INSPECTION LOW PRESSURE FUEL VALVE SUPPORT STRUT. PART NO. 25 PF361, 25 PF361-5A (MOD. 25G310A) AND 25 PF363							Service	ATA:28
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 28.195	AFL	1288							
								PKG:96	
281067	VENTRAL FUEL TANK							Component	ATA:28
PN:DOIW00325-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-800SD	HRS	0		TSN 0					
WC#: 28.015	AFL	0		TSN 0					
					PROC. REF: AMM 28-10-15				
282001	LEFT WING HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:3515000-107	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7091562	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
					PROC. REF: AMM 28-22-143				
282002	RIGHT WING HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:3515000-107	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5091252	HRS	0		TSN 0					
WC#: 28.025	AFL	0		TSN 0					
					PROC. REF: AMM 28-22-143				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
282004	LOW PRESSURE FUEL COCK VALVE							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.191	AFL	0		TSN 0					
PROC. REF: AMM 28-20-52									
282005	LEFT FUEL COCK							Component	ATA:28
PN:7913003K	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:38082151	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282006	RIGHT FUEL COCK							Component	ATA:28
PN:7913003K	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:54080610	HRS	0		TSN 0					
WC#: 28.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282007	LEFT FUEL ACTUATOR							Component	ATA:28
PN:HTE9044-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:M118GB0309	HRS	0		TSN 0					
WC#: 28.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282008	RIGHT FUEL ACTUATOR							Component	ATA:28
PN:HTE9044-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:M111GB1108	HRS	0		TSN 0					
WC#: 28.185	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282009	LEFT FUEL NON-RETURN VALVE							Component	ATA:28
PN:9807870	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:55080987	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-32									
282010	RIGHT FUEL NON-RETURN VALVE							Component	ATA:28
PN:9807870	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:55080988	HRS	0		TSN 0					
WC#: 28.190	AFL	0		TSN 0					
PROC. REF: AMM 28-20-32									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
282011	LEFT FUEL NON-RETURN VALVE							Component	ATA:28
PN:HTE4350	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:M0115VNR0109	HRS	0			TSN 0				
WC#: 28.192	AFL	0			TSN 0				
PROC. REF: AMM 28-20-32									
282012	RIGHT FUEL NON-RETURN VALVE							Component	ATA:28
PN:HTE4350	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:M0123VNR0109	HRS	0			TSN 0				
WC#: 28.193	AFL	0			TSN 0				
PROC. REF: AMM 28-20-32									
282025	APU FUEL PRESSURE SWITCH							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.030	AFL	0			TSN 0				
PROC. REF: AMM 28-22-91									
282053	LEFT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.035	AFL	0			TSN 0				
PROC. REF: AMM 28-20-32									
282054	RIGHT FUEL SYSTEM RIB NO.8 NON-RETURN VALVE							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.035	AFL	0			TSN 0				
PROC. REF: AMM 28-20-32									
282253	LEFT HAND LP FUEL VALVE							Component	ATA:28
PN:HTE1984-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:4090493	HRS	0			TSN 0				
WC#: 28.045	AFL	0			TSN 0				
PROC. REF: AMM 28-20-52									
282254	RIGHT HAND LP FUEL VALVE							Component	ATA:28
PN:HTE1984-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:14090938	HRS	0			TSN 0				
WC#: 28.045	AFL	0			TSN 0				
PROC. REF: AMM 28-20-52									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282289	FUEL 3C VALVE							Component	ATA:28
PN:HTE1984-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:4090503	HRS	0		TSN 0					
WC#: 28.055	AFL	0		TSN 0					
PROC. REF: AMM 28-20-61									
282295	FUEL 4S VALVE							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.060	AFL	0		TSN 0					
PROC. REF: AMM 28-20-61, AMM 28-20-71									
282301	VENTRAL TANK FUEL TRANSFER VALVE							Component	ATA:28
PN:HTE1984-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:38082115	HRS	0		TSN 0					
WC#: 28.065	AFL	0		TSN 0					
PROC. REF: AMM 28-20-78									
282343	LEFT BOOST PUMP							Component	ATA:28
PN:2C40-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5BE61	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-20-12									
282344	RIGHT BOOST PUMP							Component	ATA:28
PN:2C40-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2BE21	HRS	0		TSN 0					
WC#: 28.080	AFL	0		TSN 0					
PROC. REF: AMM 28-20-12									
282384	SINGLE-POINT PRESSURE CONTROL VALVE							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.175	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284013	LEFT NO. 1 FUEL TANK UNIT							Component	ATA:28
PN:0207KTU04	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0691309	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
284014	RIGHT NO.1 FUEL TANK UNIT							Component	ATA:28
PN:0207KTU04	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0665207	HRS	0		TSN 0					
WC#: 28.100	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284015	LEFT NO.2 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0720005	HRS	0		TSN 0					
WC#: 28.105	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284016	RIGHT NO.2 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0720005	HRS	0		TSN 0					
WC#: 28.105	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284017	LEFT NO.3 FUEL TANK UNIT							Component	ATA:28
PN:0207KTU3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0714803	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284018	RIGHT NO.3 FUEL TANK UNIT							Component	ATA:28
PN:0207KTU3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0713710	HRS	0		TSN 0					
WC#: 28.110	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284019	LEFT NO.4 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU4	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0691309	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284020	RIGHT NO.4 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU4	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:FR0665207	HRS	0		TSN 0					
WC#: 28.115	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284021	LEFT NO.5 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU-5	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0358604	HRS	0			TSN 0				
WC#: 28.120	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284022	RIGHT NO.5 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU-5	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0326604	HRS	0			TSN 0				
WC#: 28.120	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284023	LEFT NO.6 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU6	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0585702	HRS	0			TSN 0				
WC#: 28.125	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284024	RIGHT NO.6 FUEL TANK UNIT							Component	ATA:28
PN:0204KTU6	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0585710	HRS	0			TSN 0				
WC#: 28.125	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284025	LEFT NO.7 FUEL TANK CONTENTS UNIT							Component	ATA:28
PN:0204KTU7	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0741801	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284026	RIGHT NO.7 FUEL TANK CONTENTS UNIT							Component	ATA:28
PN:0204KTU7	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FR0741802	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									
284115	LEFT FUEL QUANTITY INDICATOR							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 28.140	AFL	0			TSN 0				
PROC. REF: AMM 28-42-03									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
284116	RIGHT FUEL QUANTITY INDICATOR							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.140	AFL	0		TSN 0					
PROC. REF: AMM 28-42-03									
284130	FUEL PRESSURE SWITCH							Component	ATA:28
PN:HTE690009	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2409135	HRS	0		TSN 0					
WC#: 28.194	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
284139	VENTRAL TANK LOW LEVEL FLOAT SWITCH							Component	ATA:28
PN:3515000-149	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:9091485	HRS	0		TSN 0					
WC#: 28.145	AFL	0		TSN 0					
PROC. REF: AMM 28-44-33									
284145	VENTRAL TANK HIGH LEVEL FLOAT SWITCH							Component	ATA:28
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 28.150	AFL	0		TSN 0					
PROC. REF: AMM 28-44-33									
284151	LEFT SURGE TANK FLOAT SWITCH							Component	ATA:28
PN:3515000-106	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:51081246	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
PROC. REF: AMM 28-44-43									
284152	RIGHT SURGE TANK FLOAT SWITCH							Component	ATA:28
PN:3515000-106	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:14090122	HRS	0		TSN 0					
WC#: 28.155	AFL	0		TSN 0					
PROC. REF: AMM 28-44-43									
<b>ATA 29 - HYDRAULIC POWER</b>									
290003 <sup>S</sup>	REPLACE HYDRAULIC SUCTION FILTER ELEMENT							Service	ATA:29
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 29.070	AFL	1243							
PROC. REF: AMM NO REF 1									

PKG:13,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
290004 <sup>S</sup>	FUNCTIONAL TEST MAIN HYDRAULIC SYSTEM							Service	ATA:29
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 29.075	AFL	1243							
					PROC. REF: AMM 29-10-00			PKG:18,91	
290005 <sup>S</sup>	OPERATIONAL TEST LANDING GEAR AND FLAPS EMERGENCY LOWERING SYSTEM							Service	ATA:29
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 29.115	AFL	1243							
					PROC. REF: AMM 29-20-00			PKG:18,91	
290006 <sup>S</sup>	DRAIN HYDRAULIC TANK PRESSURIZATION SYSTEM							Service	ATA:29
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 29.160	AFL	1073							
								PKG:25,92	
290007 <sup>S</sup>	TEST FLAPS, AIRBRAKES, LANDING GEAR, NOSEWHEEL STEERING, NOSE LEG SELF-CENTERING							Service	ATA:29
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 29.165	AFL	1073							
					PROC. REF: AMM 29-10-00			PKG:30,92	
290008 <sup>S</sup>	CHECK EMERGENCY BRAKE SYSTEM LEAK RATE							Service	ATA:29
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 29.175	AFL	1073							
					PROC. REF: AMM 29-10-00			PKG:30,92	
290009 <sup>S</sup>	FUNCTIONAL TEST AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM							Service	ATA:29
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 29.180	AFL	1243							
					PROC. REF: AMM 29-30-00			PKG:18,91	
290010 <sup>S</sup>	FUNCTIONAL TEST HYDRAULIC RESERVOIR PRESSURIZATION SYSTEM							Service	ATA:29
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 29.170	AFL	1073							
					PROC. REF: AMM 29-10-13			PKG:30,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>290011<sup>S</sup> CLEAN FULL-FLOW RELIEF VALVE Service ATA:29</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 29.005	AFL	1073						
				PROC. REF: AMM 29-10-71				PKG:37,93
<b>290012<sup>S</sup> INSPECT HYDRAULIC POWER HIGH TEMPERATURE WARNING SYSTEM Service ATA:29</b>								
	MOS	06-Jun-18						
	HRS	2965.25	3200 (+150/-50)					
WC#: 29.145	AFL	1073						
				PROC. REF: AMM 29-30-00				PKG:37,93
<b>291018 PRESSURE REGULATOR VALVE Component ATA:29</b>								
PN: PAS129-163	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN: HAY0415	HRS	0		TSN 0				
WC#: 29.010	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
<b>291025 NO. 1 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE Component ATA:29</b>								
PN: AIR87240-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN: APB090483	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
<b>291026 NO. 2 ENGINE HYDRAULIC PUMP CASE DRAIN NONRETURN VALVE Component ATA:29</b>								
PN: PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN: UNKNOWN	HRS	0		TSN 0				
WC#: 29.015	AFL	0		TSN 0				
				PROC. REF: GENERIC NO REF				
<b>291037 LEFT HYDRAULIC SUCTION VALVE Component ATA:29</b>								
PN: 7907015E	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN: 54080717	HRS	0		TSN 0				
WC#: 29.020	AFL	0		TSN 0				
				PROC. REF: AMM 29-10-31				
<b>291038 RIGHT HYDRAULIC SUCTION VALVE Component ATA:29</b>								
PN: 7907015E	MOS/MSC	05-Jul-12	O/C					
SN: FRTR127/F	HRS	1021						
WC#: 29.020	AFL	368						
				PROC. REF: AMM 29-10-31				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291049 NO. 1 FULL FLOW HYDRAULIC RELIEF VALVE</b>								
PN: AIR45394-0	MOS	16-Mar-10		TSN 0				Component ATA:29 OVERHAUL
SN: APB090245	HRS	0		TSN 0				
WC#: 29.025	AFL	0	4500	TSN 0	4500		3034	
<b>291050 NO. 2 FULL FLOW HYDRAULIC RELIEF VALVE</b>								
PN: AIR45394-0	MOS	16-Mar-10		TSN 0				Component ATA:29 OVERHAUL
SN: APB090244	HRS	0		TSN 0				
WC#: 29.025	AFL	0	4500	TSN 0	4500		3034	
<b>291061 NO. 1 DUNLOP VALVE</b>								
PN: AC69536	MOS/MSC	16-Mar-10	O/C	TSN 0				Component ATA:29
SN: HBB310	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291062 NO. 2 DUNLOP VALVE</b>								
PN: AC69536	MOS/MSC	16-Mar-10	O/C	TSN 0				Component ATA:29
SN: HBB314	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291063 NO. 3 DUNLOP VALVE</b>								
PN: AC69536	MOS/MSC	16-Mar-10	O/C	TSN 0				Component ATA:29
SN: FMB171	HRS	0		TSN 0				
WC#: 29.106	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291073 PRESSURE MAINTAINING VALVE</b>								
PN: AIR45474-0	MOS	12-Oct-10		TSN 0				Component ATA:29 OVERHAUL
SN: LK0354	HRS	158.2		TSN 0				
WC#: 29.030	AFL	73	5000	TSN 0	5073		3607	
<b>291079 GROUND SERVICE HANDPUMP SUPPLY NONRETURN VALVE</b>								
PN: AIR48026-0-1	MOS/MSC	16-Mar-10	O/C	TSN 0				Component ATA:29
SN: APB091379	HRS	0		TSN 0				
WC#: 29.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
291091	MAIN HYDRAULIC RESERVOIR							Component	ATA:29
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.040	AFL	0			TSN 0				
PROC. REF: AMM 29-10-13									
291096	HYDRAULIC PRESSURE GAUGE							Component	ATA:29
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.045	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
291103	MAIN HYDRAULIC ACCUMULATOR							Component	ATA:29
PN:AIR45574-4	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:APB091424	HRS	0			TSN 0				
WC#: 29.050	AFL	0			TSN 0				
PROC. REF: AMM 29-10-81									
291109	EMERGENCY BRAKE ACCUMULATOR							Component	ATA:29
PN:AIR45574-4	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:APB091457	HRS	0			TSN 0				
WC#: 29.055	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
291131	HYDRAULIC FILTER							Component	ATA:29
PN:MFHA15104	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:BF08/0636	HRS	0			TSN 0				
WC#: 29.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
291132	PRESSURE FILTER ASSEMBLY							Component	ATA:29
PN:B2125-H4	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FYH217249	HRS	0			TSN 0				
WC#: 29.065	AFL	0			TSN 0				
PROC. REF: AMM 29-10-21									
291163	NO. 1 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:42022-03	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:CC711	HRS	0			TSN 0				
WC#: 29.080	AFL	0			TSN 0				
PROC. REF: AMM 29-10-54									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
291164	NO. 2 ENGINE HYDRAULIC PUMP							Component	ATA:29
PN:42022-03	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CC709	HRS	0		TSN 0					
WC#: 29.080	AFL	0		TSN 0					
PROC. REF: AMM 29-10-54									
291165	NO. 1 ENGINE HYDRAULIC OIL PRESSURE SENSOR							Component	ATA:29
PN:293RA0001-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:10121433281	HRS	0		TSN 0					
WC#: 29.181	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291166	NO. 2 ENGINE HYDRAULIC OIL PRESSURE SENSOR							Component	ATA:29
PN:293RA0001-1	MOS/MSC	08-Nov-11	O/C	TSN 0					
SN:101121433311	HRS	764.13		TSN 0					
WC#: 29.182	AFL	284		TSN 0					
PROC. REF: GENERIC NO REF									
291170	HYDRAULIC RESERVOIR RELIEF VALVE							Component	ATA:29
PN:AIR87236-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:APB083269	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291178	BANJO ASSEMBLY							Component	ATA:29
PN:FRH460001C	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:4090656	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291182	GROUND SERVICING HANDPUMP							Component	ATA:29
PN:AIR45424-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:APB083106	HRS	0		TSN 0					
WC#: 29.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291186	NO. 1 NON-RETURN TANK PRESSURE VALVE							Component	ATA:29
PN:HTE4853	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:37081668	HRS	0		TSN 0					
WC#: 29.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 29 - HYDRAULIC POWER</b>									
291193	NO. 2 NON-RETURN TANK PRESSURE VALVE							Component	ATA:29
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
292001	EMERGENCY HYDRAULIC TANK							Component	ATA:29
PN:25-1H15275-3A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:WN155037/24	HRS	0			TSN 0				
WC#: 29.095	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
292003	SUCTION FILTER ASSEMBLY							Component	ATA:29
PN:AIR87366-0	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:BF08-0470	HRS	0			TSN 0				
WC#: 29.100	AFL	0			TSN 0				
PROC. REF: AMM 29-10-21									
292007	EMERGENCY HYDRAULIC HAND PUMP							Component	ATA:29
PN:AIR45448-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:APB090408	HRS	0			TSN 0				
WC#: 29.105	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
292013	AUXILIARY RESERVOIR LOW-LEVEL WARNING SYSTEM SWITCH							Component	ATA:29
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.110	AFL	0			TSN 0				
PROC. REF: AMM 29-30-00									
292031	EMERGENCY TANK ON/OFF HAND PUMP VALVE							Component	ATA:29
PN:AIR45446-2	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:APB091322	HRS	0			TSN 0				
WC#: 29.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
292037	EMERGENCY SYSTEM CHECK VALVE							Component	ATA:29
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 29.125	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>293001 NO. 1 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH</b> Component ATA:29								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>293002 NO. 2 ENGINE HYDRAULIC PUMP LOW PRESSURE SWITCH</b> Component ATA:29								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>293013 EMERGENCY BRAKE LOW PRESSURE WARNING SWITCH</b> Component ATA:29								
PN:TP42001	MOS	12-Oct-10		TSN 0				OVERHAUL
SN:575	HRS	158.2	5000	TSN 0	5158.2		1297.6	
WC#: 29.135	AFL	73		TSN 0				
<b>293019 HYDRAULIC PRESSURE TRANSDUCER</b> Component ATA:29								
PN:695-4-20	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:75869352	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>293024 HYDRAULIC SYSTEM OVERTEMPERATURE SWITCH</b> Component ATA:29								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 29.145	AFL	0		TSN 0				
PROC. REF: AMM 29-30-00								
<b>294001 LEFT HYDRAULIC NON-RETURN VALVE</b> Component ATA:29								
PN:9840078J	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:4090112	HRS	0		TSN 0				
WC#: 29.183	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294002 RIGHT HYDRAULIC NON-RETURN VALVE</b> Component ATA:29								
PN:9840078J	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:5090174	HRS	0		TSN 0				
WC#: 29.184	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>294003 NO. 1 HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:9840000J	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:5090166	HRS	0		TSN 0				
WC#: 29.186	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294004 NO. 2 HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:9840000J	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:12080288	HRS	0		TSN 0				
WC#: 29.187	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294005 HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR45468-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB090200	HRS	0		TSN 0				
WC#: 29.188	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294006 HYDRAULIC RELIEF VALVE</b>								Component ATA:29
PN:AIR45418-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB083037	HRS	0		TSN 0				
WC#: 29.189	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294007 LEFT HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR87246-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB891022	HRS	0		TSN 0				
WC#: 29.190	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>294008 RIGHT HYDRAULIC NON-RETURN VALVE</b>								Component ATA:29
PN:AIR87246-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB090029	HRS	0		TSN 0				
WC#: 29.191	AFL	0		TSN 0				
PROC. REF: AMM 29-10-68								
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>300001<sup>S</sup> FUNCTIONAL TEST ROTARY ICE DETECTOR</b>								Service ATA:30
	MOS	03-Aug-21						
	HRS	3405	800 (+40/-10)					
WC#: 30.085	AFL	1243						
PROC. REF: AMM 30-80-00								

PKG:7,91

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
<b>300002<sup>S</sup> OPERATIONAL TEST WINDSHIELD ELECTRICAL DE-ICE SYSTEM Service ATA:30</b>								
	MOS	06-Jun-18						
	HRS	2965.25	1600 (+50/-50)					
WC#: 30.080	AFL	1073						
					PROC. REF: AMM 30-41-00			PKG:19,92
<b>300003<sup>S</sup> REPLACE AIRFRAME DE-ICING FILTER ELEMENT Service ATA:30</b>								
	MOS	03-Aug-21						
	HRS	3405	800 (+40/-10)					
WC#: 30.020	AFL	1243						
					PROC. REF: AMM 30-10-52			PKG:12,91
<b>300004<sup>S</sup> FUNCTIONAL TEST PITOT HEAD AND STATIC PLATE HEATERS Service ATA:30</b>								
	MOS	06-Jun-18						
	HRS	2965.25	1600 (+50/-50)					
WC#: 30.065	AFL	1073						
					PROC. REF: AMM 30-35-15			PKG:19,92
<b>300005<sup>S</sup> REPLACE AIRFRAME DE-ICING PUMP SUCTION FILTER Service ATA:30</b>								
	MOS	06-Jun-18						
	HRS	2965.25	1600 (+50/-50)					
WC#: 30.045	AFL	1073						
					PROC. REF: AMM NO REF 1			PKG:24,92
<b>300007 PURGE ICE PROTECTION SYSTEM Service ATA:30</b>								
	MOS/MSC	02-Apr-16	A/R					
	HRS	2351.57						
WC#: 30.090	AFL	852						
<b>301001 TKS DE-ICER TANK Component ATA:30</b>								
PN:08301-01	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:VAVI09F561	HRS	0			TSN 0			
WC#: 30.010	AFL	0			TSN 0			
					PROC. REF: AMM 30-10-35			
<b>301007 AIRFRAME DE-ICING PUMP ASSEMBLY Component ATA:30</b>								
PN:XA9511E009	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:CAVI09A1153	HRS	0			TSN 0			
WC#: 30.015	AFL	0			TSN 0			
					PROC. REF: AMM 30-10-43			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>301013</b>		<b>AIRFRAME DE-ICING FILTER ASSEMBLY</b>					<b>Component ATA:30</b>		
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.020	AFL	0		TSN 0					
PROC. REF: AMM 30-10-52									
<b>301025</b>		<b>DE-ICING VALVE ASSEMBLY</b>					<b>Component ATA:30</b>		
PN:FV131-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:AST08E1438	HRS	0		TSN 0					
WC#: 30.025	AFL	0		TSN 0					
PROC. REF: AMM 30-10-43									
<b>301037</b>		<b>DE-ICING SYSTEM CONTENTS GAUGE</b>					<b>Component ATA:30</b>		
PN:S458-3-191T	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:83688	HRS	0		TSN 0					
WC#: 30.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>301043</b>		<b>DE-ICING SYSTEM CONTENTS FLOAT</b>					<b>Component ATA:30</b>		
PN:FRH070001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:21090742	HRS	0		TSN 0					
WC#: 30.035	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>301063</b>		<b>EMPENNAGE TKS PROPORTION UNIT</b>					<b>Component ATA:30</b>		
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 30.050	AFL	0		TSN 0					
PROC. REF: AMM 30-10-25									
<b>301067</b>		<b>TKS VENT VALVE</b>					<b>Component ATA:30</b>		
PN:FV141	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVI090976	HRS	0		TSN 0					
WC#: 30.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>301069</b>		<b>TKS PRESSURE SWITCH</b>					<b>Component ATA:30</b>		
PN:P067D075	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVI09J433	HRS	0		TSN 0					
WC#: 30.060	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>301070</b>		<b>LEFT #1 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-53	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST06G1499	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301071</b>		<b>LEFT #2 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:D3377-02	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST01D211	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301072</b>		<b>LEFT #3 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:D3371-02	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST02J189	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301073</b>		<b>LEFT #4 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-59	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST99H142	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301074</b>		<b>LEFT #5 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-69A	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST05H776	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301075</b>		<b>LEFT #6 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-71A	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST96B345	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									
<b>301077</b>		<b>RIGHT #1 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-54	MOS/MSC	20-Jun-22	O/C		TSO 0				
SN:AST03M092	HRS	3511.6			TSO 0				
	AFL	1288			TSO 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>301078</b>		<b>RIGHT #2 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:D3378-02	MOS/MSC	20-Jun-22	O/C	TSO 0					
SN:AST02J433	HRS	3511.6		TSO 0					
	AFL	1288		TSO 0					
PROC. REF: GENERIC NO REF									
<b>301079</b>		<b>RIGHT #3 INBOARD PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:D3372-02	MOS/MSC	20-Jun-22	O/C	TSR 0					
SN:AST07C295	HRS	3511.6		TSR 0					
	AFL	1288		TSR 0					
PROC. REF: GENERIC NO REF									
<b>301080</b>		<b>RIGHT #4 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-60	MOS/MSC	20-Jun-22	O/C	TSR 0					
SN:CAVI09G774	HRS	3511.6		TSR 0					
	AFL	1288		TSR 0					
PROC. REF: GENERIC NO REF									
<b>301081</b>		<b>RIGHT #5 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-70A	MOS/MSC	20-Jun-22	O/C	TSO 0					
SN:AST96B334	HRS	3511.6		TSO 0					
	AFL	1288		TSO 0					
PROC. REF: GENERIC NO REF									
<b>301082</b>		<b>RIGHT #6 CENTER PANEL DISTRIBUTOR</b>						<b>Component</b>	<b>ATA:30</b>
PN:25-8WS1513-72A	MOS/MSC	20-Jun-22	O/C	TSO 0					
SN:CAVI21D003	HRS	3511.6		TSO 0					
	AFL	1288		TSO 0					
PROC. REF: GENERIC NO REF									
<b>304019</b>		<b>NO. 1 WINDSCREEN (A PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2011	MOS/MSC	03-Aug-21	O/C						
SN:L530565	HRS	3405							
WC#: 30.070	AFL	1243							
PROC. REF: GENERIC NO REF									
<b>304020</b>		<b>NO. 2 WINDSCREEN (A PANEL) CONTROLLER</b>						<b>Component</b>	<b>ATA:30</b>
PN:ND0075-2011	MOS/MSC	08-Nov-11	O/C	TSN 0					
SN:L380304	HRS	764		TSN 0					
WC#: 30.070	AFL	284		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
304022	NO. 1 WINDSCREEN (B PANEL) CONTROLLER							Component	ATA:30
PN:ND0075-2001	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:L376379	HRS	0			TSN 0				
WC#: 30.075	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
304023	NO. 2 WINDSCREEN (B PANEL) CONTROLLER							Component	ATA:30
PN:ND0075-2001	MOS/MSC	03-Aug-21	O/C		TSN 1				
SN:L528747	HRS	3405			TSN 0				
WC#: 30.075	AFL	1243			TSN 0				
PROC. REF: GENERIC NO REF									
308001	ROTARY ICE DETECTOR							Component	ATA:30
PN:NF0075-667	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:L379792	HRS	0			TSN 0				
WC#: 30.085	AFL	0			TSN 0				
PROC. REF: AMM 30-80-11									
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
310001 <sup>S</sup>	CHECK FLIGHT DATA RECORDER (IF FITTED)							Service	ATA:31
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 31.085	AFL	1412							
PKG:43,94									
310002	LIGHTNING SENSOR ANTENNA							Component	ATA:31
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.015	AFL	0			TSN 0				
PROC. REF: AMM NO REF 1									
310100	LIGHTNING PROCESSOR UNIT							Component	ATA:31
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 31.010	AFL	0			TSN 0				
PROC. REF: MMA 34-43-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>311001 TKS TIMER</b> <span style="float:right">Component ATA:31</span>								
PN:100-1805-02	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:081308	HRS	0		TSN 0				
WC#: 31.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>312001 PILOT CLOCK</b> <span style="float:right">Component ATA:31</span>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>312002 COPILOT CLOCK</b> <span style="float:right">Component ATA:31</span>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 31.025	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>312008 O.A.T. INDICATOR</b> <span style="float:right">Component ATA:31</span>								
PN:2141-1-14	MOS/MSC	05-Aug-11	O/C	TSO 0				
SN:82480	HRS	608.55		TSO 0				
WC#: 31.030	AFL	231		TSO 0				
PROC. REF: GENERIC NO REF								
<b>312009 PITOT AMMETER</b> <span style="float:right">Component ATA:31</span>								
PN:2132-1-62	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:83047	HRS	0		TSN 0				
WC#: 31.035	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>313003 NO. 1 CURRENT MONITOR-</b> <span style="float:right">Component ATA:31</span>								
PN:E37040S	MOS/MSC	16-Mar-10	O/C					
SN:5535	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
<b>313004 NO. 2 CURRENT MONITOR-</b> <span style="float:right">Component ATA:31</span>								
PN:E37040S	MOS/MSC	16-Mar-10	O/C					
SN:5538	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
<b>313005</b>		<b>LEFT CURRENT LEVEL INDICATOR</b>					<b>Component</b>		<b>ATA:31</b>
PN:770-537	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:2985	HRS	0			TSN 0				
WC#: 31.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313006</b>		<b>RIGHT CURRENT LEVEL INDICATOR</b>					<b>Component</b>		<b>ATA:31</b>
PN:770-537	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:2988	HRS	0			TSN 0				
WC#: 31.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313007</b>		<b>CABIN TEMPERATURE INDICATOR</b>					<b>Component</b>		<b>ATA:31</b>
PN:2132-01-0015	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:82865	HRS	0			TSN 0				
WC#: 31.045	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313008</b>		<b>DC VOLTMETER</b>					<b>Component</b>		<b>ATA:31</b>
PN:2132-01-0012	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:82852	HRS	0			TSN 0				
WC#: 31.050	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313009</b>		<b>LEFT DC AMMETER</b>					<b>Component</b>		<b>ATA:31</b>
PN:2132-01-0013	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:83475	HRS	0			TSN 0				
WC#: 31.055	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313010</b>		<b>AC VOLTMETER</b>					<b>Component</b>		<b>ATA:31</b>
PN:2132-1-14	MOS/MSC	03-Aug-21	O/C		TSO 26				
SN:82784	HRS	3405			TSO 0				
WC#: 31.060	AFL	1243			TSO 0				
PROC. REF: GENERIC NO REF									
<b>313011</b>		<b>RIGHT DC AMMETER</b>					<b>Component</b>		<b>ATA:31</b>
PN:2132-01-0013	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:83466	HRS	0			TSN 0				
WC#: 31.065	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
<b>313012</b>		<b>FLIGHT DATA ACCELEROMETER</b>						<b>Component</b>	<b>ATA:31</b>
PN:971-4193-001	MOS/MSC	05-May-10	O/C		TSN 0				
SN:13843	HRS	4.7			TSN 0				
WC#: 31.120	AFL	4			TSN 0				
PROC. REF: MMA 31-30-20									
<b>313014</b>		<b>DUCT AIR TEMPERATURE INDICATOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:2132-01-0018	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:82855	HRS	0			TSN 0				
WC#: 31.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313015</b>		<b>TEMPERATURE SELECTOR</b>						<b>Component</b>	<b>ATA:31</b>
PN:25-6MC415	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:627578-01775	HRS	0			TSN 0				
WC#: 31.075	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313020</b>		<b>FUEL PROCESSOR UNIT</b>						<b>Component</b>	<b>ATA:31</b>
PN:0107KPU1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:FE005648	HRS	0			TSN 0				
WC#: 31.080	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>313023</b>		<b>FLIGHT DATA RECORDER</b>						<b>Component</b>	<b>ATA:31</b>
PN:980-4710-003	MOS/MSC	20-Jul-18	O/C		TSN 98				
SN:ARFDR-02353	HRS	3000.32			TSN 2995.38				
WC#: 31.085	AFL	1088			TSN 1084				
PROC. REF: MMA 31-30-20									
<b>313030</b>		<b>FILTER UNIT</b>						<b>Component</b>	<b>ATA:31</b>
PN:25-9NF4027-645	MOS/MSC	16-Mar-10	O/C						
SN:L379530	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>313031</b>		<b>FILTER UNIT</b>						<b>Component</b>	<b>ATA:31</b>
PN:25-9NF4027-647	MOS/MSC	16-Mar-10	O/C						
SN:L379598	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
313032	FILTER UNIT							Component	ATA:31
PN:25-9NF4027-649	MOS/MSC	16-Mar-10	O/C						
SN:L379562	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
313033	FILTER UNIT							Component	ATA:31
PN:25-9NF4027-651	MOS/MSC	16-Mar-10	O/C						
SN:L379554	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
313062	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Component	ATA:31
PN:PN	MOS/MSC	14-May-20	O/C						
SN:AT116985	HRS	3357.57							
WC#: 31.085	AFL	1222							
PROC. REF: MMA 31-30-20									
313064	CLEAN/TEST FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Service	ATA:31
	MOS	20-Jun-22	24		20-Jun-24		149 d		
	HRS	3511.6							
WC#: 31.085	AFL	1288							
313067	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY							Component	ATA:31
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
313068	REPLACE FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON BATTERY							Service	ATA:31
	MOS/MSC	14-May-20	DUE		01-Aug-25 (M)		556 d		
	HRS	3357.57							
WC#: 31.085	AFL	1222							
313074	TEST FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Service	ATA:31
	MOS/MSC	29-Apr-20	N/R						
	HRS								
WC#: 31.085	AFL								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>313101 ANGLE OF ATTACK INDICATOR COMPUTER</b> <span style="float:right">Component ATA:31</span>								
PN:C87705-4	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:1024	HRS	0			TSN 0			
WC#: 31.095	AFL	0			TSN 0			
PROC. REF: AMM 31-20-05								
<b>313109 NO. 1 ANGLE OF ATTACK INDEXER</b> <span style="float:right">Component ATA:31</span>								
PN:965-0113-003	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:3403	HRS	0			TSN 0			
WC#: 31.100	AFL	0			TSN 0			
PROC. REF: AMM 31-20-05								
<b>313110 NO. 2 ANGLE OF ATTACK INDEXER</b> <span style="float:right">Component ATA:31</span>								
PN:965-0113-003	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:3406	HRS	0			TSN 0			
WC#: 31.100	AFL	0			TSN 0			
PROC. REF: AMM 31-20-05								
<b>313201 BRAKE PRESSURE INDICATOR</b> <span style="float:right">Component ATA:31</span>								
PN:696-1-13	MOS/MSC	12-Oct-10	O/C		TSN 0			
SN:82490	HRS	158.2			TSN 0			
WC#: 31.105	AFL	73			TSN 0			
PROC. REF: GENERIC NO REF								
<b>314008 NO. 1 INCLINOMETER</b> <span style="float:right">Component ATA:31</span>								
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 31.115	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>314009 NO. 2 INCLINOMETER</b> <span style="float:right">Component ATA:31</span>								
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
WC#: 31.115	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>314012 NO. 1 IAPS (ICC 3000) CARD CAGE</b> <span style="float:right">Component ATA:31</span>								
PN:822-1129-001	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:3J4BK	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>								
<b>314014 MAINTENANCE DIAGNOSTIC COMPUTER</b> Component ATA:31								
PN:822-1987-005	MOS/MSC	16-Mar-10	O/C		TSN 0			
SN:3J4YR	HRS	0			TSN 0			
WC#: 31.130	AFL	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>315001<sup>U</sup> (RUDDER SURFACE) POTENTIOMETER</b> Component ATA:31								
PN:M2078-4-502	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>315002<sup>U</sup> (RUDDER CONTROL) POTENTIOMETER</b> Component ATA:31								
PN:M2078-4-502	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>315003<sup>U</sup> (ELEVATOR CONTROL) POTENTIOMETER</b> Component ATA:31								
PN:M2078-4-502	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>315004<sup>U</sup> (AILERON CONTROL) POTENTIOMETER</b> Component ATA:31								
PN:M2078-4-502	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>315005<sup>U</sup> (ELEVATOR SURFACE) POTENTIOMETER</b> Component ATA:31								
PN:6005-2007-1	MOS/MSC	05-May-10	O/C					
SN:2759	HRS	4.7						
	AFL	4						
<b>315006<sup>U</sup> (AILERON SURFACE) POTENTIOMETER</b> Component ATA:31								
PN:6005-2007-1	MOS/MSC	05-May-10	O/C					
SN:2806	HRS	4.7						
	AFL	4						
<b>315010<sup>U</sup> FLIGHT DATA ACQUISITION UNIT</b> Component ATA:31								
PN:967-0320-001	MOS/MSC	12-Nov-10	O/C					
SN:DFDAU-03009	HRS	176						
	AFL	88						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320001 <sup>S</sup>	TEST BRAKING SYSTEMS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.305	AFL	1243							
				PROC. REF: AMM 32-40-00				PKG:18,91	
320002 <sup>S</sup>	FUNCTIONAL TEST MAXARET UNITS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.370	AFL	1243							
				PROC. REF: AMM 32-40-101				PKG:18,91	
320003 <sup>S</sup>	CHECK NOSE GEAR LEG ASSEMBLY							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.430	AFL	1243							
								PKG:18,91	
320004 <sup>S</sup>	CHECK NOSE GEAR LEG LOCK AND CHANGE OVER MICROSWITCHES OPERATING MECHANISM							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.435	AFL	1243							
								PKG:18,91	
320005 <sup>S</sup>	INSPECT NOSEWHEEL STEERING JACK							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.470	AFL	1243							
				PROC. REF: AMM 32-50-00				PKG:18,91	
320006 <sup>S</sup>	INSPECT NOSE GEAR RETRACTION AND STEERING SYSTEM SPRING STRUTS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.450	AFL	1243							
								PKG:18,91	
320007 <sup>S</sup>	INSPECT NOSEWHEEL STEERING ON/OFF VALVE							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.350	AFL	1243							
								PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320008 <sup>S</sup>	CHECK NOSE GEAR DRAG STAY ASSEMBLY							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.440	AFL	1243							
				PROC. REF: AMM 32-20-21				PKG:18,91	
320009 <sup>S</sup>	DETAIL INSPECT NOSEWHEEL STEERING JACK SELECTOR VALVE							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.545	AFL	1243							
				PROC. REF: AMM 32-50-11				PKG:18,91	
320010 <sup>S</sup>	CHECK MAIN GEAR LEG ASSEMBLIES							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.420	AFL	1243							
				PROC. REF: AMM NO REF 1				PKG:18,91	
320011 <sup>S</sup>	INSPECT MAIN LANDING GEAR SIDE-STAYS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.010	AFL	1243							
				PROC. REF: AMM 32-10-25, AMM 32-10-25				PKG:18,91	
320012 <sup>S</sup>	CHECK MAIN LANDING GEAR TORQUE LINKS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.015	AFL	1243							
				PROC. REF: AMM 32-10-12				PKG:18,91	
320013 <sup>S</sup>	INSPECT MAIN LANDING GEAR DOORS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.460	AFL	1243							
								PKG:18,91	
320014 <sup>S</sup>	INSPECT/CLEAN MAIN LANDING GEAR DOOR UPLOCK SPRING STRUTS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.425	AFL	1243							
								PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320015 <sup>S</sup>	INSPECT REVERSING VALVES AND OPERATING MECHANISMS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.445	AFL	1243						PKG:18,91	
320016 <sup>S</sup>	CHECK STEERING SYSTEM CABLES AND CHAINS							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.475	AFL	1073						PKG:22,92	
					PROC. REF: AMM 32-50-00				
320017 <sup>S</sup>	CHECK NOSE LANDING GEAR RETRACTION SPRING STRUT							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.180	AFL	1073						PKG:30,92	
					PROC. REF: AMM 32-20-21				
320018 <sup>S</sup>	CHECK NOSEWHEEL STEERING SYSTEM SPRING STRUT BREAK-OUT LOAD							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.350	AFL	1073						PKG:30,92	
320019 <sup>S</sup>	INSPECT/CLEAN STEERING SYSTEM FILTER ELEMENT							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 32.385	AFL	1073						PKG:42,93	
					PROC. REF: AMM 32-30-22				
320020 <sup>S</sup>	CLEAN FILTERS, HYDRAULIC SUPPLY (4 OFF)							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 32.185	AFL	1073						PKG:42,93	
					PROC. REF: AMM 32-30-22				
320021 <sup>S</sup>	CLEAN RESTRICTOR VALVES							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 32.145	AFL	1073						PKG:42,93	
					PROC. REF: AMM 32-30-01				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320022 <sup>S</sup>	CHECK BRAKE MASTER CYLINDERS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.465	AFL	1243							
				PROC. REF: AMM 32-40-00				PKG:10,91	
320023 <sup>S</sup>	CHECK BRAKE HOSES TO MASTER CYLINDERS							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.455	AFL	1073							
								PKG:22,92	
320024 <sup>S</sup>	REMOVE/INSPECT AXLE/MAXARET/MODULATOR/PLUNGER TUBE							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.375	AFL	1073							
				PROC. REF: AMM 32-40-101, AMM 32-40-91				PKG:30,92	
320027 <sup>S</sup>	VISUALLY INSPECT NOSE-WHEEL STEERING ON/OFF VALVE							Service	ATA:32
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 32.350	AFL	1288							
								PKG:96	
320028	INSPECT/NDT MAIN LANDING GEAR FAIRING STRUT							Service	ATA:32
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 32.035	AFL	1288							
				PROC. REF: NTM 32-10-103					
320029	CHECK NOSE LANDING GEAR DRAG STAY							Service	ATA:32
	MOS/MSC	13-Jul-10	A/R						
	HRS	48.52							
WC#: 32.070	AFL	29		Adj -4					
				PROC. REF: AMM 32-20-21					
320033 <sup>S</sup>	DETAIL INSPECT MAIN GEAR RETRACTION ACTUATOR							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.095	AFL	1243							
				PROC. REF: AMM NO REF 1				PKG:18,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
320034 <sup>S</sup>	INSPECT MAIN LANDING GEAR PLUNGER TUBE/AXLE JOINT							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.510	AFL	1243						PKG:18,91	
320035 <sup>S</sup>	INSPECT MAIN LANDING GEAR MAIN LEG ASSEMBLY RETRACTION LEVER							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.520	AFL	1073						PKG:30,92	
320036 <sup>S</sup>	INSPECT MAIN LANDING GEAR SIDESTAY ASSEMBLY LOCK MECHANISM LINK							Service	ATA:32
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 32.530	AFL	1073						PKG:30,92	
					PROC. REF: GENERIC NO REF				
320037 <sup>S</sup>	CHECK NOSE LEG ASSEMBLY TORQUE LINKS							Service	ATA:32
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 32.540	AFL	1243						PKG:18,91	
					PROC. REF: AMM 32-20-12				
320038	LUBRICATE MAIN LANDING GEAR SIDESTAY SHIMS							Service	ATA:32
	MOS/MSC	20-Jun-22	A/R						
	HRS	3511.6							
WC#: 32.570	AFL	1288							
	Special Properties: TRACKED ITEM				PROC. REF: AFMS 5-20-11				
320039 <sup>S</sup>	INSPECTION OF LEFT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service	ATA:32
	MOS	16-Mar-10							
	HRS	0	800 (+40/-10)						
	AFL	0						PKG:18,91	
					PROC. REF: GENERIC NO REF				
320039 <sup>S</sup>	INSPECTION OF RIGHT SEQUENCING VALVES AND THEIR OPERATING MECHANISMS							Service	ATA:32
	MOS	16-Mar-10							
	HRS	0	800						
	AFL	0						PKG:18,91	
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>321001</b>		<b>LEFT MAIN LEG</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810044-17	MOS	20-Jun-22	144	TSO 3	20-Mar-34		3709 d	OVERHAUL	
SN:DCL0314/09	HRS	3511.6		TSO 0					
WC#: 32.020	AFL	1288	5000	TSN 1218, TSO 0	6288		4822		
PROC. REF: AMM 32-10-12									
<b>321002</b>		<b>RIGHT MAIN LEG</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810044-18	MOS	20-Jun-22	144	TSO 6	20-Dec-33		3619 d	OVERHAUL	
SN:DCL0282/08	HRS	3511.6		TSO 0					
WC#: 32.020	AFL	1288	5000	TSN 1218, TSO 0	6288		4822		
PROC. REF: AMM 32-10-12									
<b>321013</b>		<b>LEFT SIDESTAY</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810043-11	MOS	20-Jun-22	144	TSO 3	20-Mar-34		3709 d	OVERHAUL	
SN:DCL0082/06	HRS	3511.6		TSO 0					
WC#: 32.025	AFL	1288	5000	TSN 1218, TSO 0	6288		4822		
PROC. REF: AMM 32-10-25									
<b>321014</b>		<b>RIGHT SIDESTAY</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810043-12	MOS	20-Jun-22	144	TSO 3	20-Mar-34		3709 d	OVERHAUL	
SN:ASD-0135	HRS	3511.6		TSO 0					
WC#: 32.030	AFL	1288	5000	TSN 1218, TSO 0	6288		4822		
PROC. REF: AMM 32-10-25									
<b>321015</b>		<b>LEFT MAIN LANDING GEAR SIDESTAY UPPER ARM</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810125-0001	MOS	20-Jun-22						LIFE LIMIT	
SN:WAL50896	HRS	3511.6							
WC#: 32.025	AFL	1288	10000	TSN 1218	10070		8604		
PROC. REF: AMM 32-10-25									
<b>321016</b>		<b>RIGHT MAIN LANDING GEAR SIDESTAY UPPER ARM</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810125-0002	MOS	20-Jun-22						LIFE LIMIT	
SN:WO-7179	HRS	3511.6							
WC#: 32.030	AFL	1288	10000	TSN 1218	10070		8604		
PROC. REF: AMM 32-10-25									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>321017</b>		<b>LEFT MAIN LANDING GEAR SIDESTAY LOWER ARM</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810064-0001	MOS	20-Jun-22					LIFE LIMIT		
SN:WAL52241	HRS	3511.6							
WC#: 32.025	AFL	1288	12000	TSN 1218	12070		10604		
PROC. REF: AMM 32-10-25									
<b>321018</b>		<b>RIGHT MAIN LANDING GEAR SIDESTAY LOWER ARM</b>						<b>Component</b>	<b>ATA:32</b>
PN:140-810064-0002	MOS	20-Jun-22					LIFE LIMIT		
SN:ST-0034	HRS	3511.6							
WC#: 32.030	AFL	1288	12000	TSN 1218	12070		10604		
PROC. REF: AMM 32-10-25									
<b>321050</b>		<b>LEFT MAIN LANDING GEAR UPPER CASING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UM169-31A	MOS	20-Jun-22					LIFE LIMIT		
SN:08MDZ00030	HRS	3511.6							
WC#: 32.390	AFL	1288	24000	TSN 1218	24070		22604		
<b>321051</b>		<b>RIGHT MAIN LANDING GEAR UPPER CASING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UM169-32A	MOS	20-Jun-22					LIFE LIMIT		
SN:07MDZ03579	HRS	3511.6							
WC#: 32.390	AFL	1288	24000	TSN 1218	24070		22604		
<b>321061</b>		<b>LEFT MAIN LANDING GEAR JACK PIVOT</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
<b>321062</b>		<b>RIGHT MAIN LANDING GEAR JACK PIVOT</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.040	AFL	0		TSN 0					
<b>321065</b>		<b>LEFT MAIN LANDING GEAR UPPER TORQUE LINK PIN</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
<b>321066</b>		<b>RIGHT MAIN LANDING GEAR UPPER TORQUE LINK PIN</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321067 LEFT MAIN LANDING GEAR LOWER TORQUE LINK PIN</b> Component ATA:32								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.495	AFL	0		TSN 0				
<b>321068 RIGHT MAIN LANDING GEAR LOWER TORQUE LINK PIN</b> Component ATA:32								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.495	AFL	0		TSN 0				
<b>321071 LEFT MAIN LANDING GEAR JACK DISTANCE PIN</b> Component ATA:32								
PN:25UM423	MOS	20-Jun-22						LIFE LIMIT
SN:N/A	HRS	3511.6						
WC#: 32.045	AFL	1288	24000	TSN 1218	24070		22604	
<b>321072 RIGHT MAIN LANDING GEAR JACK DISTANCE PIN</b> Component ATA:32								
PN:25UM423	MOS	20-Jun-22						LIFE LIMIT
SN:WO-7255	HRS	3511.6						
WC#: 32.045	AFL	1288	24000	TSN 1218	24070		22604	
<b>321075 LEFT MAIN LANDING GEAR PLUNGER TUBE</b> Component ATA:32								
PN:140-810016-1	MOS	20-Jun-22						LIFE LIMIT
SN:08MDC1928	HRS	3511.6						
WC#: 32.410	AFL	1288	17000	TSN 1218	17070		15604	
<b>321076 RIGHT MAIN LANDING GEAR PLUNGER TUBE</b> Component ATA:32								
PN:140-810016-2	MOS	20-Jun-22						LIFE LIMIT
SN:08MDC01481	HRS	3511.6						
WC#: 32.410	AFL	1288	17000	TSN 1218	17070		15604	
<b>321081 LEFT MAIN LANDING GEAR UPPER TORQUE LINK</b> Component ATA:32								
PN:25-9UM9-13A	MOS	20-Jun-22						LIFE LIMIT
SN:EPI-0742	HRS	3511.6						
WC#: 32.550	AFL	1288	20000	TSN 1218	20070		18604	
<b>321082 RIGHT MAIN LANDING GEAR UPPER TORQUE LINK</b> Component ATA:32								
PN:25-9UM9-13A	MOS	20-Jun-22						LIFE LIMIT
SN:EPI-0645	HRS	3511.6						
WC#: 32.550	AFL	1288	20000	TSN 1218	20070		18604	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>321083</b>		<b>LEFT MAIN LANDING GEAR LOWER TORQUE LINK</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-9UM11-17A	MOS		20-Jun-22					LIFE LIMIT	
SN:EPI-0673	HRS		3511.6						
WC#: 32.555	AFL	1288	20000	TSN 1218	20070		18604		
<b>321084</b>		<b>RIGHT MAIN LANDING GEAR LOWER TORQUE LINK</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-9UM11-17A	MOS		20-Jun-22					LIFE LIMIT	
SN:EPI-0628	HRS		3511.6						
WC#: 32.555	AFL	1288	20000	TSN 1218	20070		18604		
<b>321087</b>		<b>LEFT MAIN LANDING GEAR AXLE ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC		16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 32.571	AFL		0		TSN 0				
<b>321088</b>		<b>RIGHT MAIN LANDING GEAR AXLE ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC		16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 32.572	AFL		0		TSN 0				
<b>322001</b>		<b>NOSE LEG ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-9UN1-407A	MOS		20-Jun-22	144	TSO 1	20-May-34	3770 d	OVERHAUL	
SN:DCL0334/09	HRS		3511.6		TSO 0				
WC#: 32.050	AFL	1288	5000	TSN 2288, TSO 0	6288		4822		
PROC. REF: AMM 32-20-12									
<b>322003</b>		<b>NOSE LANDING GEAR PIVOT PIN</b>						<b>Component</b>	<b>ATA:32</b>
PN:25UN645A	MOS		20-Jun-22					LIFE LIMIT	
SN:WO-81139/12	HRS		3511.6						
WC#: 32.055	AFL	1288	16000	TSN 2288	15000		13534		
<b>322007</b>		<b>NOSE LANDING GEAR DRAG STAY</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UN3-179A	MOS		20-Jun-22	144	TSO 8	20-Oct-33	3558 d	OVERHAUL	
SN:ASD-0130	HRS		3511.6		TSO 0				
WC#: 32.070	AFL	1288	5000	TSN 1218, TSO 0	6288		4822		
PROC. REF: AMM 32-20-21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>322009 NOSE LANDING GEAR JACK LOWER PIVOT PIN</b>								
PN:25UN597	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:WO-81146/17	HRS		3511.6					
WC#: 32.075	AFL	1288	22000	TSN 2288	21000		19534	
<b>322011 NOSE LANDING GEAR DRAG STAY BRIDGE CASTING</b>								
PN:25-8UN487-1A	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:ST-0018	HRS		3511.6					
WC#: 32.075	AFL	1288	33000	TSN 1218	33070		31604	
<b>322015 NOSE LANDING GEAR UPPER TORQUE LINK</b>								
PN:25-8UN267-23A	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:EPI-0375	HRS		3511.6					
WC#: 32.080	AFL	1288	32000	TSN 2288	31000		29534	
<b>322016 NOSE LANDING GEAR LOWER TORQUE LINK</b>								
PN:25-8UN269-27A	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:EPI-0356	HRS		3511.6					
WC#: 32.080	AFL	1288	32000	TSN 2288	31000		29534	
<b>322017 NOSE LANDING GEAR DRAG STRUT PICK-UP</b>								
PN:25-8UN265-1A	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:EPI-0401	HRS		3511.6					
WC#: 32.560	AFL	1288	13900	TSN 2288	12900		11434	
<b>322025 NOSE GEAR MAIN PICK-UP TRUNNION ATTACHMENT BOLTS</b>								
PN:PN	MOS		16-Mar-10	TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS		0	TSN 0				
WC#: 32.380	AFL	0	10000	TSN 0	10000		8534	
<b>322031 NOSE GEAR RADIUS ROD PICK-UP ATTACHMENT BOLTS</b>								
PN:PN	MOS		16-Mar-10	TSN 0				Component ATA:32 LIFE LIMIT
SN:UNKNOWN	HRS		0	TSN 0				
WC#: 32.085	AFL	0	10000	TSN 0	10000		8534	
<b>322045 NOSE LANDING GEAR PLUNGER TUBE</b>								
PN:S25UN649	MOS		20-Jun-22					Component ATA:32 LIFE LIMIT
SN:WAL51158	HRS		3511.6					
WC#: 32.075	AFL	1288	20000	TSN 0	21288		19822	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>323001 NOSE LANDING GEAR RETRACTION JACK</b>								
PN: AIR4504-1-4	MOS	16-Mar-10		TSN 0				Component ATA:32 OVERHAUL
SN: APB090436	HRS	0		TSN 0				
WC#: 32.090	AFL	0	5000	TSN 0	5000		3534	
PROC. REF: AMM 32-30-28								
<b>323007 LEFT MAIN LANDING GEAR RETRACTION JACK</b>								
PN: AIR48502-7	MOS	30-Sep-13						Component ATA:32 OVERHAUL
SN: LK9203917	HRS	1558.87						
WC#: 32.100	AFL	570	5000	TSN 180	5390		3924	
PROC. REF: AMM 32-30-27								
<b>323008 RIGHT MAIN LANDING GEAR RETRACTION JACK</b>								
PN: AIR48503-7	MOS	30-Sep-13						Component ATA:32 OVERHAUL
SN: APB970377	HRS	1558.87						
WC#: 32.100	AFL	570	5000	TSN 3770	1800		334	
PROC. REF: AMM 32-30-27								
<b>323019 LEFT MAIN LANDING GEAR DOOR JACK</b>								
PN: AIR48485-3	MOS	16-Mar-10		TSN 0				Component ATA:32 OVERHAUL
SN: APB091467	HRS	0		TSN 0				
WC#: 32.105	AFL	0	5000	TSN 0	5000		3534	
<b>323020 RIGHT MAIN LANDING GEAR DOOR JACK</b>								
PN: AIR48484-3	MOS	16-Mar-10		TSN 0				Component ATA:32 OVERHAUL
SN: APB091414	HRS	0		TSN 0				
WC#: 32.105	AFL	0	5000	TSN 0	5000		3534	
<b>323031 LEFT SEQUENCE VALVE</b>								
PN: AIR48540-1	MOS/MSC	23-Jun-23	O/C	TSO 1				Component ATA:32
SN: APB030656	HRS	3746.1		TSO 0				
WC#: 32.110	AFL	1412		TSO 0				
PROC. REF: AMM 32-30-41								
<b>323032 RIGHT SEQUENCE VALVE</b>								
PN: AIR48540-1	MOS/MSC	23-Jun-23	O/C	TSO 1				Component ATA:32
SN: APB060761	HRS	3746.1		TSO 0				
WC#: 32.110	AFL	1412		TSO 0				
PROC. REF: AMM 32-30-41								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
323043	LEFT REVERSING VALVE							Component	ATA:32
PN: AIR48542-1	MOS/MSC	06-Mar-23	O/C		TSO 0				
SN: APB082974	HRS	3700.6			TSO 0				
WC#: 32.115	AFL	1392			TSO 0				
PROC. REF: AMM 32-30-31									
323044	RIGHT REVERSING VALVE							Component	ATA:32
PN: AIR48593-1	MOS/MSC	23-Jun-23	O/C		TSO 1				
SN: APB083427	HRS	3746.1			TSO 0				
WC#: 32.115	AFL	1412			TSO 0				
PROC. REF: AMM 32-30-31									
323079	LEFT MAIN LANDING GEAR EXTEND NONRETURN VALVE							Component	ATA:32
PN: AIR48026-0-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN: APB091398	HRS	0			TSN 0				
WC#: 32.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
323080	RIGHT MAIN LANDING GEAR EXTEND NONRETURN VALVE							Component	ATA:32
PN: AIR48026-0-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN: APB091388	HRS	0			TSN 0				
WC#: 32.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
323090	FRAME 15A NON-RETURN VALVE							Component	ATA:32
PN: AIR45420-0	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN: APB061006	HRS	0			TSN 0				
WC#: 32.505	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
323091	MAIN LANDING GEAR CENTER NONRETURN VALVE							Component	ATA:32
PN: PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN: UNKNOWN	HRS	0			TSN 0				
WC#: 32.125	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
323097	FRAME 14 NON-RETURN VALVE							Component	ATA:32
PN: PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN: UNKNOWN	HRS	0			TSN 0				
WC#: 32.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>323098</b>		<b>FRAME 14A NONRETURN VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45420-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: APB070701	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323099</b>		<b>FRAME 15A NONRETURN VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45420-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: APB082224	HRS	0		TSN 0					
WC#: 32.130	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323103</b>		<b>LANDING GEAR SELECTOR/DUMP VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45406-1	MOS/MSC	13-Apr-12	O/C	TSO 15					
SN: APB950860	HRS	933.58		TSO 0					
WC#: 32.135	AFL	337		TSO 0					
PROC. REF: GENERIC NO REF									
<b>323115</b>		<b>LEFT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45444-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: APB083132	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323116</b>		<b>RIGHT MAIN LANDING GEAR RETRACT JACK RESTRICTOR VALVE</b>						<b>Component</b>	<b>ATA:32</b>
PN: AIR45444-0	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: APB083320	HRS	0		TSN 0					
WC#: 32.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323139</b>		<b>LEFT MAIN LANDING GEAR JACK PIVOT BOLT</b>						<b>Component</b>	<b>ATA:32</b>
PN: 25UM153A	MOS	20-Jun-22						LIFE LIMIT	
SN: N/A	HRS	3511.6							
WC#: 32.150	AFL	1288	30000	TSN 0	31288		29822		
<b>323140</b>		<b>RIGHT MAIN LANDING GEAR JACK PIVOT BOLT</b>						<b>Component</b>	<b>ATA:32</b>
PN: 25UM153A	MOS	20-Jun-22						LIFE LIMIT	
SN: N/A	HRS	3511.6							
WC#: 32.150	AFL	1288	30000	TSN 0	31288		29822		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
323151	LEFT MAIN LANDING GEAR JACK CYLINDER HEAD							Component	ATA:32
PN: AIR141082	MOS	30-Sep-13						LIFE LIMIT	
SN: TRP109	HRS	1558.87							
WC#: 32.155	AFL	570	20000	TSN 180	20390		18924		
323152	RIGHT MAIN LANDING GEAR JACK CYLINDER HEAD							Component	ATA:32
PN: AIR141082	MOS	30-Sep-13		TSN 0				LIFE LIMIT	
SN: TUR4048	HRS	1558.87		TSN 0					
WC#: 32.155	AFL	570	20000	TSN 0	20570		19104		
323163	LEFT MAIN LANDING GEAR JACK EYE END							Component	ATA:32
PN: AIR158922	MOS	30-Sep-13						LIFE LIMIT	
SN: 12534/32	HRS	1558.87							
WC#: 32.160	AFL	570	10000	TSN 180	10390		8924		
323164	RIGHT MAIN LANDING GEAR JACK EYE END							Component	ATA:32
PN: AIR158922	MOS	30-Sep-13						LIFE LIMIT	
SN: PIP72	HRS	1558.87							
WC#: 32.160	AFL	570	10000	TSN 3770	6800		5334		
323175	LEFT MAIN LANDING GEAR RETRACTION ARM							Component	ATA:32
PN: 25-8UM63-1A	MOS	20-Jun-22						LIFE LIMIT	
SN: EPI-0342	HRS	3511.6							
WC#: 32.165	AFL	1288	12000	TSN 1218	12070		10604		
323176	RIGHT MAIN LANDING GEAR RETRACTION ARM							Component	ATA:32
PN: 25-8UM63-2A	MOS	20-Jun-22						LIFE LIMIT	
SN: EPI-0304	HRS	3511.6							
WC#: 32.165	AFL	1288	12000	TSN 1218	12070		10604		
323181	LEFT MAIN LANDING GEAR RETRACTION ARM PIN							Component	ATA:32
PN: 25UM787	MOS	20-Jun-22						LIFE LIMIT	
SN: N/A	HRS	3511.6							
WC#: 32.170	AFL	1288	32000	TSN 0	33288		31822		
323182	RIGHT MAIN LANDING GEAR RETRACTION ARM PIN							Component	ATA:32
PN: 25UM787	MOS	20-Jun-22						LIFE LIMIT	
SN: N/A	HRS	3511.6							
WC#: 32.170	AFL	1288	32000	TSN 0	33288		31822		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>323187</b>		<b>LANDING GEAR LEVER LOCK SOLENOID</b>					<b>Component</b>		<b>ATA:32</b>
PN:D5327	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:L3299	HRS	0		TSN 0					
WC#: 32.175	AFL	0		TSN 0					
PROC. REF: AMM 32-30-21									
<b>324001</b>		<b>NOSE LANDING GEAR AXLE BARREL</b>					<b>Component</b>		<b>ATA:32</b>
PN:25-8UN257-27A	MOS	20-Jun-22					LIFE LIMIT		
SN:EPI-0376	HRS	3511.6							
WC#: 32.195	AFL	1288	30000	TSN 2288	29000		27534		
PROC. REF: AMM 32-40-31									
<b>324002</b>		<b>NOSE LANDING GEAR AXLE ASSEMBLY</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.573	AFL	0		TSN 0					
<b>324003</b>		<b>LEFT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.574	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324004</b>		<b>RIGHT NOSE LANDING GEAR DOOR PIVOT BRACKET ASSEMBLY</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.575	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324006</b>		<b>NOSE LANDING GEAR OUTER CASING</b>					<b>Component</b>		<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.576	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324007</b>		<b>LEFT NOSE WHEEL</b>					<b>Component</b>		<b>ATA:32</b>
PN:AH52339	MOS/MSC	20-Dec-23	O/C	TSR 0					
SN:LD030	HRS	3848		TSR 0					
WC#: 32.200	AFL	1462		TSR 0					
PROC. REF: AMM 32-40-21									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324008</b>		<b>RIGHT NOSE WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AH52339	MOS/MSC	20-Dec-23	O/C	TSR 0					
SN:JF113	HRS	3848		TSR 0					
WC#: 32.205	AFL	1462		TSR 0					
PROC. REF: AMM 32-40-21									
<b>324009</b>		<b>NOSE LANDING GEAR TOP LEVER ASSEMBLY</b>					<b>Component</b>	<b>ATA:32</b>	
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.577	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324010</b>		<b>NOSE LANDING GEAR BOTTOM LEVER ASSEMBLY</b>					<b>Component</b>	<b>ATA:32</b>	
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.578	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324019</b>		<b>LEFT NOSE TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:DR6387T	MOS/MSC	20-Dec-23	T/C	TSN 0					
SN:23094152	HRS	3848		TSN 0					
WC#: 32.200	AFL	1462		TSN 0					
PROC. REF: AMM 32-40-41									
<b>324020</b>		<b>RIGHT NOSE TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:DR6387T	MOS/MSC	20-Dec-23	T/C	TSN 0					
SN:23094143	HRS	3848		TSN 0					
WC#: 32.205	AFL	1462		TSN 0					
PROC. REF: AMM 32-40-41									
<b>324031</b>		<b>LEFT OUTBOARD MAIN WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AHA1814	MOS/MSC	20-Dec-23	O/C						
SN:5203GJ	HRS	3848							
WC#: 32.210	AFL	1462							
PROC. REF: AMM 32-40-12									
<b>324032</b>		<b>RIGHT OUTBOARD MAIN WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AHA1814	MOS/MSC	30-Nov-23	O/C	TSO 10					
SN:5120GP	HRS	3824.5		TSO 78.2					
WC#: 32.215	AFL	1449		TSO 36					
PROC. REF: AMM 32-40-12									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324033</b>		<b>LEFT INBOARD MAIN WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AHA1814	MOS/MSC	20-Dec-23	O/C						
SN: 5058ET	HRS	3848							
WC#: 32.220	AFL	1462							
PROC. REF: AMM 32-40-12									
<b>324034</b>		<b>RIGHT INBOARD MAIN WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AHA1814	MOS/MSC	30-Nov-23	O/C	TSO 17					
SN: ZC055	HRS	3824.5		TSO 312.9					
WC#: 32.225	AFL	1449		TSO 161					
Special Properties: TRACKED ITEM PROC. REF: AMM 32-40-12									
<b>324055</b>		<b>LEFT OUTBOARD MAIN TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN: DR14628T	MOS/MSC	20-Dec-23	T/C	TSN 0					
SN: 23066196	HRS	3848		TSN 0					
WC#: 32.210	AFL	1462		TSN 0					
PROC. REF: AMM 32-40-41									
<b>324056</b>		<b>RIGHT OUTBOARD MAIN TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN: 237K23-2	MOS/MSC	20-Jul-23	T/C	TSN 7					
SN: 23350560	HRS	3746.3		TSN 0					
WC#: 32.215	AFL	1413		TSN 0					
PROC. REF: AMM 32-40-41									
<b>324057</b>		<b>LEFT INBOARD MAIN TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN: DR14628T	MOS/MSC	20-Dec-23	T/C	TSN 0					
SN: 23066195	HRS	3848		TSN 0					
WC#: 32.220	AFL	1462		TSN 0					
PROC. REF: AMM 32-40-41									
<b>324058</b>		<b>RIGHT INBOARD MAIN TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN: 237K23-2	MOS/MSC	20-Jul-23	T/C	TSN 0					
SN: 23270561	HRS	3746.3		TSN 0					
WC#: 32.225	AFL	1413		TSN 0					
Special Properties: TRACKED ITEM PROC. REF: AMM 32-40-41									
<b>324065</b>		<b>RIGHT WHEEL WELL FILTER</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AIR48538	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: BF08-0182	HRS	0		TSN 0					
WC#: 32.230	AFL	0		TSN 0					
PROC. REF: AMM 32-30-22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324066</b>		<b>LEFT FRAME 14A FILTER</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AIR48538	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: BF080696	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
PROC. REF: AMM 32-30-22									
<b>324067</b>		<b>RIGHT FRAME 14A FILTER</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AIR48538	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: BF080695	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
PROC. REF: AMM 32-30-22									
<b>324068</b>		<b>FRAME 15 FILTER</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AIR48538	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: BF0810718	HRS	0		TSN 0					
WC#: 32.235	AFL	0		TSN 0					
PROC. REF: AMM 32-30-22									
<b>324069</b>		<b>NOSE WHEEL STEERING FILTER</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AIR45412-0-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN: BF090034	HRS	0		TSN 0					
WC#: 32.240	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324077</b>		<b>PORT SHUTTLE VALVES</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AH081963	MOS/MSC	16-Mar-10	O/C						
SN: 5015HK	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>324078</b>		<b>STARBOARD SHUTTLE VALVES</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AH081963	MOS/MSC	16-Mar-10	O/C						
SN: 5078HR	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>324079</b>		<b>PORT SHUTTLE VALVES</b>					<b>Component</b>	<b>ATA:32</b>	
PN: AHO81964	MOS/MSC	16-Mar-10	O/C						
SN: 50108DW	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324080</b>		<b>STARBOARD SHUTTLE VALVES</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AHO81964	MOS/MSC	16-Mar-10	O/C						
SN:5091HT	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>324115</b>		<b>BRAKE CONTROL VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AC67732	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:15HB	HRS	0		TSN 0					
WC#: 32.245	AFL	0		TSN 0					
PROC. REF: AMM 32-40-71									
<b>324121</b>		<b>BRAKE CONTROL VALVE LEFT OUTER KNIFE EDGE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.245	AFL	0	4500	TSN 0	4500		3034		
PROC. REF: AMM 32-40-71									
<b>324122</b>		<b>BRAKE CONTROL VALVE RIGHT OUTER KNIFE EDGE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.245	AFL	0	4500	TSN 0	4500		3034		
PROC. REF: AMM 32-40-71									
<b>324123</b>		<b>BRAKE CONTROL VALVE INNER KNIFE EDGE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.245	AFL	0	4500	TSN 0	4500		3034		
PROC. REF: AMM 32-40-71									
<b>324145</b>		<b>MAIN REDUCING VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AC61518	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:139GW	HRS	0		TSN 0					
WC#: 32.250	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324151</b>		<b>EMERGENCY REDUCING VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:AC69784	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:168HA	HRS	0		TSN 0					
WC#: 32.255	AFL	0		TSN 0					
PROC. REF: AMM 32-40-51									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324157 EMERGENCY REDUCING VALVE LEFT KNIFE EDGE Component ATA:32</b>								
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.255	AFL	0	4500	TSN 0	4500		3034	
<b>324158 EMERGENCY REDUCING VALVE RIGHT KNIFE EDGE Component ATA:32</b>								
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.255	AFL	0	4500	TSN 0	4500		3034	
<b>324169 EMERGENCY BRAKE PRESSURE NONRETURN VALVE Component ATA:32</b>								
PN:AIR45420-0-1	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB090818	HRS	0		TSN 0				
WC#: 32.500	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>324175 LEFT OUTBOARD BRAKE UNIT Component ATA:32</b>								
PN:AHA1897	MOS/MSC	07-Apr-23	O/C	TSO 0				
SN:5028GG	HRS	3710.7		TSO 0				
WC#: 32.265	AFL	1397		TSO 0				
PROC. REF: AMM 32-40-114								
<b>324176 RIGHT OUTBOARD BRAKE UNIT Component ATA:32</b>								
PN:AHA1897	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:5103FJ	HRS	0		TSN 0				
WC#: 32.260	AFL	0		TSN 0				
PROC. REF: AMM 32-40-114								
<b>324177 LEFT INBOARD BRAKE UNIT Component ATA:32</b>								
PN:AHA1897	MOS/MSC	07-Apr-23	O/C	TSO 0				
SN:5031GG	HRS	3710.7		TSO 0				
WC#: 32.265	AFL	1397		TSO 0				
PROC. REF: AMM 32-40-114								
<b>324178 RIGHT INBOARD BRAKE UNIT Component ATA:32</b>								
PN:AHA1897	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:5155EV	HRS	0		TSN 0				
WC#: 32.260	AFL	0		TSN 0				
PROC. REF: AMM 32-40-114								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324223</b>		<b>LEFT OUTBOARD MAXARET</b>						<b>Component</b>	<b>ATA:32</b>
PN:AC65218	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:25GS	HRS	0		TSN 0					
WC#: 32.270	AFL	0	3000	TSN 0	3000		1534		
PROC. REF: AMM 32-40-101									
<b>324224</b>		<b>RIGHT OUTBOARD MAXARET</b>						<b>Component</b>	<b>ATA:32</b>
PN:AC65216	MOS	30-Sep-13		TSO 0				OVERHAUL	
SN:K14352	HRS	1558.87		TSO 0					
WC#: 32.275	AFL	570	3000	TSO 0	3570		2104		
PROC. REF: AMM 32-40-101									
<b>324225</b>		<b>LEFT INBOARD MAXARET</b>						<b>Component</b>	<b>ATA:32</b>
PN:AC65216	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:69GT	HRS	0		TSN 0					
WC#: 32.270	AFL	0	3000	TSN 0	3000		1534		
PROC. REF: AMM 32-40-101									
<b>324226</b>		<b>RIGHT INBOARD MAXARET</b>						<b>Component</b>	<b>ATA:32</b>
PN:AC65218	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:171GW	HRS	0		TSN 0					
WC#: 32.275	AFL	0	3000	TSN 0	3000		1534		
PROC. REF: AMM 32-40-101									
<b>324260</b>		<b>LEFT MAIN LANDING GEAR DOOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD505-235A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40460003	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
PROC. REF: AMM 32-10-41									
<b>324261</b>		<b>RIGHT MAIN LANDING GEAR DOOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD505-236A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40424209	HRS	0		TSN 0					
WC#: 32.280	AFL	0		TSN 0					
PROC. REF: AMM 32-10-41									
<b>324262</b>		<b>LEFT NOSE GEAR DOOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD501-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40481314	HRS	0		TSN 0					
WC#: 32.285	AFL	0		TSN 0					
PROC. REF: AMM 32-20-42									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324263</b>		<b>RIGHT NOSE GEAR DOOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD501-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40415353	HRS	0		TSN 0					
WC#: 32.285	AFL	0		TSN 0					
PROC. REF: AMM 32-20-42									
<b>324264</b>		<b>NOSE GEAR DOOR (LEG FAIRING) ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD503-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40453466	HRS	0		TSN 0					
WC#: 32.290	AFL	0		TSN 0					
PROC. REF: AMM 32-20-42									
<b>324265</b>		<b>LEFT MAIN LANDING GEAR FAIRING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD507-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40479473	HRS	0		TSN 0					
WC#: 32.295	AFL	0		TSN 0					
PROC. REF: AMM 32-10-32									
<b>324266</b>		<b>RIGHT MAIN LANDING GEAR FAIRING</b>						<b>Component</b>	<b>ATA:32</b>
PN:25-8UD507-2A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40451477	HRS	0		TSN 0					
WC#: 32.295	AFL	0		TSN 0					
PROC. REF: AMM 32-10-32									
<b>324267</b>		<b>VENTRAL FAIRING ASSEMBLY</b>						<b>Component</b>	<b>ATA:32</b>
PN:259W03059-1A	MOS/MSC	16-Mar-10	O/C						
SN:CAVPO9J004	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>324271</b>		<b>LEFT BRAKE MODULATOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:ACM22740EX	MOS/MSC	20-Jun-22	O/C	TSN 0					
SN:110HA	HRS	3511.6		TSN 0					
WC#: 32.300	AFL	1288		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324272</b>		<b>RIGHT BRAKE MODULATOR</b>						<b>Component</b>	<b>ATA:32</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324301</b>		<b>PILOT LEFT BRAKE MASTER CYLINDER</b>						<b>Component</b>	<b>ATA:32</b>
PN:ACM30946	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:100GW	HRS	0		TSN 0					
WC#: 32.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324302</b>		<b>PILOT RIGHT BRAKE MASTER CYLINDER</b>						<b>Component</b>	<b>ATA:32</b>
PN:ACM30946	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:112GW	HRS	0		TSN 0					
WC#: 32.310	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324303</b>		<b>COPILOT LEFT BRAKE MASTER CYLINDER</b>						<b>Component</b>	<b>ATA:32</b>
PN:ACM30946	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:85GW	HRS	0		TSN 0					
WC#: 32.315	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324304</b>		<b>COPILOT RIGHT BRAKE MASTER CYLINDER</b>						<b>Component</b>	<b>ATA:32</b>
PN:ACM30946	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:107GW	HRS	0		TSN 0					
WC#: 32.315	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324325</b>		<b>LEFT EMERGENCY BRAKE PRESSURE WARNING SWITCH</b>						<b>Component</b>	<b>ATA:32</b>
PN:TP42000	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:3717	HRS	0	5000	TSN 0	5000		1139.4		
WC#: 32.320	AFL	0		TSN 0					
<b>324326</b>		<b>RIGHT EMERGENCY BRAKE PRESSURE WARNING SWITCH</b>						<b>Component</b>	<b>ATA:32</b>
PN:TP42000	MOS	16-Mar-10		TSN 0				OVERHAUL	
SN:3716	HRS	0	5000	TSN 0	5000		1139.4		
WC#: 32.320	AFL	0		TSN 0					
<b>324337</b>		<b>FORWARD HIGH PRESSURE TRANSDUCER</b>						<b>Component</b>	<b>ATA:32</b>
PN:695-4-21	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7470-2-201	HRS	0		TSN 0					
WC#: 32.325	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
324338	AFT HIGH PRESSURE TRANSDUCER							Component	ATA:32
PN:695-4-21	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:7536-2-266	HRS	0		TSN 0					
WC#: 32.325	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
325001	STEERING JACK							Component	ATA:32
PN:AIR45396-7EX	MOS/MSC	25-Jan-23	O/C	TSN 0					
SN:LK1200847	HRS	3658.7		TSN 0					
WC#: 32.330	AFL	1373		TSN 0					
PROC. REF: AMM 32-50-11									
325003	NOSE LANDING GEAR CONNECTING ROD							Component	ATA:32
PN:25-8UN433-1A	MOS	20-Jun-22						LIFE LIMIT	
SN:EPI-0320	HRS	3511.6							
WC#: 32.335	AFL	1288	20000	TSN 2288	19000		17534		
325007	STEERING JACK EYE END							Component	ATA:32
PN:PN	MOS	16-Mar-10		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.340	AFL	0	14400	TSN 0	14400		12934		
325008	PORT WING TO FUSELAGE FAIRING							Component	ATA:32
PN:25-6FC601A	MOS/MSC	16-Mar-10	O/C						
SN:CAVPO9C046	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
325009	WING TO FUSELAGE FAIRING							Component	ATA:32
PN:25FC5808A	MOS/MSC	16-Mar-10	O/C						
SN:CAVPO9G022	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
325010	UNDERCARRIAGE FAIRING							Component	ATA:32
PN:25-8FC307-155A	MOS/MSC	16-Mar-10	O/C						
SN:DHB995	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>325011 NOSE LANDING GEAR TORQUE LINK PICK UP SLEEVE Component ATA:32</b>								
PN:25-8UN455-9	MOS	20-Jun-22						LIFE LIMIT
SN:EPI-0391	HRS	3511.6						
WC#: 32.335	AFL	1288	20000	TSN 2288	19000		17534	
<b>325012 FAIRING SUB ASSEMBLY Component ATA:32</b>								
PN:25-8FC3603-605A	MOS/MSC	16-Mar-10	O/C					
SN:11060901	HRS	0						
	AFL	0						
PROC. REF: GENERIC NO REF								
<b>325015 NOSE LANDING GEAR STEERING PIN Component ATA:32</b>								
PN:25UN605	MOS	20-Jun-22						LIFE LIMIT
SN:WO-81086/15	HRS	3511.6						
WC#: 32.345	AFL	1288	25000	TSN 2288	24000		22534	
<b>325021 NOSE LANDING GEAR MAIN CASING BOLT Component ATA:32</b>								
PN:25UN603	MOS	20-Jun-22						LIFE LIMIT
SN:A061760	HRS	3511.6						
WC#: 32.345	AFL	1288	33000	TSN 0	34288		32822	
<b>325025 NOSE WHEEL STEERING ON/OFF VALVE Component ATA:32</b>								
PN:AIR45408-0	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB091293	HRS	0		TSN 0				
WC#: 32.350	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>325031 NOSE WHEEL ANTI-SHIMMING VALVE Component ATA:32</b>								
PN:AIR48284-2	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:APB090961	HRS	0		TSN 0				
WC#: 32.355	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>325041 NOSE LANDING GEAR UPPER STEERING MAIN MEMBER Component ATA:32</b>								
PN:25-8UN431-1A	MOS	20-Jun-22						LIFE LIMIT
SN:WO-81026/12	HRS	3511.6						
WC#: 32.360	AFL	1288	35000	TSN 2288	34000		32534	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
325042	NOSE LANDING GEAR LOWER STEERING MAIN MEMBER							Component	ATA:32
PN:25-8UN431-2A	MOS		20-Jun-22					LIFE LIMIT	
SN:WO-81060/15	HRS		3511.6						
WC#: 32.360	AFL	1288	35000	TSN 2288	34000		32534		
325051	NOSE LANDING GEAR STEERING JACK PICK-UP							Component	ATA:32
PN:25-8UN263-1A	MOS		20-Jun-22					LIFE LIMIT	
SN:EPI-0415	HRS		3511.6						
WC#: 32.365	AFL	1288	18000	TSN 2288	17000		15534		
325058	NOSE LANDING GEAR STEERING SLEEVE							Component	ATA:32
PN:25-8UN439-1A	MOS		20-Jun-22					LIFE LIMIT	
SN:WAL52369	HRS		3511.6						
WC#: 32.365	AFL	1288	20000	TSN 0	21288		19822		
<b>ATA 33 - LIGHTS</b>									
330003 <sup>S</sup>	CLEAN/TEST/REPLACE ANTI-COLLISION LIGHT SYSTEM							Service	ATA:33
	MOS		03-Aug-21						
	HRS		3405		800 (+40/-10)				
WC#: 33.080	AFL	1243							
PKG:7,91									
330007	MAIN CG ILLUMINATED LABEL							Component	ATA:33
PN:PN	MOS/MSC		16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 33.015	AFL		0		TSN 0				
PROC. REF: GENERIC NO REF									
330008	FORWARD CG ILLUMINATED LABEL							Component	ATA:33
PN:PN	MOS/MSC		16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 33.015	AFL		0		TSN 0				
PROC. REF: GENERIC NO REF									
334001	TOP ANTI COLLISION BEACON							Component	ATA:33
PN:PN	MOS/MSC		16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS		0		TSN 0				
WC#: 33.020	AFL		0		TSN 0				
PROC. REF: AMM 33-40-42									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>334002</b>		<b>BOTTOM ANTI COLLISION BEACON</b>							<b>Component ATA:33</b>
PN:01-0790044-54	MOS/MSC	19-Sep-23	O/C	TSN 0					
SN:14114840001	HRS	3798.8		TSN 0					
WC#: 33.020	AFL	1434		TSN 0					
Special Properties: TRACKED ITEM				PROC. REF: AMM 33-40-42					
<b>334013</b>		<b>LEFT WING STROBE LIGHT</b>							<b>Component ATA:33</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.025	AFL	0		TSN 0					
				PROC. REF: AMM 33-40-12					
<b>334014</b>		<b>RIGHT WING STROBE LIGHT</b>							<b>Component ATA:33</b>
PN:01-0770935-01	MOS/MSC	20-Jun-22	O/C	TSN 0					
SN:N/A	HRS	3511.6		TSN 0					
WC#: 33.025	AFL	1288		TSN 0					
				PROC. REF: AMM 33-40-12					
<b>334016</b>		<b>TEST LEFT WING STROBE LIGHT INTENSITY</b>							<b>Service ATA:33</b>
PN:PN	MOS	20-Jun-22							
SN:UNKNOWN	HRS	3511.6	400 (+50/-50)		3911.6	3961.6	51 (+50)		
WC#: 33.025	AFL	1288							
<b>334017</b>		<b>TEST RIGHT WING STROBE LIGHT INTENSITY</b>							<b>Service ATA:33</b>
PN:01-0770935-01	MOS	20-Jun-22							
SN:N/A	HRS	3511.6	400 (+50/-50)		3911.6	3961.6	51 (+50)		
WC#: 33.025	AFL	1288							
<b>334021</b>		<b>NO. 1 POWER CONVERTER</b>							<b>Component ATA:33</b>
PN:LT-55	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3061	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					
<b>334022</b>		<b>NO. 2 POWER CONVERTER</b>							<b>Component ATA:33</b>
PN:LT-55	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3054	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 33 - LIGHTS</b>								
<b>334044 TAIL STROBE LIGHT</b> <span style="float:right">Component ATA:33</span>								
PN:31-1840-1	MOS/MSC	20-Jun-22	O/C	TSN 0				
SN:N/A	HRS	3511.6		TSN 0				
WC#: 33.040	AFL	1288		TSN 0				
Special Properties: TRACKED ITEM			PROC. REF: AMM 33-40-12					
<b>334047 TEST TAIL STROBE LIGHT INTENSITY</b> <span style="float:right">Service ATA:33</span>								
PN:31-1840-1	MOS	20-Jun-22						
SN:N/A	HRS	3511.6	400 (+50/-50)		3911.6	3961.6	51 (+50)	
WC#: 33.040	AFL	1288						
<b>334061 STROBE LIGHTS POWER SUPPLY</b> <span style="float:right">Component ATA:33</span>								
PN:701571	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:1520402	HRS	0		TSN 0				
WC#: 33.045	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>334525<sup>U</sup> CREW CABINET EXIT LIGHT</b> <span style="float:right">Component ATA:33</span>								
PN:RAY-ELES-101	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>334526<sup>U</sup> HEADLINER EXIT LIGHT</b> <span style="float:right">Component ATA:33</span>								
PN:RAY-ELES-101	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>334527<sup>U</sup> HATCH EXIT COVER</b> <span style="float:right">Component ATA:33</span>								
PN:138-533049-0005	MOS/MSC	05-May-10	O/C					
SN:NSN	HRS	4.7						
	AFL	4						
<b>334530<sup>U</sup> LOGO LIGHTS</b> <span style="float:right">Component ATA:33</span>								
PN:140-3030-0001	MOS/MSC	05-May-10	O/C					
SN:275	HRS	4.7						
	AFL	4						
<b>335001 EMERGENCY LIGHTING INERTIA SWITCH</b> <span style="float:right">Component ATA:33</span>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 33.050	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
335005	EMERGENCY LIGHT DEGRADATION							Service	ATA:33
	MOS	04-Apr-19							
	HRS	3175.17	3500		6675.17		2814.6		
	AFL	1157							
335009	FORWARD EMERGENCY LIGHTING POWER SUPPLY							Component	ATA:33
PN:61-0478-9	MOS/MSC	16-Jun-23	O/C						
SN:24404	HRS	3746.1							
WC#: 33.090	AFL	1412							
335011	AFT EMERGENCY LIGHTING POWER SUPPLY							Component	ATA:33
PN:61-0478-9	MOS/MSC	16-Jun-23	O/C						
SN:24425	HRS	3746.1							
WC#: 33.095	AFL	1412							
335025	NO. 1 (AA PNL) DIMMER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:20400	HRS	0		TSN 0					
WC#: 33.055	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
335027	NO. 2 (AA PNL) DIMMER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:20401	HRS	0		TSN 0					
WC#: 33.055	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
335029	NO. 1 (AB PNL) DIMMER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:20199	HRS	0		TSN 0					
WC#: 33.060	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
335031	NO. 2 (AB PNL) DIMMER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:20391	HRS	0		TSN 0					
WC#: 33.060	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
335200	PULSELIGHT CONTROL UNIT							Component	ATA:33
PN:2401	MOS/MSC	05-May-10	O/C	TSN 0					
SN:TR01660	HRS	4.7		TSN 0					
WC#: 33.085	AFL	4		TSN 0					
PROC. REF: MMA 33-40-10, MMA 33-40-15									
336015 <sup>U</sup>	L/H GALLEY SWITCH PANEL							Component	ATA:33
PN:2501-2-176	MOS/MSC	05-May-10	O/C						
SN:3MBCH	HRS	4.7							
	AFL	4							
336020 <sup>U</sup>	ORDINANCE SIGN							Component	ATA:33
PN:1202-009	MOS/MSC	02-Jun-17	O/C						
SN:C1701	HRS	2731.07							
	AFL	986							
336025 <sup>U</sup>	R/H AFT BULKHEAD ORDINANCE SIGN							Component	ATA:33
PN:1202-009	MOS/MSC	05-May-10	O/C						
SN:150376	HRS	4.7							
	AFL	4							
336027	NO. 5 POWER CONVERTER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C						
SN:20472	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
336028	NO. 6 POWER CONVERTER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C						
SN:20473	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
336029	NO. 7 POWER CONVERTER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C						
SN:20303	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
336030	NO. 8 POWER CONVERTER							Component	ATA:33
PN:LT52A	MOS/MSC	16-Mar-10	O/C						
SN:20407	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
336040	ESCAPE HATCH BETALIGHT "EXIT" SIGN							Component	ATA:33
PN:132848-11	MOS	14-May-20	72 (+24m)	Adj 110d	30-Apr-26	30-Apr-28	828 d (+731)	REPLACE	
SN:40655	HRS	3357.57		TSN 0					
	AFL	1222		TSN 0					
Manufacture Date:: 10-Jan-20									
<b>ATA 34 - NAVIGATION</b>									
340002	DRAIN PITOT/STATIC DRAIN TRAPS							Service	ATA:34
	MOS	20-Jun-22	24 (+2m)		20-Jun-24	20-Aug-24	149 d (+61)		
	HRS	3511.6							
WC#: 34.025	AFL	1288							
PROC. REF: AMM 34-11-19									
340003 <sup>S</sup>	INSPECT AUTOPILOT AILERON SERVO UNIT AND MOUNT							Service	ATA:34
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 34.405	AFL	1073							
PKG:22,92									
340004 <sup>S</sup>	INSPECT AUTOPILOT SERVO UNITS, RUDDER AND ELEVATOR							Service	ATA:34
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 34.410	AFL	1073							
PKG:25,92									
340005 <sup>S</sup>	INSPECT AUTOPILOT ELEVATOR TRIM SERVO UNIT AND MOUNT							Service	ATA:34
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 34.415	AFL	1073							
PKG:25,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
340006	PRESSURE/SUCTION TEST PITOT/STATIC AND STALL WARNING SYSTEMS							Service	ATA:34
	MOS	20-Jun-22	24 (+2m)		20-Jun-24	20-Aug-24	149 d (+61)		
	HRS	3511.6							
WC#: 34.015	AFL	1288							
				PROC. REF: AMM 34-11-19					
340007	CHECK PITOT SYSTEM ISOLATION VALVES							Service	ATA:34
	MOS/MSC	13-Apr-12	N/A	Adj -7d					
	HRS	933.58							
WC#: 34.290	AFL	337							
340008 <sup>S</sup>	TEST MACH TRIM SYSTEM							Service	ATA:34
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 34.270	AFL	1073							
				PROC. REF: AMM 22-20-00				PKG:31,93	
340010 <sup>S</sup>	TEST AUTOTRIM COMMAND ISOLATION RELAY AND AUTOTRIM SWITCHING RELAY							Service	ATA:34
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 34.425	AFL	1073							
				PROC. REF: AMM 27-30-00				PKG:31,93	
340011 <sup>S</sup>	CHECK MACH TRIM FAIL ANNUNCIATION RELAYS							Service	ATA:34
	MOS/MSC	06-Jun-18	N/R						
	HRS	2965.25							
WC#: 34.420	AFL	1073							
								PKG:31	
340012	SWING CHECK NO. 1 COMPASS							Service	ATA:34
	MOS	20-Jun-22	36 (+2m)		20-Jun-25	20-Aug-25	514 d (+61)		
	HRS	3511.6							
WC#: 34.095	AFL	1288							
				PROC. REF: AMM 34-20-05					
340012	SWING CHECK NO. 2 COMPASS							Service	ATA:34
	MOS	20-Jun-22	36 (+2m)		20-Jun-25	20-Aug-25	514 d (+61)		
	HRS	3511.6							
WC#: 34.095	AFL	1288							
				PROC. REF: AMM 34-20-05					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
340012	SWING CHECK STANDBY COMPASS							Service	ATA:34
	MOS	20-Jun-22	36 (+2m)		20-Jun-25	20-Aug-25	514 d (+61)		
	HRS	3511.6							
WC#: 34.095	AFL	1288							
PROC. REF: AMM 34-20-05									
340013	COMPLY WITH RVSM REQUIREMENTS FOR THE STATIC PLATES AND AIRFRAME							Service	ATA:34
	MOS/MSC	29-Apr-10	A/R						
	HRS								
WC#: 34.020	AFL								
341001	LEFT PITOT PRESSURE HEAD							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.010	AFL	0		TSN 0					
PROC. REF: AMM 34-11-24									
341002	RIGHT PITOT PRESSURE HEAD							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.010	AFL	0		TSN 0					
PROC. REF: AMM 34-11-24									
341109	LEFT AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.050	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341110	RIGHT AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.055	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341111	NO. 1 AIRSPEED REFERENCE PANEL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.315	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
341112	NO. 2 AIRSPEED REFERENCE PANEL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.315	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
341115	STANDBY AIRSPEED INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.045	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
341163	LEFT SAT/TAS INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.320	AFL	0			TSN 0				
PROC. REF: AMM 34-10-19									
341164	RIGHT SAT/TAS INDICATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.320	AFL	0			TSN 0				
PROC. REF: AMM 34-10-19									
341195	VOICE ADVISORY							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.060	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
341228	NO. 1 AIR DATA COMPUTER							Component	ATA:34
PN:822-1109-015	MOS/MSC	06-Jun-18	O/C		TSO 0				
SN:39LDH	HRS	2965.25			TSO 0				
WC#: 34.065	AFL	1073			TSO 0				
341229	NO. 2 AIR DATA COMPUTER							Component	ATA:34
PN:822-1109-015	MOS/MSC	08-Jun-18	O/C		TSO 0				
SN:39LBY	HRS	2966.07			TSO 0				
WC#: 34.066	AFL	1074			TSO 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
341230	NO. 1 AIR DATA MODULE							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.325	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341231	NO. 2 AIR DATA MODULE							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.325	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341234	SIGNAL INTERFERENCE ADAPTER							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.330	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341235	(ESIS) MAGNETOMETER							Component	ATA:34
PN:19004-00-01	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:M024592	HRS	0		TSN 0					
WC#: 34.485	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
341237	AIR DATA ESIS UNIT							Component	ATA:34
PN:27301-01-01	MOS/MSC	02-Apr-16	O/C	TSN 73					
SN:M024948	HRS	2351.57		TSN 2351.57					
WC#: 34.435	AFL	852		TSN 852					
PROC. REF: AMM NO REF									
341238	TEST AIR DATA ESIS UNIT (FAA 91.411)							Service	ATA:34
PN:27301-01-01	MOS	19-Jun-23	24		19-Jun-25		513 d	MANDATORY	
SN:M024948	HRS								
WC#: 34.435	AFL								
PROC. REF: AMM 31-20-66, FAR FAR PART 91									
341240	TEST NO.1 AIR DATA COMPUTER (FAA 91.411)							Service	ATA:34
PN:822-1109-015	MOS	19-Jun-23	24		19-Jun-25		513 d	MANDATORY	
SN:39LDH	HRS								
WC#: 34.065	AFL								
PROC. REF: AMM 34-10-19, FAR FAR PART 91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341241</b>		<b>TEST NO.2 AIR DATA COMPUTER (FAA 91.411)</b>						<b>Service</b>	<b>ATA:34</b>
PN:822-1109-015	MOS	19-Jun-23	24		19-Jun-25		513 d	MANDATORY	
SN:39LBY	HRS								
WC#: 34.066	AFL								
PROC. REF: AMM 34-10-19, FAR FAR PART 91									
<b>341276</b>		<b>RADIO ALTIMETER UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-0615-206	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3LVDK	HRS	0		TSN 0					
WC#: 34.070	AFL	0		TSN 0					
PROC. REF: AMM 34-40-05, AMM 34-40-05									
<b>341279</b>		<b>LEFT RADIO ALTIMETER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:S67-2002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:54349998	HRS	0		TSN 0					
WC#: 34.075	AFL	0		TSN 0					
PROC. REF: AMM 34-40-05, AMM 34-40-05									
<b>341281</b>		<b>RIGHT RADIO ALTIMETER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:S67-2002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:54349791	HRS	0		TSN 0					
WC#: 34.080	AFL	0		TSN 0					
PROC. REF: AMM 34-40-05, AMM 34-40-05									
<b>342013</b>		<b>EMERGENCY GYRO HORIZON INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.090	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342014</b>		<b>SECONDARY FLIGHT DISPLAY</b>						<b>Component</b>	<b>ATA:34</b>
PN:39213-00-01	MOS/MSC	30-May-23	O/C	TSO 1					
SN:M011328	HRS	3715.2		TSO 0					
WC#: 34.490	AFL	1400		TSO 0					
PROC. REF: AMM NO REF									
<b>342097</b>		<b>STANDBY COMPASS (E2B) INDICATOR</b>						<b>Component</b>	<b>ATA:34</b>
PN:KCA0104W	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:BB9341008	HRS	0		TSN 0					
WC#: 34.106	AFL	0		TSN 0					
PROC. REF: AMM 34-09-112, AMM 34-09-112									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342141	NO. 1 VLF/OMEGA SENSOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.105	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342142	NO. 2 VLF/OMEGA SENSOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.105	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342143	H FIELD (TOP) ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342144	H FIELD ( BOTTOM) ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.110	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342145	NO. 1 DATA LOADER							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.115	AFL	0		TSN 0					
PROC. REF: AMM 34-60-20									
342220	NO. 1 FLIGHT MANAGEMENT COMPUTER							Component	ATA:34
PN:822-0868-111	MOS/MSC	10-Feb-20	O/C	TSO 0					
SN:28GJP	HRS	3334.37		TSO 0					
WC#: 34.350	AFL	1214		TSO 0					
PROC. REF: AMM 34-60-10									
342221	NO. 2 FLIGHT MANAGEMENT COMPUTER							Component	ATA:34
PN:822-0868-111	MOS/MSC	10-Feb-20	O/C	TSO 0					
SN:33DDP	HRS	3334.37		TSO 0					
WC#: 34.350	AFL	1214		TSO 0					
PROC. REF: AMM 34-60-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342240	REMOTE TUNING UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.340	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342253	NO. 1 COMPASS FLUX VALVE							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									
342254	NO. 2 COMPASS FLUX VALVE							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.120	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									
342265	NO. 1 AHRS COMPUTER							Component	ATA:34
PN:822-1110-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3PF9M	HRS	0		TSN 0					
WC#: 34.125	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									
342266	NO. 2 AHRS COMPUTER							Component	ATA:34
PN:822-1110-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3PFDR	HRS	0		TSN 0					
WC#: 34.125	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									
342289	NO. 1 AHRS CONTROLLER							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									
342290	NO. 2 AHRS CONTROLLER							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
PROC. REF: AMM 34-20-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342501	NO. 1 MULTIFUNCTION DISPLAY							Component	ATA:34
PN:822-1753-310	MOS/MSC	01-Sep-23	O/C						
SN:3HG2G	HRS	3779							
WC#: 34.130	AFL	1427							
PROC. REF: AMM 34-60-35, AMM 34-60-35									
342502	NO. 2 MULTIFUNCTION DISPLAY							Component	ATA:34
PN:822-1753-310	MOS/MSC	01-Sep-23	O/C	TSO 1					
SN:33T1D	HRS	3779		TSO 19.2					
WC#: 34.135	AFL	1427		TSO 9					
PROC. REF: AMM 34-60-35, AMM 34-60-35									
342513	NO. 1 PRIMARY FLIGHT DISPLAY							Component	ATA:34
PN:822-1084-310	MOS/MSC	05-Apr-12	O/C	TSN 25					
SN:3HFPX	HRS	933.58		TSN 933.58					
WC#: 34.130	AFL	337		TSN 337					
PROC. REF: AMM 34-60-35, AMM 34-60-35									
342514	NO. 2 PRIMARY FLIGHT DISPLAY							Component	ATA:34
PN:822-1084-310	MOS/MSC	13-Apr-12	O/C	TSN 25					
SN:3HFXP	HRS	933.58		TSN 933.35					
WC#: 34.135	AFL	337		TSN 337					
PROC. REF: AMM 34-60-35, AMM 34-60-35									
342515	EFIS MULTIFUNCTION ELECTRONIC DISPLAY							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.140	AFL	0		TSN 0					
342516	NO. 1 REMOTE INSTRUMENT CONTROL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.145	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342517	NO. 2 REMOTE INSTRUMENT CONTROL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.145	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342523	MULTIFUNCTION PROCESS UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.335	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342525	NO. 1 EFIS DISPLAY PROCESSOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.335	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342526	NO. 2 EFIS DISPLAY PROCESSOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.335	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342527	NO. 1 EFIS SYMBOL GENERATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.150	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342528	NO. 2 EFIS SYMBOL GENERATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.150	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342530	MULTIFUNCTION SYMBOL GENERATOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.150	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342537	NO. 1 DISPLAY CONTROL PANEL							Component	ATA:34
PN:822-2117-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3HLYR	HRS	0			TSN 0				
WC#: 34.155	AFL	0			TSN 0				
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342538</b>		<b>NO. 2 DISPLAY CONTROL PANEL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-2117-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3HMOT	HRS	0		TSN 0					
WC#: 34.155	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342539</b>		<b>MULTI FUNCTION EFIS CONTROL</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.160	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342540</b>		<b>FLIGHT GUIDANCE PANEL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1107-102	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3HM3L	HRS	0		TSN 0					
WC#: 34.440	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342541</b>		<b>NO. 1 CONSOLE CONTROL DISPLAY UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1485-070	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3RJGW	HRS	0		TSN 0					
WC#: 34.445	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342542</b>		<b>NO. 2 CONSOLE CONTROL DISPLAY UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1485-070	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3RJGX	HRS	0		TSN 0					
WC#: 34.450	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342543</b>		<b>PILOT OPTIONAL CONTROL MODULE</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1484-252	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J55W	HRS	0		TSN 0					
WC#: 34.495	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>342544</b>		<b>COPILOT OPTIONAL CONTROL MODULE</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1484-252	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J55X	HRS	0		TSN 0					
WC#: 34.495	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342545	NO. 1 FLUX DETECTOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342547	NO. 2 FLUX DETECTOR							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.500	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342550	IAPS ENVIROMENTAL CONTROLLER							Component	ATA:34
PN:822-1167-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J4PB	HRS	0		TSN 0					
WC#: 34.505	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342561	TCAS COMPUTER							Component	ATA:34
PN:822-1294-032	MOS/MSC	27-Nov-20	O/C	TSO 0					
SN:149438	HRS	3365.83		TSO 0					
WC#: 34.175	AFL	1227		TSO 0					
PROC. REF: AMM 34-50-35, AMM 34-50-35									
342562	TCAS (TOP) ANTENNA							Component	ATA:34
PN:622-8973-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3DVRN	HRS	0		TSN 0					
WC#: 34.180	AFL	0		TSN 0					
PROC. REF: AMM 34-50-35, AMM 34-50-35									
342563	TCAS (BOTTOM) ANTENNA							Component	ATA:34
PN:622-8973-001	MOS/MSC	31-Dec-19	O/C	TSN 0					
SN:4G30R7	HRS	3327.28		TSN 0					
WC#: 34.180	AFL	1211		TSN 0					
PROC. REF: AMM 34-50-35, AMM 34-50-35									
342601	NO. 1 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.185	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342602	NO. 2 INTEGRATED NAVIGATION (RNZ-850/-851) UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.185	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
342624	NO. 1 ADF ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.190	AFL	0			TSN 0				
PROC. REF: AMM 34-50-20									
342625	NO. 2 ADF ANTENNA							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.190	AFL	0			TSN 0				
PROC. REF: AMM 34-50-20									
342640	EGPWS COMPUTER							Component	ATA:34
PN:9000000-86008	MOS/MSC	20-Jul-23	O/C		TSO 6				
SN:TWE00689	HRS	3746.3			TSO 0				
WC#: 34.455	AFL	1413			TSO 0				
PROC. REF: AMM 34-40-35									
342701	NO. 1 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:822-1483-010	MOS/MSC	17-Jul-14	O/C						
SN:3PL3V	HRS	1940.5			TSN 1940.5				
WC#: 34.515	AFL	703			TSN 730				
PROC. REF: AMM NO REF									
342703	NO. 2 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:822-1483-010	MOS/MSC	17-Jul-14	O/C						
SN:3PL3T	HRS	1940.5			TSN 1940.5				
WC#: 34.515	AFL	703			TSN 730				
PROC. REF: AMM NO REF									
342705	NO. 3 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.520	AFL	0			TSN 0				
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
342707	NO. 4 DATA CONCENTRATOR UNIT							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.520	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342709	DA PANEL ASSEMBLY							Component	ATA:34
PN:140M360051-6203	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:4043699	HRS	0		TSN 0					
WC#: 34.525	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342801	NO. 1 INPUT / OUTPUT CONCENTRATOR MODULE							Component	ATA:34
PN:822-1361-106	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J2WR	HRS	0		TSN 0					
WC#: 34.530	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342802	NO. 2 INPUT / OUTPUT CONCENTRATOR MODULE							Component	ATA:34
PN:822-1361-106	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J35T	HRS	0		TSN 0					
WC#: 34.530	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342805	NO. 1 IAPS POWER SUPPLY							Component	ATA:34
PN:822-1137-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J42L	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342806	NO. 2 IAPS POWER SUPPLY							Component	ATA:34
PN:822-1137-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3J4CP	HRS	0		TSN 0					
WC#: 34.535	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
342809	AURAL WARNING GENERATOR							Component	ATA:34
PN:630-003	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:1872	HRS	0		TSN 0					
WC#: 34.540	AFL	0		TSN 0					
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>342810</b>		<b>NO. 1 CURSOR CONTROL PANEL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1746-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3HM7N	HRS	0			TSN 0				
WC#: 34.545	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>342811</b>		<b>NO. 2 CURSOR CONTROL PANEL</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1746-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3HM7P	HRS	0			TSN 0				
WC#: 34.545	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>342812</b>		<b>NO. 1 FILE SERVER UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1543-101	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3LLKX	HRS	0			TSN 0				
WC#: 34.550	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>342813</b>		<b>NO. 2 FILE SERVER UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.550	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>342815</b>		<b>FSU (MMT-5000) MOUNT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-1811-003	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3H3MB	HRS	0			TSN 0				
WC#: 34.600	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>343001</b>		<b>GLIDE SLOPE AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:17-21F6	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:7850	HRS	0			TSN 0				
WC#: 34.195	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
<b>343013</b>		<b>MARKER AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:17-5C	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:7736	HRS	0			TSN 0				
WC#: 34.200	AFL	0			TSN 0				
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
344001	NO. 1 WEATHER RADAR CONTROL PANEL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.205	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
344002	NO. 2 WEATHER RADAR CONTROL PANEL							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.205	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
344005	WEATHER RADAR TRANSCEIVER							Component	ATA:34
PN:622-8441-004	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3PR8P	HRS	0			TSN 0				
WC#: 34.210	AFL	0			TSN 0				
PROC. REF: AMM NO REF 1									
344016	RADAR CHECKLIST MODULE							Component	ATA:34
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 34.215	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
344036	ISOLATION VALVE							Component	ATA:34
PN:25MC2175	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:35080159	HRS	0			TSN 0				
WC#: 34.220	AFL	0			TSN 0				
PROC. REF: AMM 34-11-52									
345001	NO. 1 VHF NAVIGATION RECEIVER							Component	ATA:34
PN:822-1465-101	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3B3KV	HRS	0			TSN 0				
WC#: 34.300	AFL	0			TSN 0				
PROC. REF: AMM 34-32-30, AMM 34-32-30, AMM 34-32-30									
345002	NO. 2 VHF NAVIGATION RECEIVER							Component	ATA:34
PN:822-1465-101	MOS/MSC	05-May-10	O/C						
SN:3B2BT	HRS	4.7							
WC#: 34.300	AFL	4							
PROC. REF: AMM 34-32-30, AMM 34-32-30, AMM 34-32-30									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345003</b>		<b>DATA BASE UNIT</b>					<b>Component</b>		<b>ATA:34</b>
PN:822-2215-202	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3R2NL	HRS	0		TSN 0					
WC#: 34.503	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345008</b>		<b>SENSOR UNIT DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345009</b>		<b>SENSOR DRIVER DISPLAY</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345015</b>		<b>ILS CONVERTER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.300	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345019</b>		<b>NO. 1 ADF RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-50-20									
<b>345020</b>		<b>NO. 2 ADF RECEIVER</b>					<b>Component</b>		<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.310	AFL	0		TSN 0					
PROC. REF: AMM 34-50-20									
<b>345037</b>		<b>LEFT VOR/LOC AERIAL</b>					<b>Component</b>		<b>ATA:34</b>
PN:S65-247-12	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:9025	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: AMM 34-32-35									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345038</b>		<b>RIGHT VOR/LOC AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:S65-247-12	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:9024	HRS	0		TSN 0					
WC#: 34.230	AFL	0		TSN 0					
PROC. REF: AMM 34-32-35									
<b>345049</b>		<b>NO. 1 ADF LOOP ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:622-7384-001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2RBBN	HRS	0		TSN 0					
WC#: 34.235	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345097</b>		<b>PHASING COUPLER</b>						<b>Component</b>	<b>ATA:34</b>
PN:SSPD-113-10	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5986	HRS	0		TSN 0					
WC#: 34.240	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345098</b>		<b>COUPLER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:SSPD113-13	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:1249	HRS	0		TSN 0					
WC#: 34.245	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345109</b>		<b>NO. 1 DME AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:10A1P3	MOS/MSC	13-Apr-17	O/C						
SN:50040	HRS	2678.38							
WC#: 34.250	AFL	965							
PROC. REF: AMM 34-50-05, AMM 34-50-05									
<b>345110</b>		<b>NO. 2 DME AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:S65-5366-10L	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:10096	HRS	0		TSN 0					
WC#: 34.250	AFL	0		TSN 0					
PROC. REF: AMM 34-50-05, AMM 34-50-05									
<b>345133</b>		<b>NO. 1 ATC TRANSPONDER AERIAL</b>						<b>Component</b>	<b>ATA:34</b>
PN:S65-5366-10L	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:9804	HRS	0		TSN 0					
WC#: 34.255	AFL	0		TSN 0					
PROC. REF: AMM 34-50-25									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345134	NO. 2 ATC TRANSPONDER AERIAL							Component	ATA:34
PN:S65-5366-10L	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:9822	HRS	0			TSN 0				
WC#: 34.255	AFL	0			TSN 0				
PROC. REF: AMM 34-50-25									
345135	FORWARD TRANSPONDER ANTENNA							Component	ATA:34
PN:S65-5366-10L	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:9790	HRS	0			TSN 0				
WC#: 34.460	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345136	AFT TRANSPONDER ANTENNA							Component	ATA:34
PN:S65-5366-10L	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:9798	HRS	0			TSN 0				
WC#: 34.465	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345205	NO. 1 DME TRANSCEIVER							Component	ATA:34
PN:822-1466-001	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3VCJX	HRS	0			TSN 0				
WC#: 34.305	AFL	0			TSN 0				
PROC. REF: AMM 34-50-05, AMM 34-50-05									
345206	NO. 2 DME TRANSCEIVER							Component	ATA:34
PN:822-1466-001	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3VCKH	HRS	0			TSN 0				
WC#: 34.305	AFL	0			TSN 0				
PROC. REF: AMM 34-50-05, AMM 34-50-05									
345217	NO. 1 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	19-Jun-23	O/C						
SN:3LT1W	HRS	3746.1							
WC#: 34.260	AFL	1412							
PROC. REF: AMM 34-50-25									
345218	NO. 2 ATC TRANSPONDER							Component	ATA:34
PN:622-9210-501	MOS/MSC	19-Jun-23	O/C						
SN:3LT1K	HRS	3746.1							
WC#: 34.260	AFL	1412							
PROC. REF: AMM 34-50-25									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345229</b>		<b>SYSTEM TEST NO.1 ATC TRANSPONDER (FAA 91.413)</b>						<b>Service</b>	<b>ATA:34</b>
PN:622-9210-501	MOS	19-Jun-23	24		19-Jun-25		513 d	MANDATORY	
SN:3LT1W	HRS								
WC#: 34.260	AFL								
PROC. REF: AMM 34-50-25, FAR FAR PART 91									
<b>345230</b>		<b>SYSTEM TEST NO.2 ATC TRANSPONDER (FAA 91.413)</b>						<b>Service</b>	<b>ATA:34</b>
PN:622-9210-501	MOS	19-Jun-23	24		19-Jun-25		513 d	MANDATORY	
SN:3LT1K	HRS								
WC#: 34.260	AFL								
PROC. REF: AMM 34-50-25, FAR FAR PART 91									
<b>345305</b>		<b>MACH TRIM COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.270	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345309</b>		<b>AFIS DMU</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.470	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345310</b>		<b>AFIS CONFIGURATION MODULE</b>						<b>Component</b>	<b>ATA:34</b>
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 34.475	AFL	0		TSN 0					
PROC. REF: AMM NO REF									
<b>345404</b>		<b>NO. 1 GPS SENSOR UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-2189-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3LNWD	HRS	0		TSN 0					
WC#: 34.275	AFL	0		TSN 0					
PROC. REF: AMM 34-50-45, AMM 34-50-45									
<b>345405</b>		<b>NO. 2 GPS SENSOR UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:822-2189-002	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:3LNWY	HRS	0		TSN 0					
WC#: 34.275	AFL	0		TSN 0					
PROC. REF: AMM 34-50-45, AMM 34-50-45									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
345406	NO. 1 GPS ANTENNA							Component	ATA:34
PN:C1429-200	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:307625	HRS	0			TSN 0				
WC#: 34.280	AFL	0			TSN 0				
PROC. REF: AMM 34-50-45, AMM 34-50-45									
345407	NO. 2 GPS ANTENNA							Component	ATA:34
PN:C1429-410	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:307967	HRS	0			TSN 0				
WC#: 34.280	AFL	0			TSN 0				
PROC. REF: AMM 34-50-45, AMM 34-50-45									
345413	NO. 1 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3J4LT	HRS	0			TSN 0				
WC#: 34.285	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345414	NO. 2 CONFIGURATION STRAPPING UNIT							Component	ATA:34
PN:822-1363-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3J4LV	HRS	0			TSN 0				
WC#: 34.285	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345513	NO. 1 (AHRS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3PFVD	HRS	0			TSN 0				
WC#: 34.480	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345514	NO. 2 (AHRS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-002	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3PFVR	HRS	0			TSN 0				
WC#: 34.480	AFL	0			TSN 0				
PROC. REF: AMM NO REF									
345515	NO. 1 (IFIS) EXTERNAL COMPENSATION UNIT							Component	ATA:34
PN:822-1200-998	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:3PFFB	HRS	0			TSN 0				
WC#: 34.555	AFL	0			TSN 0				
PROC. REF: AMM NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
346810	OBSERVERS AMPLIFIER							Component	ATA:34
PN:DB204	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:58076	HRS	0			TSN 0				
WC#: 34.601	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
348001	ACSS TAWS COMPUTER							Component	ATA:34
PN:9000000-86008	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:TWE00465	HRS	0			TSN 0				
WC#: 34.604	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
348002	AP-950 CONFIGURATION MODULE							Component	ATA:34
PN:9000001-10001	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:APE01166	HRS	0			TSN 0				
WC#: 34.605	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
349001 <sup>U</sup>	NAVIGATION DATA BASE UPDATE							Service	ATA:34
	DAYS/MSC	20-Dec-23	DUE		24-Jan-24 (M)		1 d		
	HRS	3848							
	AFL	1462							
349101	PASSENGER SPEAKER AMPLIFIER							Component	ATA:34
PN:MODEL 240	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:56070	HRS	0			TSN 0				
WC#: 34.606	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
349998	ADJUSTMENT/TEST COLLINS AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES )							Service	ATA:34
	MOS/MSC	06-Apr-10	O/C						
	HRS								
WC#: 34.T04	AFL								
PROC. REF: AMM 34-10-19									
349999	ADJUSTMENT/TEST HONEYWELL ADZ-810 AIR DATA SYSTEM (FOR RVSM CAPABLE AIRPLANES)							Service	ATA:34
	MOS/MSC	16-Mar-10	O/C						
	HRS	0							
WC#: 34.T05	AFL	0							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
350001 <sup>S</sup>	CHECK OXYGEN SYSTEM MASTER SUPPLY VALVE							Service	ATA:35
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 35.110	AFL	1243						PKG:10,91	
350002 <sup>S</sup>	FUNCTIONAL TEST AUTOMATIC SHUT-OFF VALVE							Service	ATA:35
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 35.035	AFL	1073						PKG:32,93	
					PROC. REF: AMM 35-10-141				
350004 <sup>S</sup>	TEST/INSPECT PASSENGER OXYGEN SYSTEM							Service	ATA:35
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 35.075	AFL	1412						PKG:44,94	
					PROC. REF: AMM 35-06-00, MMA 35-06-00, MMA 35-20-05				
350005 <sup>S</sup>	CHECK BAROMATIC CONTROL VALVE							Service	ATA:35
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 35.100	AFL	1412						PKG:44,94	
350006 <sup>S</sup>	INSPECT CREW MASKS, SMOKE SET MASK (IF FITTED) AND HOSES							Service	ATA:35
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 35.115	AFL	1412						PKG:46,94	
350007 <sup>S</sup>	INSPECT PORTABLE BREATHING EQUIPMENT							Service	ATA:35
	MOS	23-Jun-23	12 (+1m/-1m)						
	HRS	3746.1							
WC#: 35.120	AFL	1412						PKG:46,94	
350008 <sup>S</sup>	INSPECT OXYGEN CYLINDERS							Service	ATA:35
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 35.105	AFL	1073						PKG:25,92	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351001	MASTER OXYGEN SUPPLY VALVE							Component	ATA:35
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.030	AFL	0		TSN 0					
PROC. REF: AMM 35-10-62									
351013	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: AMM 35-10-32									
351014	ALTERNATIVE OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:18430901-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:58122	HRS	0		TSN 0					
WC#: 35.040	AFL	0		TSN 0					
PROC. REF: AMM 35-10-33									
351015	OXYGEN CHARGING FILTER ASSEMBLY							Component	ATA:35
PN:WKA27942-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2028	HRS	0		TSN 0					
WC#: 35.215	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
351025	OXYGEN REDUCING VALVE							Component	ATA:35
PN:WKA29720/2	MOS/MSC	29-Dec-22	O/C	TSN 0					
SN:2176	HRS	3646.3		TSN 0					
WC#: 35.045	AFL	1366		TSN 0					
PROC. REF: GENERIC NO REF									
351031	PILOT OXYGEN MASK							Component	ATA:35
PN:MF10-03-02	MOS	22-Feb-21	72	TSO 7	22-Jul-26		911 d	OVERHAUL	
SN:116657	HRS	3396.83		TSO 0					
WC#: 35.050	AFL	1239		TSO 0					
351032	COPILOT OXYGEN MASK							Component	ATA:35
PN:MF10-03-02	MOS	22-Feb-21	72	TSO 7	22-Jul-26		911 d	OVERHAUL	
SN:110383	HRS	3396.83		TSO 0					
WC#: 35.050	AFL	1239		TSO 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351043	LEFT OXYGEN OUTLET VALVE							Component	ATA:35
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
351044	RIGHT OXYGEN OUTLET VALVE							Component	ATA:35
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 35.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
351050	CREW CABINET OXYGEN MASK							Component	ATA:35
PN:174290-41	MOS	13-Apr-17	96	TSN 0	06-Feb-24		14 d		
SN:LOT1623	HRS	2626.8		TSN 0					
WC#: 35.145	AFL	946		TSN 0					
Manufacture Date:: 06-Feb-16 PROC. REF: GENERIC CMM									
351051	NO. 1 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.150	AFL	1157							
PROC. REF: GENERIC CMM									
351052	NO. 2 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.150	AFL	1157							
351053	NO. 3 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.155	AFL	1157							
PROC. REF: GENERIC CMM									
351054	NO. 4 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.155	AFL	1157							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351055	NO. 5 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.160	AFL	1157							
351056	NO. 6 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.160	AFL	1157							
351057	NO. 7 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.170	AFL	1157							
PROC. REF: GENERIC CMM									
351058	NO. 8 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.170	AFL	1157							
351059	NO. 9 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.180	AFL	1157							
351060	NO. 10 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.180	AFL	1157							
351061	NO. 11 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.190	AFL	1157							
PROC. REF: GENERIC CMM									
351062	NO. 12 PASSENGER OXYGEN MASK							Component	ATA:35
PN:PN	MOS/MSC	04-Apr-19	A/R						
SN:UNKNOWN	HRS	3175.17							
WC#: 35.190	AFL	1157							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351074 <sup>U</sup>	INSPECT THERAPEUTIC OXYGEN MASK THERAPEUTIC OXYGEN MASK							Service	ATA:35
PN:174290-41	MOS	23-Jun-23	12		23-Jun-24		152 d		
SN:LOT 1729	HRS	3746.1							
	AFL	1412							
351075 <sup>U</sup>	THERAPEUTIC OXYGEN MASK							Component	ATA:35
PN:174290-41	MOS	23-Jun-23	96	TSN 70	23-Aug-25		578 d		
SN:LOT 1729	HRS	3746.1		TSN 892.28					
	AFL	1412		TSN 381					
351080	NO. 1 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-649-01	MOS/MSC	05-May-10	O/C	TSN 0					
SN:D09010272	HRS	4.7		TSN 0					
WC#: 35.195	AFL	4		TSN 0					
	PROC. REF: GENERIC NO REF								
351081	NO. 2 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C	TSN 0					
SN:D09010285	HRS	4.7		TSN 0					
WC#: 35.195	AFL	4		TSN 0					
	PROC. REF: GENERIC NO REF								
351082	NO. 3 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C	TSN 0					
SN:D09010293	HRS	4.7		TSN 0					
WC#: 35.200	AFL	4		TSN 0					
	PROC. REF: GENERIC NO REF								
351083	NO. 4 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C	TSN 0					
SN:D09010295	HRS	4.7		TSN 0					
WC#: 35.200	AFL	4		TSN 0					
	PROC. REF: GENERIC NO REF								
351084	NO. 5 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C	TSN 0					
SN:D09010299	HRS	4.7		TSN 0					
WC#: 35.205	AFL	4		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351085	NO. 6 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C		TSN 0				
SN:D09010300	HRS	4.7			TSN 0				
WC#: 35.205	AFL	4			TSN 0				
PROC. REF: GENERIC NO REF									
351086	NO. 7 MASK DEPLOYMENT CONTAINER							Component	ATA:35
PN:833-648-01	MOS/MSC	05-May-10	O/C		TSN 0				
SN:D09010346	HRS	4.7			TSN 0				
WC#: 35.210	AFL	4			TSN 0				
PROC. REF: GENERIC NO REF									
351093	OXYGEN PRESSURE SWITCH							Component	ATA:35
PN:1106P76-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1376	HRS	0			TSN 0				
WC#: 35.125	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
351101	NO. 1 OXYGEN CYLINDER							Component	ATA:35
PN:WKA37447	MOS/MSC	02-Mar-23	O/C		TSO 0				
SN:735957/1151	HRS	3695.3			TSO 0				
WC#: 35.010	AFL	1390			TSO 0				
PROC. REF: AMM 35-10-14									
351102	NO. 2 OXYGEN CYLINDER							Component	ATA:35
PN:WKA37447	MOS/MSC	02-Mar-23	O/C		TSO 0				
SN:721392/1268	HRS	3695.3			TSO 0				
WC#: 35.015	AFL	1390			TSO 0				
PROC. REF: AMM 35-10-14									
351103	NO. 3 OXYGEN CYLINDER							Component	ATA:35
PN:WKA37447	MOS/MSC	18-Mar-23	O/C						
SN:075723	HRS	3710.7							
WC#: 35.020	AFL	1397							
PROC. REF: AMM 35-10-14, MMA 35-06-01									
351104	NO. 4 OXYGEN CYLINDER							Component	ATA:35
PN:WKA37447	MOS/MSC	18-Mar-23	O/C						
SN:14534X	HRS	3710.7							
WC#: 35.025	AFL	1397							
PROC. REF: MMA 35-06-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
351110	HYDROSTATIC TEST NO. 1 OXYGEN CYLINDER							Service	ATA:35
PN:WKA37447	MOS	24-Jan-23	60		24-Jan-28		1462 d		
SN:735957/1151	HRS								
WC#: 35.010	AFL								
PROC. REF: GENERIC CMM									
351110	HYDROSTATIC TEST NO. 2 OXYGEN CYLINDER							Service	ATA:35
PN:WKA37447	MOS	24-Jan-23	60		24-Jan-28		1462 d		
SN:721392/1268	HRS								
WC#: 35.015	AFL								
PROC. REF: GENERIC CMM									
351110	HYDROSTATIC TEST NO. 3 OXYGEN CYLINDER							Service	ATA:35
PN:WKA37447	MOS	14-Mar-23	60		14-Mar-28		1512 d		
SN:075723	HRS								
WC#: 35.020	AFL								
PROC. REF: GENERIC CMM									
351110	HYDROSTATIC TEST NO. 4 OXYGEN CYLINDER							Service	ATA:35
PN:WKA37447	MOS	14-Mar-23	60		31-Mar-28 (M)		1529 d		
SN:14534X	HRS								
WC#: 35.025	AFL								
PROC. REF: GENERIC CMM									
352001	ON/OFF OXYGEN VALVE							Component	ATA:35
PN:SDV1012	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:16466	HRS	0		TSN 0					
WC#: 35.065	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
352007	BAROMATIC VALVE							Component	ATA:35
PN:K39117/3	MOS/MSC	20-Jun-22	O/C	TSN 0					
SN:245	HRS	3511.6		TSN 0					
WC#: 35.070	AFL	1288		TSN 0					
PROC. REF: AMM 35-20-42									
353001	PORTABLE OXYGEN BOTTLE							Component	ATA:35
PN:176960-14	MOS/MSC	31-Dec-19	O/C	TSO 0					
SN:560353704	HRS	3327.28		TSO 0					
WC#: 35.080	AFL	1211		TSO 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
353007	HYDROSTATIC TEST PORTABLE OXYGEN BOTTLE							Service	ATA:35
PN:176960-14	MOS	27-Nov-19	60		27-Nov-24		309 d	MANDATORY	
SN:560353704	HRS								
WC#: 35.080	AFL								
PROC. REF: GENERIC NO REF									
353031	(PBE) PROTECTIVE BREATHING EQUIPMENT							Component	ATA:35
PN:802300-14	MOS	04-Apr-19	120	TSN 3	14-Jan-29		1818 d	LIFE LIMIT	
SN:E18090369	HRS	3175.17		TSN 0					
WC#: 35.085	AFL	1157		TSN 0					
Manufacture Date:: 14-Jan-19			PROC. REF: GENERIC NO REF						
354000	AUTOMATIC SHUT OFF VALVE							Component	ATA:35
PN:WKA35964-1	MOS/MSC	09-Jan-23	O/C	TSO 0					
SN:1935	HRS	3646.3		TSO 0					
WC#: 35.130	AFL	1366		TSO 0					
PROC. REF: AMM 35-10-141									
<b>ATA 38 - WATER/WASTE</b>									
380001 <sup>S</sup>	INSPECT TOILET AND GALLEY WATER SYSTEMS							Service	ATA:38
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 38.010	AFL	1243							
PROC. REF: AMM 12-20-25								PKG:12,91	
381090	CLEAN GALLEY WATER SYSTEM							Service	ATA:38
	MOS/MSC	20-Jun-22	A/R						
	HRS	3511.6							
WC#: 38.020	AFL	1288							
Special Properties: TRACKED ITEM			PROC. REF: MMA 38-10-00						
381091	CLEAN LAVATORY WATER SYSTEM							Service	ATA:38
	MOS/MSC	20-Jun-22	A/R						
	HRS	3511.6							
WC#: 38.030	AFL	1288							
PROC. REF: MMA 38-20-05									
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
490001	INSPECT PATS APU GTCP36-150W							Service	ATA:49
	MOS	23-Jun-23	12 (+1m)		23-Jun-24	23-Jul-24	152 d (+30)		
	HRS	3746.1							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
WC#: 49.205	AFL	1412							
	APH	3628	750		4378		680		
490002	REMOVE/CLEAN/INSPECT APU IGNITER PLUG								Service ATA:49
	MOS	14-May-20							
	HRS	3357.57							
WC#: 49.210	AFL	1222							
	APH	3210	750		3960		262		
490003	ACCOMPLISH APU (OPTION 1) OIL AND FILTER CHANGE AND MAGNETIC DRAIN PLUG INSPECTION								Service ATA:49
	MOS/MS	19-Mar-13	N/R						
	HRS	1320.78							
WC#: 49.220	AFL	481							
490003	ACCOMPLISH APU (OPTION 2) S.O.A.P CHECK								Service ATA:49
	MOS	07-Apr-23	12 (+1m)		07-Apr-24	07-May-24	75 d (+30)		
	HRS	3710.7							
WC#: 49.221	AFL	1397							
	APH	3580	750		4330		632		
490004	REMOVE AND REPLACE APU FUEL FILTER ELEMENT								Service ATA:49
	MOS	20-Jun-22							
	HRS	3511.6							
WC#: 49.230	AFL	1288							
	APH	3340	1000		4340		642		
490005	FLOW CHECK APU FUEL NOZZLE ASSEMBLIES								Service ATA:49
	MOS	05-May-10							
	HRS	0							
WC#: 49.240	AFL	0							
	APH	0	4500		4500		802		
490006	ACCOMPLISH APU DETAILED HOT SECTION INSPECTION								Service ATA:49
	MOS	05-May-10							
	HRS	0							
WC#: 49.250	AFL	0							
	APH	0	4500		4500		802		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
490007	VISUALLY CHECK APU COMPRESSOR ROTOR							Service	ATA:49
	MOS	05-May-10							
	HRS	0							
WC#: 49.260	AFL	0							
	APH	0	4500		4500		802		
491010	APU - TURBINE ROTOR							Component	ATA:49
PN:3615880-1	MOS	26-May-09		TSN 0				LIFE LIMIT	
SN:09-156101-01026	HRS	0	10000	TSN 0	10000		6284		
WC#: 49.010	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
491020	APU - COMPRESSOR ROTOR							Component	ATA:49
PN:3822101-1	MOS	26-May-09		TSN 0				LIFE LIMIT	
SN:08-13651-04471	HRS	0	100000	TSN 0	100000		96284		
WC#: 49.015	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
491025 <sup>S</sup>	APU - INSPECT COMPRESSOR ROTOR							Service	ATA:49
PN:3822101-1	MOS	26-May-09							
SN:08-13651-04471	HRS	0	4500						
WC#: 49.020	APUS	0							
PROC. REF: MM 49-20-00									
491030 <sup>S</sup>	APU - INSPECT HOT SECTION							Service	ATA:49
	MOS	26-May-09							
	HRS	0	4500						
WC#: 49.025	APUS	0							
PROC. REF: MM 49-20-00									
491035	APU - FLOW CONTROL VALVE							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.135	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
491038	APU - FIRE LOOP DETECTOR							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.140	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
491042	APU - VOLTAGE REGULATOR							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.145	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF									
493010	APU - FUEL CONTROL							Component	ATA:49
PN:3882730-9	MOS/MSC	26-May-09	O/C	TSN 0					
SN:34294	HRS	0		TSN 0					
WC#: 49.030	APUS	0		TSN 0					
PROC. REF: MM 49-30-52									
493020 <sup>S</sup>	APU - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:49
	MOS	20-Jun-22							
	HRS	3358	1000						
WC#: 49.035	APUS								
PROC. REF: MM 49-30-52									
493030	APU - ORIFICE FITTING							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.040	APUS	0		TSN 0					
PROC. REF: MM 49-30-56									
493040	APU - FUEL SHUTOFF VALVE							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.045	APUS	0		TSN 0					
PROC. REF: MM 49-30-54									
493050 <sup>S</sup>	APU - CHECK FUEL NOZZLE FLOW RATE							Service	ATA:49
	MOS	26-May-09							
	HRS	0	4500						
WC#: 49.050	APUS	0							
PROC. REF: MM 49-20-00									
493060	APU - CONTROLLER							Component	ATA:49
PN:2118330-2	MOS/MSC	26-May-09	O/C	TSN 0					
SN:49-B0998	HRS	0		TSN 0					
WC#: 49.055	APUS	0		TSN 0					
PROC. REF: MM 49-60-46									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>								
<b>493070 APU - LOAD CONTROL VALVE</b>								Component ATA:49
PN:109812-9	MOS/MSC	26-May-09	O/C	TSN 0				
SN:4921	HRS	0		TSN 0				
WC#: 49.060	APUS	0		TSN 0				
PROC. REF: MM 49-50-33								
<b>494010 APU - IGNITION UNIT</b>								Component ATA:49
PN:3888000-2	MOS/MSC	26-May-09	O/C	TSN 0				
SN:090218094338	HRS	0		TSN 0				
WC#: 49.065	APUS	0		TSN 0				
PROC. REF: MM 49-40-32								
<b>494020 APU - IGNITER PLUG</b>								Component ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.070	APUS	0		TSN 0				
PROC. REF: MM 49-40-33								
<b>494025 APU - IGNITER PLUG LEAD</b>								Component ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.150	APUS	0		TSN 0				
PROC. REF: MM 49-40-33								
<b>494030<sup>S</sup> APU - REMOVE AND INSPECT IGNITER PLUG</b>								Service ATA:49
PN:PN	MOS	14-May-20						
SN:UNKNOWN	HRS	3210	750					
WC#: 49.075	APUS							
PROC. REF: MM 49-40-33								
<b>497010 APU - MOTION PICK UP TRANSDUCER</b>								Component ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 49.080	APUS	0		TSN 0				
PROC. REF: MM 49-60-43								
<b>497020 APU - IMMERSION THERMOCOUPLE</b>								Component ATA:49
PN:3876003-3	MOS/MSC	26-May-09	O/C	TSN 0				
SN:09-20219-02602	HRS	0		TSN 0				
WC#: 49.085	APUS	0		TSN 0				
PROC. REF: MM 49-60-45								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
497030	APU - HOURMETER							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.090	APUS	0		TSN 0					
PROC. REF: MM 49-70-41									
499010	APU - ROTARY OIL PUMP							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.095	APUS	0		TSN 0					
PROC. REF: MM 49-90-51									
499020 <sup>S</sup>	APU - INSPECT MAGNETIC DRAIN PLUG							Service	ATA:49
	MOS	07-Apr-23	12						
	HRS	3580	750						
WC#: 49.100	APUS								
PROC. REF: MM 49-90-46									
499030 <sup>S</sup>	APU - CHANGE OIL							Service	ATA:49
	MOS/MSC	19-Mar-13	O/C						
	HRS	1343							
WC#: 49.105	APUS								
PROC. REF: MM 49-20-00									
499040	APU - REMOVE AND REPLACE OIL FILTER ELEMENT							Service	ATA:49
	MOS	07-Apr-23							
	HRS	3580	500 (+20%/-20%)	4080	4180	364 (+100)			
WC#: 49.110	APUS								
PROC. REF: MM 49-90-47									
499050	APU - PRESSURE REGULATOR VALVE							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.115	APUS	0		TSN 0					
PROC. REF: MM 49-90-52									
499060	APU - HIGH OIL TEMPERATURE SWITCH							Component	ATA:49
PN:PN	MOS/MSC	26-May-09	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 49.120	APUS	0		TSN 0					
PROC. REF: MM 49-60-46									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 49 - AIRBORNE AUXILIARY POWER</b>									
499070	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:3876001-8	MOS/MSC	13-Apr-17	O/C						
SN:NSN	HRS	2593							
WC#: 49.125	APUS								
PROC. REF: MM 49-60-43									
499110	APU - SOAP CHECK OIL							Service	ATA:49
	MOS	07-Apr-23							
	HRS	3580	500 (+20%/-20%)		4080	4180	364 (+100)		
WC#: 49.130	APUS								
49APU1	APU							Component	ATA:49
PN:3800304-1	MOS/MSC	05-May-10	E/C	TSN 0					
SN:P-1179	HRS	0		TSN 0					
WC#: 49.APU1	AFL	0		TSN 0					
PROC. REF: AMM 49-11-00									
<b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b>									
510001	INSPECT/NDT NOSE LANDING GEAR BAY SIDEWALLS							Service	ATA:51
	MOS	20-Jun-22	144 (+3m)		20-Jun-34	20-Sep-34	3801 d (+92)		
	HRS	3511.6							
WC#: 51.100	AFL	1288	5000 (+10%)		6288	6788	4822 (+500)		
PROC. REF: NTM 53-10-111									
510002	DETAIL INSPECT FRONT PRESSURE BULKHEAD							Service	ATA:51
	MOS	05-May-10							
	HRS	0							
WC#: 51.010	AFL	0	T:5000 (+10%)		5000	5500	3534 (+500)		
510003	INSPECT/NDT FLIGHT COMPARTMENT SKIN AND WINDOW STRUCTURE ABOVE WINDSHIELDS							Service	ATA:51
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 51.020	AFL	1288							
PROC. REF: NTM 53-10-105A									
510004	DETAIL INSPECT UPPER CANOPY RAIL AT INTERSECTION WITH THE CANOPY POSTS							Service	ATA:51
	MOS	05-May-10							
	HRS	0							
WC#: 51.030	AFL	0	20000 (+500)		20000	20500	18534 (+500)		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 51 - STD PRACTICES AND STRUCT-GENRL</b>									
510005	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, NOSE LANDING GEAR BAY TO FRAME 13 AND FRAMES 16 TO 19							Service	ATA:51
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 51.040	AFL	0							
PROC. REF: NTM 53-10-107, NTM 53-10-108, NTM 53-10-108B, NTM 53-10-109									
510006	DETAIL INSPECT STRUCTURE BELOW ESCAPE HATCH, FRAMES 13 TO 14							Service	ATA:51
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 51.050	AFL	0							
510007	INSPECT/NDT CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 8 TO 17							Service	ATA:51
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 51.060	AFL	0							
PROC. REF: NTM 53-10-106A									
510008	X-RAY CENTER FUSELAGE STRUCTURE BELOW THE FLOOR, FRAMES 13 TO 16							Service	ATA:51
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 51.070	AFL	0							
PROC. REF: NTM 53-10-108A									
510009	DETAIL INSPECT ENTRY DOOR SURROUND							Service	ATA:51
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 51.080	AFL	1288							
510010	INSPECT/NDT CENTER FUSELAGE STRUCTURE, ABOVE THE FLOOR							Service	ATA:51
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 51.090	AFL	0							
PROC. REF: NTM 53-10-104, NTM 53-10-101, NTM 53-10-102, NTM 53-10-103A, NTM 53-10-106									
<b>ATA 52 - DOORS</b>									
520004 <sup>S</sup>	CHECK MAIN ENTRY DOOR "NOT LOCKED" WARNING MICROSWITCHES							Service	ATA:52
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 52.025	AFL	1073							
PROC. REF: AMM 12-24-00									
PKG:24,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
520005 <sup>S</sup>	CHECK ESCAPE HATCH RELEASE MECHANISM							Service	ATA:52
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 52.015	AFL	1243							
				PROC. REF: AMM NO REF 1				PKG:12,91	
520006 <sup>S</sup>	INSPECT ESCAPE HATCH SEALS							Service	ATA:52
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 52.035	AFL	1243						PKG:12,91	
520007 <sup>S</sup>	INSPECT/CHECK ENTRY DOOR							Service	ATA:52
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 52.010	AFL	1073						PKG:24,92	
				PROC. REF: AMM 52-11-00					
520008	INSPECT/NDT MAIN ENTRY DOOR							Service	ATA:52
	MOS	20-Jun-22	96 (+3m)		20-Jun-30	20-Sep-30	2340 d (+92)		
	HRS	3511.6							
WC#: 52.010	AFL	1288							
				PROC. REF: NTM 52-80-102					
520009	DETAIL INSPECT ESCAPE HATCH							Service	ATA:52
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 52.015	AFL	0							
520010 <sup>S</sup>	INSPECT MAIN ENTRY DOOR - FOLDING HANDRAIL (IF FITTED)							Service	ATA:52
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 52.050	AFL	1073						PKG:24,92	
				PROC. REF: MMA 52-15-00					
521001	MAIN ENTRY DOOR ASSEMBLY							Component	ATA:52
PN:259W03838-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-947	HRS	0		TSN 0					
WC#: 52.010	AFL	0		TSN 0					
				PROC. REF: AMM 52-11-00					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
521016	LONG RANGE TANK DOOR							Component	ATA:52
PN:25-8PT111-87A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:PLL-DH-893	HRS	0		TSN 0					
WC#: 52.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
522001	ESCAPE HATCH							Component	ATA:52
PN:25-8FC3601-151A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:11110902SAL	HRS	0		TSN 0					
WC#: 52.015	AFL	0		TSN 0					
PROC. REF: AMM 52-20-00									
<b>ATA 53 - FUSELAGE</b>									
530001	DETAIL INSPECT SKIN EXTERIOR UNDER THE DORSAL INTAKE, FORWARD OF FRAME 19							Service	ATA:53
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 53.115	AFL	1288							
530002	INSPECT FUSELAGE SKIN UNDER WING-TO-FUSELAGE FAIRINGS							Service	ATA:53
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 53.040	AFL	1288							
530003	DETAIL INSPECT FUSELAGE SKIN COVERED BY THE VENTRAL FUEL TANK (IF FITTED).							Service	ATA:53
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 53.110	AFL	0							
530004	DETAIL INSPECT VENTRAL FUEL TANK AND ATTACHMENTS, (IF FITTED)							Service	ATA:53
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 28.015	AFL	0							
PROC. REF: AMM NO REF 1									
530007	DETAIL INSPECT WING TO FUSELAGE ATTACHMENT LINKS, BRACKETS AND BOLTS							Service	ATA:53
	MOS	20-Jun-22	96 (+3m)		20-Jun-30	20-Sep-30	2340 d (+92)		
	HRS	3511.6							
WC#: 53.105	AFL	1288							
PROC. REF: AMM 53-40-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
530009	INSPECT/NDT FUSELAGE LAP JOINTS							Service	ATA:53
	MOS	05-May-10							
	HRS	0							
WC#: 53.125	AFL	0	T:27000 (+500)		27000	27500	25534 (+500)		
PROC. REF: NTM 53-10-104									
530010	DETAIL INSPECT SKIN OF THE FUSELAGE, WING ATTACHMENT BRACKETS, DRAG SPIGOT BEARING AND DRAG SPIGOT HOUSING							Service	ATA:53
	MOS/MSC	05-May-10	A/R						
	HRS	0							
WC#: 53.020	AFL	0							
530011	INSPECT LEFT-HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service	ATA:53
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 53.175	AFL	1288							
530012	INSPECT RIGHT- HAND SIDE FRONT FACE OF REAR PRESSURE BULKHEAD (FRAME 19)							Service	ATA:53
	MOS	06-Jun-18	96 (+3m)	Adj -32d	05-May-26	05-Aug-26	833 d (+92)		
	HRS	2965.25							
WC#: 53.070	AFL	1073							
530013	INSPECT/NDT NO. 1 ENGINE MOUNTING PYLON ENGINE MAIN MOUNTING ATTACHMENT FITTINGS							Service	ATA:53
	MOS	05-May-10							
	HRS	0	10000 (+500)		10000	10500	6139.4 (+500)		
WC#: 53.030	AFL	0							
PROC. REF: NTM 53-10-110									
530014	INSPECT/NDT NO. 1 ENGINE MOUNTING REAR ENGINE MOUNT FITTINGS							Service	ATA:53
	MOS	05-May-10							
	HRS	0	20000 (+500)		20000	20500	16139.4 (+500)		
WC#: 53.035	AFL	0							
PROC. REF: NTM 53-10-110A									
530015	INSPECT/NDT VERTICAL STABILIZER ROOT ATTACHMENT TO FUSELAGE							Service	ATA:53
	MOS	05-May-10							
	HRS	0	30000 (+500)		30000	30500	26139.4 (+500)		
WC#: 53.015	AFL	0							
PROC. REF: NTM 55-30-104									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530016	DETAIL INSPECT NO. 1 ENGINE MOUNTING ENGINE BEAM							Service	ATA:53
	MOS	05-May-10							
	HRS	0	10000 (+500)		10000	10500	6139.4 (+500)		
WC#: 53.080	AFL	0							
PROC. REF: AMM NO REF 1									
530017	INSPECT NO. 1 ENGINE MOUNTING BRACKETS							Service	ATA:53
	MOS/MSC	19-Dec-17	E/C					PART OF MPI	
	HRS	2886.88							
WC#: 53.200	AFL	1043							
530017	INSPECT NO. 2 ENGINE MOUNTING BRACKETS							Service	ATA:53
	MOS/MSC	19-Dec-17	E/C					PART OF MPI	
	HRS	2886.88							
WC#: 53.200	AFL	1043							
530018	DETAIL INSPECT FUSELAGE SKIN ADJACENT TO CABIN WINDOW CUTOUTS							Service	ATA:53
	MOS	05-May-10							
	HRS	0	T:4800 (+10%)		4800	5280	939.4 (+480)		
WC#: 53.205	AFL	0							
530019	DETAIL INSPECT APU SUPPORT STRUCTURE EXTERNAL TO THE FIRE ENCLOSURE							Service	ATA:53
	MOS	23-Jun-23	12 (+1m)		23-Jun-24	23-Jul-24	152 d (+30)		
	HRS	3746.1							
WC#: 53.210	AFL	1412							
530021	DETAIL INSPECT APU SUPPORT STRUCTURE							Service	ATA:53
	MOS	06-Jun-18							
	HRS	2965.25							
WC#: 53.010	AFL	1073							
	APH	2853	3000		5853		2155		
530022	DETAIL INSPECT APU MOUNTING HARDWARE							Service	ATA:53
	MOS	05-May-10							
	HRS	0							
WC#: 53.215	AFL	0							
	APH	0	4500		4500		802		
PROC. REF: AFMS 5-20-09									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
530023	DETAIL INSPECT FUSELAGE STRUCTURE FOR CRACKS							Service	ATA:53
	MOS	05-May-10							
	HRS	0							
WC#: 53.220	AFL	0							
	APH	0	4500		4500		802		
530024	FLUORESCENT PENETRANT INSPECT APU SUPPORT HARDWARE							Service	ATA:53
	MOS	05-May-10							
	HRS	0							
WC#: 53.225	AFL	0							
	APH	0	22500		22500		18802		
PROC. REF: AFMS 5-20-09									
530025	DETAIL INSPECT APU EXHAUST AND INLET DOUBLER FRAMES AND STRINGERS							Service	ATA:53
	MOS	05-May-10							
	HRS	0							
WC#: 53.170	AFL	0	10000 (+500)		10000	10500	8534 (+500)		
530027 <sup>S</sup>	VISUAL INSPECTION FUSELAGE SKIN							Service	ATA:53
	MOS	20-Jun-22	48 (+2m/-2m)						
	HRS	3511.6							
WC#: 53.235	AFL	1288							
PKG:96									
531146	RADOME							Component	ATA:53
PN:DOIW00019-1A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:DOIWCML205	HRS	0			TSN 0				
WC#: 53.135	AFL	0			TSN 0				
PROC. REF: AMM 53-50-14									
531152	TAIL CONE FAIRING							Component	ATA:53
PN:251W00120-3A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:CAVPO91033	HRS	0			TSN 0				
WC#: 53.140	AFL	0			TSN 0				
PROC. REF: AMM 53-50-16									
531154	FUSELAGE							Component	ATA:53
PN:25-8FA1-6047	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:259156	HRS	0			TSN 0				
WC#: 53.145	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
550001	DETAIL INSPECT ELEVATORS AND TABS							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 27.070	AFL	1288							
PROC. REF: AMM NO REF 1									
550002	LUBRICATE/REPLACE ELEVATOR TRIM TABS, CONNECTING RODS							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 55.075	AFL	1288							
PROC. REF: AMM 27-30-00, AMM 27-30-00									
550003	XRAY ELEVATORS							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 55.055	AFL	1288							
PROC. REF: NTM 55-20-101, NTM 55-20-102									
550004	DETAIL INSPECT RUDDER AND TAB							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 27.045	AFL	1288							
PROC. REF: AMM NO REF 1									
550005	INSPECT RUDDER CONNECTING RODS, RUDDER TRIM TAB AND ANTI-SERVO TAB							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 55.065	AFL	1288							
550006	X-RAY RUDDER (IN-SITU)							Service	ATA:55
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 27.045	AFL	1288							
PROC. REF: NTM 55-40-101									
550007	DETAIL INSPECT RUDDER HINGE BRACKETS AND ATTACHMENTS							Service	ATA:55
	MOS	06-Jun-18	96 (+3m)	Adj -32d	05-May-26	05-Aug-26	833 d (+92)		
	HRS	2965.25							
WC#: 27.045	AFL	1073							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
550008 <sup>S</sup>	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER REAR ATTACHMENT FITTING							Service	ATA:55
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 55.010	AFL	1288							
								PKG:62,95	
550009	DETAIL INSPECT HORIZONTAL STABILIZER							Service	ATA:55
	MOS	06-Jun-18	96 (+3m)	Adj -32d	05-May-26	05-Aug-26	833 d (+92)		
	HRS	2965.25							
WC#: 55.040	AFL	1073							
550010	INSPECT/NDT VERTICAL STABILIZER							Service	ATA:55
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 55.050	AFL	0							
								PROC. REF: NTM 55-30-101, NTM 55-30-102, NTM 55-30-103	
550011	INSPECT HORIZONTAL STABILIZER TO VERTICAL STABILIZER ATTACHMENTS							Service	ATA:55
	MOS	05-May-10	T:192 (+3m)		05-May-26	05-Aug-26	833 d (+92)		
	HRS	0							
WC#: 55.025	AFL	0							
550012	INSPECT/NDT HORIZONTAL STABILIZER							Service	ATA:55
	MOS	05-May-10	T:288 (+3m)		05-May-34	05-Aug-34	3755 d (+92)		
	HRS	0							
WC#: 55.045	AFL	0							
								PROC. REF: NTM 55-10-104A, NTM 55-10-104B, NTM 55-10-104C	
550013	X-RAY HORIZONTAL STABILIZER							Service	ATA:55
	MOS	05-May-10	T:180 (+3m)		05-May-25	05-Aug-25	468 d (+92)		
	HRS	0							
WC#: 55.035	AFL	0							
								PROC. REF: NTM 55-10-101, NTM 55-10-102, NTM 55-10-103, NTM 55-10-105	
550014	DETAIL INSPECT HORIZONTAL STABILIZER TOP SKIN 'T' FITTING AND JOINT STRAP AT THE CENTER LINE OF THE STABILIZER							Service	ATA:55
	MOS	05-May-10							
	HRS	0							
WC#: 55.060	AFL	0	T:15000 (+500)		15000	15500	13534 (+500)		

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 55 - STABILIZERS</b>									
550015	INSPECT ELEVATOR MASS BALANCE WEIGHTS AND SPIGOTS							Service	ATA:55
	MOS	20-Jun-22	24 (+2m)		20-Jun-24	20-Aug-24	149 d (+61)		
	HRS	3511.6							
WC#: 55.070	AFL	1288							
PROC. REF: AMM 27-30-91									
551004	UPPER VERTICAL STABILIZER							Component	ATA:55
PN:25-8TF513-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAVP096016	HRS	0		TSN 0					
WC#: 55.015	AFL	0		TSN 0					
PROC. REF: AMM 55-32-00									
551006	TAILPLANE							Component	ATA:55
PN:25-8TP509-1A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:SD-DH-141	HRS	0		TSN 0					
WC#: 55.020	AFL	0		TSN 0					
PROC. REF: AMM 55-13-00									
551010	BULLET FAIRING							Component	ATA:55
PN:25-8GF501-6175A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:40368454	HRS	0		TSN 0					
WC#: 55.030	AFL	0		TSN 0					
PROC. REF: AMM 53-50-18									
553005	FIN LEADING EDGE							Component	ATA:55
PN:25-8TF133-3A	MOS/MSC	16-Mar-10	O/C						
SN:CAVP08B06G	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>ATA 56 - WINDOWS</b>									
560004 <sup>S</sup>	INSPECT WINDOWS DRY-AIR SYSTEM FILTER ELEMENT (IF FITTED)							Service	ATA:56
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 56.065	AFL	1073							
PROC. REF: AMM 56-00-00									
PKG:24,92									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
560005	CHECK PASSENGER CABIN WINDOWS							Service	ATA:56
	MOS/MSC	03-Aug-21	N/R						
	HRS	3405							
WC#: 56.090	AFL	1243							
PROC. REF: AMM 56-00-00									
560006 <sup>S</sup>	INSPECT WINDSHIELD PANEL 'C' SILICA GEL CONTAINER							Service	ATA:56
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 56.070	AFL	1243							
PKG:10,91									
560007 <sup>S</sup>	SCREEN HEAT CIRCUIT BREAKERS - DO A VISUAL INSPECTION FOR HEAT DISTRESS, DISCOLORATION AND DEFORMATION							Service	ATA:56
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
	AFL	1288							
PKG:60,95									
561001	LEFT (PANEL A) HEATED WINDSCREEN							Component	ATA:56
PN:NF24016-415	MOS/MSC	04-Apr-19	O/C		TSR 0				
SN:L383349	HRS	3175.17			TSR 0				
WC#: 56.010	AFL	1157			TSR 0				
PROC. REF: AMM 56-10-11									
561002	RIGHT (PANEL A) HEATED WINDSCREEN							Component	ATA:56
PN:NF24016-416	MOS/MSC	20-Jun-22	O/C		TSN 0				
SN:L562443	HRS	3511.6			TSN 0				
WC#: 56.010	AFL	1288			TSN 0				
PROC. REF: AMM 56-10-11									
561003	LEFT DIRECT VIEW B WINDOW							Component	ATA:56
PN:NH24016-91	MOS/MSC	05-Jul-19	O/C		TSN 0				
SN:L492425	HRS	3231.9			TSN 0				
WC#: 56.015	AFL	1175			TSN 0				
PROC. REF: AMM 56-10-22									
561004	RIGHT DIRECT VIEW B WINDOW							Component	ATA:56
PN:NH24016-92	MOS/MSC	03-Aug-21	O/C		TSN 3				
SN:L545937	HRS	3405			TSN 0				
WC#: 56.015	AFL	1243			TSN 0				
PROC. REF: AMM 56-10-22									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
561005	LEFT C WINDOW							Component	ATA:56
PN:259W03925-1A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:CW20452	HRS	0			TSN 0				
WC#: 56.020	AFL	0			TSN 0				
PROC. REF: AMM 56-10-31									
561006	RIGHT C WINDOW							Component	ATA:56
PN:259W03925-2A	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:CW20544	HRS	0			TSN 0				
WC#: 56.020	AFL	0			TSN 0				
PROC. REF: AMM 56-10-31									
562001	NO. 1 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5556	HRS	0			TSN 0				
WC#: 56.025	AFL	0			TSN 0				
PROC. REF: AMM 56-20-11									
562002	NO. 1 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5565	HRS	0			TSN 0				
WC#: 56.025	AFL	0			TSN 0				
PROC. REF: AMM 56-20-11									
562003	NO. 2 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5516	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-20-11									
562004	NO. 2 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5409	HRS	0			TSN 0				
WC#: 56.030	AFL	0			TSN 0				
PROC. REF: AMM 56-20-11									
562005	NO. 3 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:5562	HRS	0			TSN 0				
WC#: 56.035	AFL	0			TSN 0				
PROC. REF: AMM 56-20-11									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
562006	NO. 3 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5548	HRS	0		TSN 0					
WC#: 56.035	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562007	NO. 4 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5514	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562008	NO. 4 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5323	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562009	NO. 5 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5442	HRS	0		TSN 0					
WC#: 56.045	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562010	NO. 5 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5539	HRS	0		TSN 0					
WC#: 56.045	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562011	NO. 6 LEFT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5493	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									
562012	NO. 6 RIGHT CABIN WINDOW							Component	ATA:56
PN:LA25FC7881-53	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:5540	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-11									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
570001 <sup>S</sup>	INSPECT LEFT FLAP HINGE FITTINGS							Service	ATA:57
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 57.095	AFL	1243						PKG:15,91	
570002 <sup>S</sup>	INSPECT RIGHT FLAP HINGE FITTINGS							Service	ATA:57
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 57.095	AFL	1243						PKG:16,91	
570003 <sup>S</sup>	DETAIL INSPECT LEFT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4							Service	ATA:57
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 57.090	AFL	1288						PKG:63,95	
PROC. REF: AMM 28-10-00, AMM 28-10-00									
570004	INSPECT LEFT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service	ATA:57
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 57.140	AFL	0							
570005 <sup>S</sup>	DETAIL INSPECT RIGHT WING INTERNAL STRUCTURE OF THE WING IN THE AREA OF RIBS 0 TO 4							Service	ATA:57
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
WC#: 57.090	AFL	1288						PKG:64,95	
PROC. REF: AMM 28-10-00									
570006	INSPECT RIGHT FLAP SKIN PROTECTION PANELS (IF FITTED)							Service	ATA:57
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 57.140	AFL	0							
570007	X-RAY WING BOTTOM SKINS AND STRINGERS BETWEEN THE FRONT AND REAR SPARS, RIB 0 TO RIB 1 AND BETWEEN THE CENTER SPAR AND REAR SPAR FROM RIB 1 TO RIB 4							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 57.040	AFL	1288						PKG:64,95	
PROC. REF: NTM 57-30-101									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570008	DETAIL INSPECT MAIN LANDING GEAR AND SIDESTAY ATTACHMENT FITTINGS							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 57.035	AFL	1288							
570009	DETAIL INSPECT WING BOTTOM SKIN (LH AND RH) ADJACENT TO FLAP OUTBOARD HINGE AT RIB 8							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:4800 (+10%)		4800	5280	939.4 (+480)		
WC#: 57.070	AFL	0							
570010	DETAIL INSPECT WING FRONT SPAR, FORWARD FACE							Service	ATA:57
	MOS	06-Jun-18	96 (+3m)	Adj -32d	05-May-26	05-Aug-26	833 d (+92)		
	HRS	2965.25	4800 (+10%)		7765.25	8245.25	3904.7 (+480)		
WC#: 57.020	AFL	1073							
PROC. REF: MMS 57-00-00, MMS 57-00-00									
570011	INSPECT WING REAR SPAR, REAR FACE							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 57.030	AFL	1288							
570012	DETAIL INSPECT LEFT LOWER AIRBRAKE							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 27.240	AFL	1288							
570012	DETAIL INSPECT LEFT UPPER AIRBRAKE							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 27.240	AFL	1288							
570012	DETAIL INSPECT RIGHT LOWER AIRBRAKE							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 27.245	AFL	1288							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570012	DETAIL INSPECT RIGHT UPPER AIRBRAKE							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 27.245	AFL	1288							
570013	DETAIL INSPECT AILERONS							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 27.020	AFL	1288							
PROC. REF: AMM NO REF 1									
570014	LUBRICATE CONNECTING RODS, AILERON TRIM AND SERVO TABS							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 57.145	AFL	1288							
PROC. REF: AMM 27-10-00									
570015	INSPECT/X RAY AILERONS							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 57.100	AFL	1288							
PROC. REF: NTM 57-50-107									
570016	INSPECT/X RAY FLAPS AND FLAP VANES							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6	2400 (+10%)		5911.6	6151.6	2051 (+240)		
WC#: 57.130	AFL	1288							
PROC. REF: NTM 57-50-105, NTM 57-50-106									
570017	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO FRONT SPAR, BETWEEN RIBS 1 AND 7							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:24000 (+500)		24000	24500	20139.4 (+500)		
WC#: 57.055	AFL	0							
PROC. REF: MMS 57-00-00									
570018	DETAIL INSPECT WING BOTTOM SKIN CENTERLINE JOINT STRAP							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:24000 (+500)		24000	24500	20139.4 (+500)		
WC#: 57.080	AFL	0							
PROC. REF: MMS 57-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570019	INSPECT/NDT UPPER SURFACE OF THE WING BOTTOM SKIN AT THE ATTACHMENT TO THE CENTERLINE JOINT ADJACENT TO RIB 0							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:24000 (+500)		24000	24500	20139.4 (+500)		
WC#: 57.060	AFL	0							
PROC. REF: NTM 57-30-104, MMS 57-00-00									
570020	INSPECT/NDT WING BOTTOM SKIN CENTERLINE BUTT STRAP AND CENTER SECTION BEAMS (24 POSITIONS)							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:24000 (+500)		24000	24500	20139.4 (+500)		
WC#: 57.075	AFL	0							
PROC. REF: NTM 57-00-102									
570021	DETAIL INSPECT WING TOP SKIN IN THE AREA THAT IS COVERED BY THE FUSELAGE STRUCTURE AND MAIN ATTACHMENT BRACKETS.							Service	ATA:57
	MOS/MSC	05-May-10	A/R						
	HRS	0							
WC#: 57.010	AFL	0							
570022	DETAIL INSPECT REAR SPAR, REAR FACE BETWEEN RIB 1 LH AND RIB 1 RH							Service	ATA:57
	MOS	05-May-10							
	HRS	0	4800 (+10%)		4800	5280	939.4 (+480)		
WC#: 57.050	AFL	0							
PROC. REF: MMS 57-00-00									
570023	INSPECT/NDT AILERON HORN BALANCE WEIGHT							Service	ATA:57
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 57.135	AFL	0							
PROC. REF: NTM 57-50-107, MMS 57-00-00									
570024	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO RIB 1 LH AND RH							Service	ATA:57
	MOS	05-May-10							
	HRS	0	T:12000 (+500)		12000	12500	8139.4 (+500)		
WC#: 57.065	AFL	0							
PROC. REF: MMS 57-00-00									
570025	DETAIL INSPECT WING BOTTOM SKIN AT ATTACHMENT TO THE REAR SPAR, BETWEEN RIB 1 LH AND RIB 1 RH							Service	ATA:57
	MOS	05-May-10							
	HRS	0	4800 (+10%)		4800	5280	939.4 (+480)		
WC#: 57.050	AFL	0							
PROC. REF: MMS 57-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
570026	INSPECT WING LEADING EDGES							Service	ATA:57
	MOS	20-Jun-22	48 (+3m)		20-Jun-26	20-Sep-26	879 d (+92)		
	HRS	3511.6							
WC#: 57.025	AFL	1288							
570027	DETAIL INSPECT WING INTERNAL STRUCTURE FORWARD OF THE CENTER SPAR INCLUDING THE FRONT AND CENTER SPARS FROM RIBS 0 TO 4, AND BETWEEN AND INCLUDING THE FRONT AND REAR SPARS FROM RIB 4 TO THE WING TIP							Service	ATA:57
	MOS	06-Jun-18	96 (+3m)	Adj -32d	05-May-26	05-Aug-26	833 d (+92)		
	HRS	2965.25	4800 (+10%)		7765.25	8245.25	3904.7 (+480)		
WC#: 57.045	AFL	1073							
PROC. REF: AMM 28-10-00									
570028	INSPECT AILERON AT OUTBOARD HINGE CASTING							Service	ATA:57
	MOS/MSC	05-May-10	N/R						
	HRS	0							
WC#: 57.125	AFL	0							
570029	VISUALLY INSPECT WING OUTER, UPPER AND LOWER SKINS							Service	ATA:57
	MOS	10-Oct-23							
	HRS	3810.8	300 (+10%)		4110.8	4140.8	250.2 (+30)		
WC#: 57.155	AFL	1442							
570030 <sup>S</sup>	INSPECT LEFT WING RIB 16 AND SPAR FITTING WHERE THE WINGLET IS ATTACHED TO THE WING							Service	ATA:57
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
	AFL	1288							
PKG:63,95									
570031 <sup>S</sup>	INSPECT RIGHT WING RIB 16 AND SPAR FITTING WHERE THE WINGLET IS ATTACHED TO THE WING							Service	ATA:57
	MOS	20-Jun-22	24 (+2m/-2m)						
	HRS	3511.6							
	AFL	1288							
PKG:64,95									
571010	WING							Component	ATA:57
PN:25-8WA7-6001	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:259159	HRS	0		TSN 0					
WC#: 57.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
571109	REPLACE LEFT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service	ATA:57
	MOS	16-Mar-10						LIFE LIMIT	
	HRS	0							
WC#: 57.150	AFL	0	14600		14600		13134		
571110	REPLACE RIGHT FLAP HINGE ATTACHMENT ANGLES TO MAIN LANDING GEAR MOUNTING FITTING BOLTS							Service	ATA:57
	MOS	16-Mar-10						LIFE LIMIT	
	HRS	0							
WC#: 57.150	AFL	0	14600		14600		13134		
574001	LEFT LEADING EDGE ASSEMBLY							Component	ATA:57
PN:25-8WS3299-3A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAV09K048	HRS	0		TSN 0					
WC#: 57.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
574002	RIGHT LEADING EDGE ASSEMBLY							Component	ATA:57
PN:25-8WS3299-4A	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:CAV09K043	HRS	0		TSN 0					
WC#: 57.085	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 71 - POWER PLANT</b>									
710049	COMPRESSOR WASH NO. 1 ENGINE							Service	ATA:71
	MOS/MSC	16-Mar-10	O/C						
	HRS	0							
WC#: 71.025	AFL	0							
PROC. REF: GENERIC CMM									
710050	COMPRESSOR WASH NO. 2 ENGINE							Service	ATA:71
	MOS/MSC	16-Mar-10	O/C						
	HRS	0							
WC#: 71.025	AFL	0							
PROC. REF: GENERIC CMM									
710081	NO. 1 ENGINE INLET COWL							Component	ATA:71
PN:716RA0001-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:102995700005	HRS	0		TSN 0					
WC#: 71.055	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710082	NO. 2 ENGINE INLET COWL							Component	ATA:71
PN:716RA0001-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:102995700006	HRS	0		TSN 0					
WC#: 71.055	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									
710083	NO. 1 ENGINE UPPER FAN COWL DOOR							Component	ATA:71
PN:711RA0005-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:080APN600024	HRS	0		TSN 0					
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									
710084	NO. 2 ENGINE UPPER FAN COWL DOOR							Component	ATA:71
PN:711RA0006-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:070APN600019	HRS	0		TSN 0					
WC#: 71.060	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									
710089	NO. 1 ENGINE LOWER FAN COWL DOOR							Component	ATA:71
PN:711RA0003-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:080APN600024	HRS	0		TSN 0					
WC#: 71.070	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									
710090	NO. 2 ENGINE LOWER FAN COWL DOOR							Component	ATA:71
PN:711RA0004-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:080APN600023	HRS	0		TSN 0					
WC#: 71.070	AFL	0		TSN 0					
PROC. REF: AMM 71-10-00									
710120	NO. 1 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service	ATA:71
	MOS	04-Dec-17							
	HRS	2853.82	3000 (+100)		(5853.82) 5866.92	5953.82	2006.3 (+100)		
	ENC	1031							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710120	NO. 2 ENGINE - MAJOR PERIODIC INSPECTION (MPI)							Service	ATA:71
	MOS	28-Nov-17							
	HRS	2853.82	3000 (+100)		(5853.82) 5866.92	5953.82	2006.3 (+100)		
	ENC	1031							
					PROC. REF: LMM 72-00-00				
710130 <sup>S</sup>	NO. 1 ENGINE - INSPECT TAILPIPE/LPT 3 ROTOR ASSEMBLY							Service	ATA:71
	MOS	20-Jun-22							
	HRS	3498.5	850						
	ENC	1274							
					PROC. REF: LMM 72-50-04			PKG:3	
710130 <sup>S</sup>	NO. 2 ENGINE - INSPECT TAILPIPE/LPT 3 ROTOR ASSEMBLY							Service	ATA:71
	MOS	20-Jun-22							
	HRS	3498.5	850						
	ENC	1274							
					PROC. REF: LMM 72-50-04			PKG:3	
710140 <sup>S</sup>	NO. 1 ENGINE - INSPECT INLET/FAN AREA							Service	ATA:71
	MOS	20-Jun-22							
	HRS	3498.5	850						
	ENC	1274							
					PROC. REF: LMM 72-00-00			PKG:3	
710140 <sup>S</sup>	NO. 2 ENGINE - INSPECT INLET/FAN AREA							Service	ATA:71
	MOS	20-Jun-22							
	HRS	3498.5	850						
	ENC	1274							
					PROC. REF: LMM 72-00-00			PKG:3	
712001	NO. 1 ENGINE MOUNTING							Component	ATA:71
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 71.075	AFL	0			TSN 0				
					PROC. REF: AMM 71-20-00				
712002	NO. 2 ENGINE MOUNTING							Component	ATA:71
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 71.080	AFL	0			TSN 0				
					PROC. REF: AMM 71-20-00				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 71 - POWER PLANT</b>								
714010 <sup>S</sup>	NO. 1 ENGINE - VISUALLY		INSPECT ELECTRICAL WIRES AND CONNECTIONS					Service ATA:71
	MOS	20-Jun-22						
	HRS	3498.5	850					
	ENC	1274						
					PROC. REF: LMM 70-00-00			PKG:3
714010 <sup>S</sup>	NO. 2 ENGINE - VISUALLY		INSPECT ELECTRICAL WIRES AND CONNECTIONS					Service ATA:71
	MOS	20-Jun-22						
	HRS	3498.5	850					
	ENC	1274						
					PROC. REF: LMM 70-00-00			PKG:3
715010 <sup>S</sup>	NO. 1 ENGINE - VISUALLY		INSPECT PLUMBING LINES AND CONNECTIONS					Service ATA:71
	MOS	20-Jun-22						
	HRS	3498.5	850					
	ENC	1274						
					PROC. REF: LMM 70-00-00			PKG:3
715010 <sup>S</sup>	NO. 2 ENGINE - VISUALLY		INSPECT PLUMBING LINES AND CONNECTIONS					Service ATA:71
	MOS	20-Jun-22						
	HRS	3498.5	850					
	ENC	1274						
					PROC. REF: LMM 70-00-00			PKG:3
71EN1	NO. 1 ENGINE							Component ATA:71
PN:3060090-1	MOS/MSC	19-Dec-17	E/C					
SN:P122372	HRS	2886.88		TSN 2853.82				
WC#: 71.EN1	AFL	1043						
					PROC. REF: AMM 71-00-01			
71EN2	NO. 2 ENGINE							Component ATA:71
PN:3060090-1	MOS/MSC	19-Dec-17	E/C					
SN:P122371	HRS	2886.88		TSN 2853.82				
WC#: 71.EN2	AFL	1043						
					PROC. REF: AMM 71-00-01			
<b>ATA 72 - ENGINE</b>								
720002	INSPECT NO. 1 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service ATA:72
	MOS	16-Oct-17						PART OF MPI
	HRS	2853.82	3000 (+10%)		5853.82	6153.82	1993.2 (+300)	
WC#: 72.030	AFL	1031						

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720002	INSPECT NO. 2 ENGINE AFT COWLING/INNER FAN DUCT AND EXHAUST DUCT							Service	ATA:72
	MOS	19-Dec-17						PART OF MPI	
	HRS	2886.88	3000 (+10%)		5886.88	6186.88	2026.3 (+300)		
WC#: 72.030	AFL	1043							
720003	DETAIL INSPECT NO. 1 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service	ATA:72
	MOS	16-Oct-17						PART OF MPI	
	HRS	2853.82	3000 (+10%)		5853.82	6153.82	1993.2 (+300)		
WC#: 72.040	AFL	1031							
720003	DETAIL INSPECT NO. 2 ENGINE EXHAUST NOZZLE/EXHAUST PIPE V CLAMP							Service	ATA:72
	MOS	16-Oct-17						PART OF MPI	
	HRS	2853.82	3000 (+10%)		5853.82	6153.82	1993.2 (+300)		
WC#: 72.040	AFL	1031							
720110	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3060827-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:S-3474	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 05-10-01, LMM 72-60-02								
720110	NO. 2 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:3060827-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:S-3437	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 05-10-01, LMM 72-60-02								
720210	NO. 1 ENGINE - CHECK AUTO-IGNITION							Service	ATA:72
	DAYS/MSC	16-Oct-17	N/A						
	HRS	2820.75							
	ENC	1019							
	PROC. REF: LMM 72-00-00								
720210	NO. 2 ENGINE - CHECK AUTO-IGNITION							Service	ATA:72
	DAYS/MSC	16-Oct-17	N/A						
	HRS	2820.75							
	ENC	1019							
	PROC. REF: LMM 72-00-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721001	NO. 1 ENGINE - PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
721001	NO. 2 ENGINE - PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
721002	NO. 1 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
721002	NO. 2 ENGINE - PERFORM ENGINE PRESERVATION CHECK							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
721003	NO. 1 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
721003	NO. 2 ENGINE - DE-PRESERVATION OF ENGINE							Service	ATA:72
	MOS/MSC	18-Feb-10	O/C						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 72-00-00				
723010 <sup>S</sup>	NO. 1 ENGINE - CHECK CARBON SEAL HEALTH							Service	ATA:72
	MOS	04-Dec-17							
	HRS	2853.82	1650						
	ENC	1031							
					PROC. REF: LMM 72-00-00			PKG:5	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723010 <sup>S</sup>	NO. 2 ENGINE - CHECK CARBON SEAL HEALTH							Service	ATA:72
	MOS	28-Nov-17							
	HRS	2853.82	1650						
	ENC	1031							
PROC. REF: LMM 72-00-00								PKG:5	
725010	NO. 1 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060625-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-04509	HRS	0		TSN 0					
	ENC	0	12000	TSN 0	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - STAGE 1 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060625-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-04568	HRS	0		TSN 0					
	ENC	0	12000	TSN 0	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060611-1	MOS	04-Dec-17		TSR 0				LIFE LIMIT	
SN:08-03229-02954	HRS	2853.82		TSN 2853.82, TSR 0					
	ENC	1031	12000	TSN 1031, TSR 0	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - STAGE 2 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060611-1	MOS	28-Nov-17		TSO 0				LIFE LIMIT	
SN:08-03229-02927	HRS	2853.82		TSN 2853.82					
	ENC	1031	12000	TSN 1031	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060671-2	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-01920	HRS	0		TSN 0					
	ENC	0	12000	TSN 0	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725030	NO. 2 ENGINE - STAGE 3 LOW PRESSURE TURBINE DISC							Component	ATA:72
PN:3060671-2	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-01943	HRS	0		TSN 0					
	ENC	0	12000	TSN 0	(12000) 12014		10548		
PROC. REF: GENERIC NO REF									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3060841-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:09-156111-00182	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE DISC							Component	ATA:72
PN:3060841-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-12172-00219	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - FAN DISC							Component	ATA:72
PN:3060241-1	MOS	05-May-10		TSN 0				LIFE LIMIT	
SN:08-13651-02952	HRS	4.7		TSN 11.9					
	ENC	4	20000	TSN 11	(19993) 20007		18541		
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - FAN DISC							Component	ATA:72
PN:3060241-1	MOS	05-May-10		TSN 0				LIFE LIMIT	
SN:08-13651-02953	HRS	4.7		TSN 11.9					
	ENC	4	20000	TSN 11	(19993) 20007		18541		
PROC. REF: GENERIC NO REF									
725060	NO. 1 ENGINE - CHANGE 1ST STAGE LOW PRESSURE AXIAL COMPRESSOR DISC							Service	ATA:72
	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725060	NO. 2 ENGINE - CHANGE 1ST STAGE LOW PRESSURE AXIAL COMPRESSOR DISC							Service	ATA:72
	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									
725070	NO. 1 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075839-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:080316001581	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
	(AFL)	0		TSN 0					
PROC. REF: GENERIC NO REF									
725070	NO. 2 ENGINE - STAGE 2 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075839-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:080316001539	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
	(AFL)	0		TSN 0					
PROC. REF: GENERIC NO REF									
725080	NO. 1 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3060374-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:080316000372	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									
725080	NO. 2 ENGINE - STAGE 3 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3060374-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:080316000368	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725090	NO. 1 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-5	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03501-20190	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									
725090	NO. 2 ENGINE - STAGE 4 LOW PRESSURE COMPRESSOR DISC							Component	ATA:72
PN:3075326-5	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03501-20376	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									
725110	NO. 1 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component	ATA:72
PN:3074744-1	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P17731	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-30-10, LMM 72-30-10									
725110	NO. 2 ENGINE - LOW PRESSURE COMPRESSOR TIE ROD							Component	ATA:72
PN:3074744-1	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P17732	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-30-10, LMM 72-30-10									
725120	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component	ATA:72
PN:3060371-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:09-162246-02226	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8014		6548		
PROC. REF: GENERIC NO REF									
725120	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR IMPELLER							Component	ATA:72
PN:3060371-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:09-162246-02225	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8014		6548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725130	<b>NO. 1 ENGINE - FAN SPINNER</b>							Component	ATA:72
PN:3060242-2	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:09-5060-00133	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									
725130	<b>NO. 2 ENGINE - FAN SPINNER</b>							Component	ATA:72
PN:3060242-2	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:09-5060-00130	HRS	0		TSN 0					
	ENC	0	20000	TSN 0	(20000) 20014		18548		
PROC. REF: GENERIC NO REF									
725140	<b>NO. 1 ENGINE - FAN DRIVE SHAFT</b>							Component	ATA:72
PN:3060291-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:08-13663-06778	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725140	<b>NO. 2 ENGINE - FAN DRIVE SHAFT</b>							Component	ATA:72
PN:3060291-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:08-13663-06810	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725160	<b>NO. 1 ENGINE - HIGH PRESSURE TURBINE FORWARD ROTATING SEAL</b>							Component	ATA:72
PN:3060698-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03501-19838	HRS	0		TSN 0					
	ENC	0	7000	TSN 0	(7000) 7014		5548		
PROC. REF: GENERIC NO REF									
725160	<b>NO. 2 ENGINE - HIGH PRESSURE TURBINE FORWARD ROTATING SEAL</b>							Component	ATA:72
PN:3060698-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03501-19594	HRS	0		TSN 0					
	ENC	0	7000	TSN 0	(7000) 7014		5548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725170	NO. 1 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3060366-3	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18025	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725170	NO. 2 ENGINE - HIGH PRESSURE COMPRESSOR SHOULDERED SHAFT							Component	ATA:72
PN:3060366-3	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18026	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725180	NO. 1 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component	ATA:72
PN:3060534-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P06915	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-40-04									
725180	NO. 2 ENGINE - COMBUSTION CHAMBER PLENUM CASE							Component	ATA:72
PN:3060534-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P06916	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF, LMM 72-40-04									
725210	NO. 1 ENGINE - FORWARD HIGH PRESSURE TURBINE SEAL PLATE							Component	ATA:72
PN:3060514-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-04890	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									
725210	NO. 2 ENGINE - FORWARD HIGH PRESSURE TURBINE SEAL PLATE							Component	ATA:72
PN:3060514-1	MOS	18-Feb-10		TSN 0				LIFE LIMIT	
SN:08-03229-04851	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10014		8548		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725220	NO. 1 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3060694-7	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P07465	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725220	NO. 2 ENGINE - TURBINE INTERSTAGE TRANSITION DUCT							Component	ATA:72
PN:3060694-7	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P05725	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725230	NO. 1 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE SEAL SUPPORT							Component	ATA:72
PN:3060693-1	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:093300-00394	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725230	NO. 2 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE SEAL SUPPORT							Component	ATA:72
PN:3060693-1	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09-3300-00395	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725240	NO. 1 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE ASSEMBLY							Component	ATA:72
PN:3061819-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P11414	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01									
725240	NO. 2 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE ASSEMBLY							Component	ATA:72
PN:3061819-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P12496	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01									
725250	NO. 1 ENGINE - FORWARD HIGH PRESSURE TURBINE SHAFT COUPLING							Component	ATA:72
PN:3060502-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18131	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725250	NO. 2 ENGINE - FORWARD HIGH PRESSURE TURBINE SHAFT COUPLING							Component	ATA:72
PN:3060502-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18132	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725260	NO. 1 ENGINE - AFT HIGH PRESSURE TURBINE SHAFT COUPLING							Component	ATA:72
PN:3060599-3	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18334	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725260	NO. 2 ENGINE - AFT HIGH PRESSURE TURBINE SHAFT COUPLING							Component	ATA:72
PN:3060599-3	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:09P15825	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725270	NO. 1 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE (A5) SEAL							Component	ATA:72
PN:3073765-13	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10-3300-00063	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725270	NO. 2 ENGINE - LOW PRESSURE TURBINE 1 NOZZLE (A5) SEAL							Component	ATA:72
PN:3073765-13	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10-3300-00062	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service	ATA:72
	MOS	18-Feb-10							
	HRS	0	6000 (+200)		(6000) 6013.1	6200	2152.5 (+200)		
	ENC	0							
PROC. REF: LMM 72-00-00, LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
726010	NO. 2 ENGINE - COMPRESSOR ZONE INSPECTION (CZI)							Service	ATA:72
	MOS	18-Feb-10							
	HRS	0	6000 (+200)		(6000) 6013.1	6200	2152.5 (+200)		
	ENC	0							
PROC. REF: LMM 72-00-00, LMM 72-00-00									
726020	NO. 1 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component	ATA:72
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-60-03, LMM 72-60-03									
726020	NO. 2 ENGINE - TRANSFER GEARBOX ASSEMBLY							Component	ATA:72
PN:3070093-16	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:10P18120	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-60-03, LMM 72-60-03									
727010 <sup>S</sup>	NO. 1 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY							Service	ATA:72
	MOS	18-Feb-10							
	HRS	0	1300						
	ENC	0							
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04, LMM 72-70-04									
727010 <sup>S</sup>	NO. 2 ENGINE - INSPECT BYPASS STATOR VANE ASSEMBLY							Service	ATA:72
	MOS	18-Feb-10							
	HRS	0	1300						
	ENC	0							
PROC. REF: LMM 72-70-04, LMM 72-70-04, LMM 72-70-04, LMM 72-70-04									
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
730001 <sup>S</sup>	DRAIN PT2 PIPELINES TO FUEL COMPUTERS							Service	ATA:73
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 73.050	AFL	1243							
PKG:13,91									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
730110	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3070800-39	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:19837	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01, LMM 73-20-01									
730110	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:3070800-39	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:19836	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01, LMM 73-20-01									
730120 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	14-May-20							
	HRS	3324.5	650						
	ENC	1210							
PROC. REF: LMM 73-21-02, LMM 73-21-02									
730120 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND REPLACE FUEL FILTER ELEMENT							Service	ATA:73
	MOS	14-May-20							
	HRS	3324.5	650						
	ENC	1210							
PROC. REF: LMM 73-21-02, LMM 73-21-02									
730130	NO. 1 ENGINE - ENGINE FUEL PUMP							Component	ATA:73
PN:3060760-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3072	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01									
730130	NO. 2 ENGINE - ENGINE FUEL PUMP							Component	ATA:73
PN:3060760-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3068	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01, LMM 73-20-01, LMM 73-20-01, LMM 73-20-01									
731110	NO. 1 ENGINE - PRESSURE LIMITER VALVE							Component	ATA:73
PN:3070685-12	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:18425	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>731110 NO. 2 ENGINE - PRESSURE LIMITER VALVE Component ATA:73</b>								
PN:3070685-12	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:18422	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>731120 NO. 1 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE Component ATA:73</b>								
PN:394476-2	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:3261	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>731120 NO. 2 ENGINE - FUEL FLOW DIVIDER/DRAIN VALVE Component ATA:73</b>								
PN:394476-2	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:3267	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>732025 NO. 1 ENGINE LOW FUEL PRESSURE SWITCH Component ATA:73</b>								
PN:HTE690014-2	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:43090244	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-32-11								
<b>732026 NO. 2 ENGINE LOW FUEL PRESSURE SWITCH Component ATA:73</b>								
PN:HTE690014-2	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:43090247	HRS	0		TSN 0				
WC#: 73.020	AFL	0		TSN 0				
PROC. REF: AMM 73-32-11								
<b>732037 NO. 1 ENGINE FUEL FILTER TEMPERATURE SWITCH Component ATA:73</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.025	AFL	0		TSN 0				
<b>732038 NO. 2 ENGINE FUEL FILTER TEMPERATURE SWITCH Component ATA:73</b>								
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 73.025	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
732109	ENGINE FUEL SYNCHRONIZER							Component	ATA:73
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 73.035	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
733001	NO. 1 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:3051203-2	MOS/MSC	17-Jul-14	O/C						
SN:239453-271	HRS	1940.5			TSN 1940.5				
WC#: 73.040	AFL	703			TSN 703				
PROC. REF: AMM 73-31-11									
733002	NO. 2 ENGINE FUEL FLOW TRANSMITTER							Component	ATA:73
PN:3051203-2	MOS/MSC	17-Jul-14	O/C						
SN:239453-065	HRS	1940.5							
WC#: 73.040	AFL	703							
PROC. REF: AMM 73-31-11									
733013	NO. 1 ENGINE FUEL FLOW INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 73.045	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
733014	NO. 2 ENGINE FUEL FLOW INDICATOR							Component	ATA:73
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 73.045	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>ATA 74 - IGNITION</b>									
740110	NO. 1 ENGINE - IGNITION UNIT							Component	ATA:74
PN:3061186-1	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:J10020136	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 74-00-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
740110	NO. 2 ENGINE - IGNITION UNIT							Component	ATA:74
PN:3061186-1	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:J10020102	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 74-00-01									
740130	NO. 1 ENGINE - 5 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	04-Dec-17	O/C						
SN:NSN	HRS	2853.82							
	ENC	1031							
PROC. REF: LMM 74-00-01									
740130	NO. 2 ENGINE - 5 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	28-Nov-17	O/C		TSN 5				
SN:UNKNOWN	HRS	2853.82			TSN 0				
	ENC	1031			TSN 0				
PROC. REF: LMM 74-00-01									
740140 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service	ATA:74
	MOS	04-Dec-17							
	HRS	2853.82	1650						
	ENC	1031							
PROC. REF: LMM 74-00-01, LMM 74-00-01									
740140 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND INSPECT 5 O'CLOCK IGNITER PLUG AND LEAD							Service	ATA:74
	MOS	28-Nov-17							
	HRS	2853.82	1650						
	ENC	1031							
PROC. REF: LMM 74-00-01, LMM 74-00-01									
740150	NO. 1 ENGINE - 7 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	04-Dec-17	O/C						
SN:NSN	HRS	2853.82							
	ENC	1031							
PROC. REF: LMM 74-00-01									
740150	NO. 2 ENGINE - 7 O'CLOCK IGNITER PLUG							Component	ATA:74
PN:3074541-4	MOS/MSC	28-Nov-17	O/C		TSN 5				
SN:UNKNOWN	HRS	2853.82			TSN 0				
	ENC	1031			TSN 0				
PROC. REF: LMM 74-00-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
740160 <sup>S</sup>	NO. 1 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service	ATA:74
	MOS	04-Dec-17							
	HRS	2853.82	1650						
	ENC	1031							
					PROC. REF: LMM 74-00-01			PKG:5	
740160 <sup>S</sup>	NO. 2 ENGINE - REMOVE AND INSPECT 7 O'CLOCK IGNITER PLUG AND LEAD							Service	ATA:74
	MOS	28-Nov-17							
	HRS	2853.82	1650						
	ENC	1031							
					PROC. REF: LMM 74-00-01			PKG:5	
740210 <sup>S</sup>	NO. 1 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service	ATA:74
	MOS	14-May-20							
	HRS	3324.5	650						
	ENC	1210							
					PROC. REF: LMM 74-00-01			PKG:2	
740210 <sup>S</sup>	NO. 2 ENGINE - OPERATIONAL CHECK IGNITION SYSTEM							Service	ATA:74
	MOS	14-May-20							
	HRS	3324.5	650						
	ENC	1210							
					PROC. REF: LMM 74-00-01			PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 75 - AIR</b>									
750001 <sup>S</sup>	INSPECT THE BLEED AIR PORT LOW PRESSURE (LP) VENTURI GASKET FOR SIGNS OF DETERIORATION, DEEP DISCOLORATION, CRACKS OR MISSING PIECES OF GASKET AND REPLACE AS NECESSARY							Service	ATA:75
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
	AFL	1243							
								PKG:17,91	
751013	NO. 1 ENGINE THERMAL ANTI-ICE VALVE							Component	ATA:75
PN:27441482	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1BF6	HRS	0			TSN 0				
WC#: 75.020	AFL	0			TSN 0				
PROC. REF: AMM 75-10-11									
751014	NO. 2 ENGINE THERMAL ANTI-ICE VALVE							Component	ATA:75
PN:27441482	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:1BF3	HRS	0			TSN 0				
WC#: 75.021	AFL	0			TSN 0				
PROC. REF: AMM 75-10-11									
754010	NO. 1 ENGINE ANTI-ICE PRESSURE SWITCH							Component	ATA:75
PN:HTE690013	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:49091167	HRS	0			TSN 0				
WC#: 75.015	AFL	0			TSN 0				
PROC. REF: AMM 75-40-11									
754011	NO. 2 ENGINE ANTI-ICE PRESSURE SWITCH							Component	ATA:75
PN:HTE690013	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:49091157	HRS	0			TSN 0				
WC#: 75.015	AFL	0			TSN 0				
PROC. REF: AMM 75-40-11									
754210	NO. 1 ENGINE - INLET TEMPERATURE SENSOR							Component	ATA:75
PN:3070816-14	MOS/MSC	21-Dec-13	O/C		TSN 0				
SN:1316901724233	HRS	1664.55			TSN 0				
WC#: 75.010	ENC	612			TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01									
754210	NO. 2 ENGINE - INLET TEMPERATURE SENSOR							Component	ATA:75
PN:3070816-14	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:091789323544	HRS	0			TSN 0				
WC#: 75.010	ENC	0			TSN 0				
PROC. REF: LMM 75-40-01, LMM 75-40-01, LMM 75-40-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
760001 <sup>S</sup>	CHECK THROTTLE LEVER CONTROLS							Service	ATA:76
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 76.030	AFL	1243							
				PROC. REF: AMM 27-72-00				PKG:10,91	
760002 <sup>S</sup>	CHECK ENGINE POWER CONTROL CABLES							Service	ATA:76
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 76.010	AFL	1073							
				PROC. REF: AMM 76-10-00				PKG:23,92	
760003	CHECK POWER CONTROL CABLES							Service	ATA:76
	MOS/MSC	27-Oct-10	O/C						
	HRS	167.32							
WC#: 76.020	AFL	77							
				PROC. REF: AMM 76-10-00					
760004	LUBRICATE NO. 1 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING							Service	ATA:76
	MOS	19-Dec-17							
	HRS	2886.88	1200		4086.88		226.3		
WC#: 76.040	AFL	1043							
				PROC. REF: AFMS 5-20-11					
760004	LUBRICATE NO. 2 ENGINE THRUST CONTROL TELEFLEX CABLE AND DISCONNECT COUPLING							Service	ATA:76
	MOS	19-Dec-17							
	HRS	2886.88	1200		4086.88		226.3		
WC#: 76.040	AFL	1043							
				PROC. REF: AFMS 5-20-11					
761210	NO. 1 ENGINE - DOWNLOAD DIGITAL ELECTRONIC ENGINE (DEEC) CONTROL ECTM							Service	ATA:76
PN:2118882-5001	MOS	20-Dec-23							
SN:89-BH0011	HRS	3834.9	50		(3884.9) 3898		37.4		
WC#: 76.010	ENC	1448							
				PROC. REF: MSC CAMP EHM ADENDUM, LMM 72-00-00, LMM 76-10-02					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 76 - ENGINE CONTROLS</b>								
<b>761210 NO. 2 ENGINE - DOWNLOAD DIGITAL ELECTRONIC ENGINE (DEEC) CONTROL ECTM</b> Service ATA:76								
PN:2118882-5001	MOS	20-Dec-23						
SN:109-BH0024	HRS	3834.9	50		(3884.9) 3898		37.4	
WC#: 76.010	ENC	1448						
PROC. REF: MSC CAMP EHM ADENDUM, LMM 72-00-00, LMM 76-10-02								
<b>761310 NO. 1 ENGINE - SURGE BLEED VALVE</b> Component ATA:76								
PN:978812-7-1	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:14241	HRS	0		TSN 0				
WC#: 76.020	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
<b>761310 NO. 2 ENGINE - SURGE BLEED VALVE</b> Component ATA:76								
PN:978812-7-1	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:14236	HRS	0		TSN 0				
WC#: 76.020	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
<b>761320 NO. 1 ENGINE - SOLENOID CONTROL VALVE</b> Component ATA:76								
PN:109696-6-1	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:13416	HRS	0		TSN 0				
WC#: 76.030	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
<b>761320 NO. 2 ENGINE - SOLENOID CONTROL VALVE</b> Component ATA:76								
PN:109696-6-1	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:13703	HRS	0		TSN 0				
WC#: 76.030	ENC	0		TSN 0				
PROC. REF: LMM 76-10-01, LMM 76-10-01, LMM 76-10-01								
<b>761330 NO. 1 ENGINE - DIGITAL ELECTRONIC ENGINE (DEEC) CONTROL</b> Component ATA:76								
PN:2118882-5001	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:89-BH0011	HRS	0		TSN 0				
WC#: 76.040	ENC	0		TSN 0				
PROC. REF: LMM 05-10-01, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								
<b>761330 NO. 2 ENGINE - DIGITAL ELECTRONIC ENGINE (DEEC) CONTROL</b> Component ATA:76								
PN:2118882-5001	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:109-BH0024	HRS	0		TSN 0				
WC#: 76.040	ENC	0		TSN 0				
PROC. REF: LMM 05-10-01, LMM 76-10-02, LMM 76-10-02, LMM 76-10-02								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
<b>771025 NO. 1 ENGINE LOW-PRESSURE (N1) INDICATOR</b>								Component ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>771026 NO. 2 ENGINE LOW-PRESSURE (N1) INDICATOR</b>								Component ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>771037 NO. 1 ENGINE HIGH-PRESSURE (N2) INDICATOR</b>								Component ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>771038 NO. 2 ENGINE HIGH-PRESSURE (N2) INDICATOR</b>								Component ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 77.015	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>771210 NO. 1 ENGINE - N1 COMPENSATOR</b>								Component ATA:77
PN:3060735-7	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:091309700221	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
<b>771210 NO. 2 ENGINE - N1 COMPENSATOR</b>								Component ATA:77
PN:3060735-6	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:081309700556	HRS	0		TSN 0				
WC#: 77.010	ENC	0		TSN 0				
PROC. REF: LMM 77-10-03, LMM 77-10-03, LMM 77-10-03								
<b>771220 NO. 1 ENGINE - N2 TRANSDUCER</b>								Component ATA:77
PN:3070722-8	MOS/MSC	18-Feb-10	O/C	TSN 0				
SN:071936055710	HRS	0		TSN 0				
WC#: 77.020	ENC	0		TSN 0				
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
771220	NO. 2 ENGINE - N2 TRANSDUCER							Component	ATA:77
PN:3070722-8	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:071936055779	HRS	0		TSN 0					
WC#: 77.020	ENC	0		TSN 0					
PROC. REF: LMM 77-10-05, LMM 77-10-05, LMM 77-10-05									
772210	NO. 1 ENGINE - ITT THERMOCOUPLE HARNESS							Component	ATA:77
PN:3060763-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:091789355098	HRS	0		TSN 0					
WC#: 77.030	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01									
772210	NO. 2 ENGINE - ITT THERMOCOUPLE HARNESS							Component	ATA:77
PN:3060763-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:091789355097	HRS	0		TSN 0					
WC#: 77.030	ENC	0		TSN 0					
PROC. REF: LMM 77-20-01									
773005	LEFT TIME DELAY SWITCH							Component	ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
773006	RIGHT TIME DELAY SWITCH							Component	ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.025	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
774013	NO. 1 ENGINE ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
774014	NO. 2 ENGINE ITT INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
780001 <sup>S</sup>	INSPECT THRUST REVERSER LINK ARM ASSEMBLIES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.110	AFL	1243							
				PROC. REF: AMM 78-31-10				PKG:17,91	
780002 <sup>S</sup>	INSPECT REVERSER DOOR SEALS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.120	AFL	1243							
				PROC. REF: AMM 78-31-20				PKG:17,91	
780003 <sup>S</sup>	TEST THRUST REVERSER STOW/DEPLOY MICROSWITCHES							Service	ATA:78
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 78.130	AFL	1073							
				PROC. REF: AMM 78-34-20				PKG:22,92	
780004 <sup>S</sup>	INSPECT PYLON SKIN PANELS							Service	ATA:78
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 78.135	AFL	1073							
								PKG:29,92	
780005 <sup>S</sup>	DETAIL INSPECT DOOR LINK RODS AND PIVOT BRACKETS							Service	ATA:78
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 78.140	AFL	1073							
				PROC. REF: AMM 78-31-10				PKG:29,92	
780006 <sup>S</sup>	CHECK THRUST REVERSER LEVER BAULK MECHANISM							Service	ATA:78
	MOS	06-Jun-18							
	HRS	2965.25	3200 (+150/-50)						
WC#: 78.125	AFL	1073							
								PKG:34,93	
780009 <sup>S</sup>	INSPECT THRUST REVERSER AFTERBODY, DOORS AND FAN FLAPS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.155	AFL	1243							
								PKG:17,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
780010 <sup>S</sup>	INSPECT THRUST REVERSER HYDRAULIC LINES AND WIRING HARNESS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.160	AFL	1243						PKG:13,91	
780011 <sup>S</sup>	DETAIL INSPECT THRUST REVERSER EXHAUST NOZZLES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.165	AFL	1243						PKG:17,91	
780012 <sup>S</sup>	INSPECT THRUST REVERSER HYDRAULIC LINES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.170	AFL	1243						PKG:17,91	
780013 <sup>S</sup>	INSPECT THRUST REVERSER WIRE HARNESSES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.175	AFL	1243						PKG:17,91	
780014 <sup>S</sup>	INSPECT THRUST REVERSER FAN DUCTS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.180	AFL	1243						PKG:17,91	
780015 <sup>S</sup>	INSPECT THRUST REVERSER LATCH BOX SPRINGS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.185	AFL	1243						PKG:17,91	
780016 <sup>S</sup>	OPERATIONAL TEST THRUST REVERSER LATCH MONITORING SWITCHES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.190	AFL	1243						PKG:17,91	
					PROC. REF: AMM 78-33-50			PKG:17,91	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
780017 <sup>S</sup>	INSPECT THRUST REVERSER LATCHES AND LATCH RECEPTACLES							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.195	AFL	1243							
	PROC. REF: AMM 78-31-35							PKG:17,91	
780018 <sup>S</sup>	INSPECT THRUST REVERSER PRIMARY AND LATCH HYDRAULIC ACTUATORS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.200	AFL	1243							
	PROC. REF: AMM NO REF 1							PKG:17,91	
780019 <sup>S</sup>	INSPECT THRUST REVERSER THROTTLE RETARD HYDRAULIC ACTUATORS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.205	AFL	1243							
	PROC. REF: AMM 78-32-30							PKG:17,91	
780020 <sup>S</sup>	INSPECT THRUST REVERSER FAN FLAP HYDRAULIC ACTUATORS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.210	AFL	1243							
	PROC. REF: AMM NO REF 1							PKG:17,91	
780021 <sup>S</sup>	INSPECT THRUST REVERSER PYLON PLUGS							Service	ATA:78
	MOS	03-Aug-21							
	HRS	3405	800 (+40/-10)						
WC#: 78.215	AFL	1243							
	PROC. REF: AMM NO REF 1							PKG:17,91	
780023 <sup>S</sup>	CHECK BONDING STRAPS - 900XP AIRPLANES							Service	ATA:78
	MOS	06-Jun-18							
	HRS	2965.25	1600 (+50/-50)						
WC#: 78.225	AFL	1073							
	PROC. REF: AMM NO REF 1							PKG:29,92	
781001	NO. 1 ENGINE THRUST REVERSER AFTERBODY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.015	AFL	0			TSN 0				
	PROC. REF: AMM 78-33-40								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
781002	NO. 2 ENGINE THRUST REVERSER AFTERBODY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.015	AFL	0			TSN 0				
PROC. REF: AMM 78-33-40									
781013	NO. 1 ENGINE THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:11ND78100-1	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HX9135-3	HRS	0			TSN 0				
WC#: 78.010	AFL	0			TSN 0				
781014	NO. 2 ENGINE THRUST REVERSER ASSEMBLY							Component	ATA:78
PN:11ND78100-3	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:HX9139-4	HRS	0			TSN 0				
WC#: 78.011	AFL	0			TSN 0				
781026	NO. 1 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.020	AFL	0			TSN 0				
PROC. REF: AMM 78-32-40									
781027	NO. 1 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.020	AFL	0			TSN 0				
PROC. REF: AMM 78-32-40									
781028	NO. 2 ENGINE THRUST REVERSER INBOARD ACTUATOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
781029	NO. 2 ENGINE THRUST REVERSER OUTBOARD ACTUATOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.025	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
781053	NO. 1 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.030	AFL	0		TSN 0					
PROC. REF: AMM 78-32-50									
781054	NO. 1 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.030	AFL	0		TSN 0					
PROC. REF: AMM 78-32-50									
781055	NO. 2 ENGINE INBOARD LATCH ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.035	AFL	0		TSN 0					
PROC. REF: AMM 78-32-50									
781056	NO. 2 ENGINE OUTBOARD LATCH ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.035	AFL	0		TSN 0					
PROC. REF: AMM 78-32-50									
781090	NO. 1 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY							Component	ATA:78
PN:5453511-15	MOS/MSC	03-Aug-21	O/C	TSO 34					
SN:943424-02A	HRS	3405		TSO 0					
WC#: 78.040	AFL	1243		TSO 0					
PROC. REF: AMM 78-32-60									
781091	NO. 1 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.040	AFL	0		TSN 0					
PROC. REF: AMM 78-32-60									
781092	NO. 2 ENGINE UPPER FAN FLAP ACTUATOR ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.045	AFL	0		TSN 0					
PROC. REF: AMM 78-32-60									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
781093	NO. 2 ENGINE LOWER FAN FLAP ACTUATOR ASSEMBLY							Component	ATA:78
PN:5453511-15	MOS/MSC	18-Nov-19	O/C	TSO 0					
SN:909A	HRS	3302.9		TSO 0					
WC#: 78.045	AFL	1203		TSO 0					
PROC. REF: AMM 78-32-60									
781117	NO. 1 ENGINE RETARD THROTTLE ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-32-30									
781118	NO. 2 ENGINE RETARD THROTTLE ASSEMBLY							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.050	AFL	0		TSN 0					
PROC. REF: AMM 78-32-30									
781129	THRUST REVERSER TIME DELAY RELAY							Component	ATA:78
PN:5400619-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:HX410-110	HRS	0		TSN 0					
WC#: 78.055	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
781130	CONTROL RELAY BOX							Component	ATA:78
PN:5400612-1	MOS/MSC	20-Jul-23	O/C						
SN:109	HRS	3746.3		TSN 9203.9					
WC#: 78.060	AFL	1413							
PROC. REF: AMM 78-33-20									
781136	AUXILIARY RELAY BOX							Component	ATA:78
PN:5400605-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:HX5494	HRS	0		TSN 0					
WC#: 78.065	AFL	0		TSN 0					
PROC. REF: AMM 78-33-30									
781142	NO. 1 ENGINE THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:064135141-11	MOS/MSC	20-Jul-23	O/C						
SN:A30041741	HRS	3746.3							
WC#: 78.070	AFL	1413							
PROC. REF: AMM 78-32-20									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
781143	NO. 2 ENGINE THRUST REVERSER CONTROL VALVE							Component	ATA:78
PN:064135141-11	MOS/MSC	20-Jul-23	O/C						
SN:A3004144	HRS	3746.3							
WC#: 78.070	AFL	1413							
PROC. REF: AMM 78-32-20									
781155	THRUST REVERSER ACCUMULATOR							Component	ATA:78
PN:DS259-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:60209-1287	HRS	0		TSN 0					
WC#: 78.075	AFL	0		TSN 0					
PROC. REF: AMM 78-32-10									
781156	HYDRAULIC RELIEF VALVE							Component	ATA:78
PN:MS28893-D6	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:74982	HRS	0		TSN 0					
WC#: 78.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
781161	THRUST REVERSER CONTROL PANEL							Component	ATA:78
PN:5412600-3	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:HX564-103	HRS	0		TSN 0					
WC#: 78.085	AFL	0		TSN 0					
PROC. REF: AMM 78-33-10									
781167	NO. 1 ENGINE THRUST REVERSER PRESSURE SWITCH							Component	ATA:78
PN:2365-15	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:4407	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
781169	NO. 2 ENGINE THRUST REVERSER PRESSURE SWITCH							Component	ATA:78
PN:2365-15	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:4405	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
781173	THRUST REVERSER PRESSURE GAUGE							Component	ATA:78
PN:MS28061T7	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:2415	HRS	0		TSN 0					
WC#: 78.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 78 - EXHAUST</b>									
783008	NO. 1 ENGINE LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.095	AFL	0		TSN 0					
PROC. REF: AMM 78-31-10									
783009	NO. 2 ENGINE LOWER THRUST REVERSER DOOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.095	AFL	0		TSN 0					
PROC. REF: AMM 78-31-10									
783010	NO. 1 ENGINE UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
PROC. REF: AMM 78-31-10									
783011	NO. 2 ENGINE UPPER THRUST REVERSER DOOR							Component	ATA:78
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 78.100	AFL	0		TSN 0					
PROC. REF: AMM 78-31-10									
783013	NO. 1 ENGINE INNER FAN DUCT ASSEMBLY							Component	ATA:78
PN:11ND78310-1	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:A30040135	HRS	0		TSN 0					
WC#: 78.230	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
783014	NO. 2 ENGINE INNER FAN DUCT ASSEMBLY							Component	ATA:78
PN:11ND78310-2	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:A30040139	HRS	0		TSN 0					
WC#: 78.231	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 79 - OIL</b>									
79-20-01-900-801-A01	NO. 1 ENGINE - OIL FILTER							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-01, LMM 79-20-01									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-20-01-900-801-A01	NO. 2 ENGINE - OIL FILTER							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 79-20-01, LMM 79-20-01									
790110	NO. 1 ENGINE - OIL PUMP							Component	ATA:79
PN:3060785-2	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:091405700293	HRS	0		TSN 0					
WC#: 79.010	ENC	0		TSN 0					
PROC. REF: LMM 05-10-01, LMM 79-20-03									
790110	NO. 2 ENGINE - OIL PUMP							Component	ATA:79
PN:3060785-2	MOS/MSC	08-Nov-11	O/C	TSO 0					
SN:071405701651	HRS	764		TSO 0					
WC#: 79.010	ENC	284		TSO 0					
PROC. REF: LMM 05-10-01, LMM 79-20-03									
790130 <sup>S</sup>	NO. 1 ENGINE - ANALYZE ENGINE OIL AND FILTER							Service	ATA:79
	MOS	18-Mar-23							
	HRS	3691.6	250						
WC#: 79.020	ENC	1379							
PROC. REF: LMM 72-00-00									
790130 <sup>S</sup>	NO. 2 ENGINE - ANALYZE ENGINE OIL AND FILTER							Service	ATA:79
	MOS	18-Mar-23							
	HRS	3691.6	250						
WC#: 79.020	ENC	1379							
PROC. REF: LMM 72-00-00									
790140 <sup>S</sup>	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	04-Dec-17							
	HRS	2853.82	1300						
WC#: 79.030	ENC	1031							
PROC. REF: LMM 72-00-00									
790140 <sup>S</sup>	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	28-Nov-17							
	HRS	2853.82	1300						
WC#: 79.030	ENC	1031							
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
790150 <sup>S</sup>	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM ELECTRICAL RESISTANCE CHECK							Service	ATA:79
	MOS	14-May-20							
	HRS	3324.5	650						
WC#: 79.040	ENC	1210							
	PROC. REF: LMM 79-10-01, LMM 79-10-01								PKG:2
790150 <sup>S</sup>	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION AND PERFORM ELECTRICAL RESISTANCE CHECK							Service	ATA:79
	MOS	14-May-20							
	HRS	3324.5	650						
WC#: 79.040	ENC	1210							
	PROC. REF: LMM 79-10-01, LMM 79-10-01								PKG:2
790160 <sup>S</sup>	NO. 1 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service	ATA:79
	MOS	18-Mar-23							
	HRS	3691.6	250						
WC#: 79.040	ENC	1379							
	PROC. REF: LMM 79-10-01, LMM 79-10-01								PKG:1
790160 <sup>S</sup>	NO. 2 ENGINE - INSPECT CHIP DETECTOR FOR CONTAMINATION							Service	ATA:79
	MOS	18-Mar-23							
	HRS	3691.6	250						
WC#: 79.040	ENC	1379							
	PROC. REF: LMM 79-10-01, LMM 79-10-01								PKG:1
792008	NO. 1 ENGINE - OIL FLOW REDUCTION VALVE							Component	ATA:79
PN:3060769-1	MOS/MSC	20-Dec-17	O/C						
SN:11-182215-11140	HRS	2888.63							
WC#: 79.130	ENC	1044							
	PROC. REF: LMM 79-20-08								
792008	NO. 2 ENGINE - OIL FLOW REDUCTION VALVE							Component	ATA:79
PN:3060769-1	MOS/MSC	20-Dec-17	O/C						
SN:09-06451-10010	HRS	2888.63							
WC#: 79.130	ENC	1044							
	PROC. REF: LMM 79-20-08								
792144	NO. 1 ENGINE OIL LOW PRESSURE SWITCH							Component	ATA:79
PN:HTE690009	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:49091183	HRS	0			TSN 0				
WC#: 79.030	AFL	0			TSN 0				
	PROC. REF: AMM 79-33-11								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792145	NO. 2 ENGINE OIL LOW PRESSURE SWITCH							Component	ATA:79
PN:HTE690009	MOS/MSC	16-Mar-10	O/C		TSN 0				
SN:49091181	HRS	0			TSN 0				
WC#: 79.030	AFL	0			TSN 0				
PROC. REF: AMM 79-33-11									
792210	NO. 1 ENGINE - UPPER RIGHT OIL COOLER							Component	ATA:79
PN:160556-6	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:1286	HRS	0			TSN 0				
WC#: 79.050	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									
792210	NO. 2 ENGINE - UPPER RIGHT OIL COOLER							Component	ATA:79
PN:160556-6	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:1285	HRS	0			TSN 0				
WC#: 79.050	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									
792220	NO. 1 ENGINE - UPPER LEFT OIL COOLER							Component	ATA:79
PN:160556-5	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:1337	HRS	0			TSN 0				
WC#: 79.060	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									
792220	NO. 2 ENGINE - UPPER LEFT OIL COOLER							Component	ATA:79
PN:160556-6	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:1338	HRS	0			TSN 0				
WC#: 79.060	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									
792230	NO. 1 ENGINE - LOWER LEFT OIL COOLER							Component	ATA:79
PN:160554-5	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:3234	HRS	0			TSN 0				
WC#: 79.070	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									
792230	NO. 2 ENGINE - LOWER LEFT OIL COOLER							Component	ATA:79
PN:160554-5	MOS/MSC	18-Feb-10	O/C		TSN 0				
SN:3236	HRS	0			TSN 0				
WC#: 79.070	ENC	0			TSN 0				
PROC. REF: LMM 79-20-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792240	NO. 1 ENGINE - LOWER RIGHT OIL COOLER							Component	ATA:79
PN:160554-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3179	HRS	0		TSN 0					
WC#: 79.080	ENC	0		TSN 0					
PROC. REF: LMM 79-20-10									
792240	NO. 2 ENGINE - LOWER RIGHT OIL COOLER							Component	ATA:79
PN:160554-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3172	HRS	0		TSN 0					
WC#: 79.080	ENC	0		TSN 0					
PROC. REF: LMM 79-20-10									
792250	NO. 1 ENGINE - PRESSURE BREATHER VALVE							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.090	ENC	0		TSN 0					
PROC. REF: LMM 79-20-02									
792250	NO. 2 ENGINE - PRESSURE BREATHER VALVE							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.090	ENC	0		TSN 0					
PROC. REF: LMM 79-20-02									
792260	NO. 1 ENGINE - OIL TEMPERATURE VALVE							Component	ATA:79
PN:158465-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:13594	HRS	0		TSN 0					
WC#: 79.100	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
792260	NO. 2 ENGINE - OIL TEMPERATURE VALVE							Component	ATA:79
PN:158465-6	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:13591	HRS	0		TSN 0					
WC#: 79.100	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793001	NO. 1 ENGINE - ENGINE OIL CHIP DETECTION UNIT							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.140	ENC	0		TSN 0					
PROC. REF: AMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793001	NO. 1 ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: AMM 79-32-11									
793001	NO. 2 ENGINE - ENGINE OIL CHIP DETECTION UNIT							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.140	ENC	0		TSN 0					
PROC. REF: AMM 79-30-02									
793002	NO. 2 ENGINE OIL PRESSURE TRANSMITTER							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.040	AFL	0		TSN 0					
PROC. REF: AMM 79-32-11									
793037	NO. 1 ENGINE OIL PRESSURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
793038	NO. 2 ENGINE OIL PRESSURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
793049	NO. 1 ENGINE OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
793050	NO. 2 ENGINE OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:PN	MOS/MSC	16-Mar-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: HAWKER 900XP Serial: HA-0161 RegNo: N61HQ HRS: 3860.6 AFL: 1466 As Of: 03-Jan-2024

23-Jan-2024 03:03 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
793310	NO. 1 ENGINE - OIL FILTER BYPASS VALVE							Component	ATA:79
PN:3060782-2	MOS/MSC	04-Dec-17	O/C	TSN 15					
SN:J13158	HRS	2853.82		TSN 0					
WC#: 79.110	ENC	1031		TSN 0					
PROC. REF: LMM 79-30-01									
793310	NO. 2 ENGINE - OIL FILTER BYPASS VALVE							Component	ATA:79
PN:PN	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 79.110	ENC	0		TSN 0					
PROC. REF: LMM 79-30-01									
793315 <sup>S</sup>	NO. 1 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service	ATA:79
PN:3060782-2	MOS	04-Dec-17							
SN:J13158	HRS	2853.82	1300						
WC#: 79.110	ENC	1031							
PROC. REF: LMM 79-30-01									
793315 <sup>S</sup>	NO. 2 ENGINE - CHECK OIL FILTER BYPASS VALVE CIRCUIT/THERMAL LOCKOUT SWITCH							Service	ATA:79
PN:PN	MOS	28-Nov-17							
SN:UNKNOWN	HRS	2853.82	1300						
WC#: 79.110	ENC	1031							
PROC. REF: LMM 79-30-01									
793320	NO. 1 ENGINE - FUEL/OIL COOLER							Component	ATA:79
PN:3060709-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3281	HRS	0		TSN 0					
WC#: 79.120	ENC	0		TSN 0					
PROC. REF: LMM 79-20-07									
793320	NO. 2 ENGINE - FUEL/OIL COOLER							Component	ATA:79
PN:3060709-4	MOS/MSC	18-Feb-10	O/C	TSN 0					
SN:3283	HRS	0		TSN 0					
WC#: 79.120	ENC	0		TSN 0					
PROC. REF: LMM 79-20-07									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task